बिड संख्या/Bid Number: GEM/2026/B/8207692

दिनांक /Dated: 05-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-11-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-11-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	**********
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :bhp3-mes@nic.in Buyer Email id: shitri.049l@gov.in
कुल मात्रा/Total Quantity	2218

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	LED Batten Light (LED Tube Light) (V2) (Q2) , XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) (Q2) , Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (Q2) , Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3) (Q2) , LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Q2) , Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1) (Q2) , LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Q2) , PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 (Q2) , LED Tube Light (Retrofit Type) (Q2) , Cable joint kit cold shrinkable 95 Sqmm 3 Core outdoor 11KV , Cable joint kit cold shrinkable 120 Sqmm 3 Core outdoor 11 KV , Cable joint kit cold shrinkable 185 Sqmm 3 Core outdoor 11KV , Staright through heat shrinkable joint kit 35 Sq mm 3.5 core 1100V , Staright through heat shrinkable joint kit 120 Sq mm 3.5 core 1100V , Staright through heat shrinkable joint kit 95 Sq mm 3.5 core1100V , Electrical type 5 oblique 4 step fan regulator , solar street light 20 watt with battery, solar panel and charger , Flat Three Core Cable for Submersible Pump Motors 1100 Volt, size 6.0sqmm , Staright through heat shrinkable joint kit 185 Sq mm 3.5 core 1100V , Heat shrink termination kit 95sqmm 3.5 core , Aluminium Cable Lugs 70 Sqmm , Aluminium Cable Lugs 95 Sqmm , Two core 0.75 Sqmm PVC Copper cable , Junction Box 4 way 250x250x100mm , Condenser Capacitor 2.5 MFD , Aluminium Cable Lugs 50 Sqmm , Electric Call Bell Ding Dong , PVC Tape Insulation 20 mm length 25 Mtr , Plug top 3 pin 16 Amps , Two core 1.50 Sqmm PVC Copper cable , Plug top 3 pin 5 Amps , Aluminium Cable Lugs 120 Sqmm , Aluminium Cable Lugs 185 Sqmm , Copper Lugs 120 Sqmm , Aluminium Cable Lugs 300 Sqmm
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Cable joint kit cold shrinkable 95 Sqmm 3 Core outdoor 11KV , Cable joint kit cold shrinkable 120 Sqmm 3 Core outdoor 11 KV , Cable joint kit cold shrinkable 185 Sqmm 3 Core outdoor 11KV , Staright through heat shrinkable joint kit 35 Sq mm 3.5 core 1100V , Staright through heat shrinkable joint kit 120 Sq mm 3.5 core 1100V , Staright through heat shrinkable joint kit 95 Sq mm 3.5 core1100V , Electrical type 5/4 step fan regulator , solar street light 20 watt with battery, solar panel and charger , Flat Three Core Cable for Submersible Pump Motors 1100 Volt, size 6.0sqmm, Staright through heat shrinkable joint kit 185 Sq mm 3.5 core 1100V , Heat shrink termination kit 95sqmm 3.5 core , Aluminium Cable Lugs 70 Sqmm , Aluminium Cable Lugs 95 Sqmm , Two core 0.75 Sqmm PVC Copper cable , Junction Box 4 way 250x250x100mm, Condenser/ Capacitor 2.5 MFD , Aluminium Cable Lugs 50 Sqmm , Electric Call Bell (Ding Dong) , PVC Tape Insulation 20 mm length 25 Mtr , Plug top 3 pin 16 Amps , Two core 1.50 Sqmm PVC Copper cable , Plug top 3 pin 5 Amps , Aluminium Cable Lugs 120 Sqmm , Aluminium Cable Lugs 185 Sqmm , Copper Lugs 120 Sqmm, Aluminium Cable Lugs 300 Sqmm
	Searched String: Cable joint kit cold shrinkable 95 Sqmm 3 Core outdoor 11KV

बिड विवरण/Bid Details	Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2) **Searched String**: Cable joint kit cold shrinkable 120 Sqmm 3 Core outdoor 11 KV Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2) **Searched String**: Cable joint kit cold shrinkable 185 Sqmm 3 Core outdoor 11KV Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2) **Searched String**: Staright through heat shrinkable joint kit 35 Sq mm 3.5 core 1100V XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: Staright through heat shrinkable joint kit 120 Sq mm 3.5 core 1100V XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2) **Searched String**: Staright through heat shrinkable joint kit 95 Sq mm 3.5 core1100V XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: Electrical type 5/4 step fan regulator Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Ceiling Fan (V4) ISI Marked to IS 374, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Pedestal Type Fan and Regulator Conforming To IS 1169, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: solar street light 20 watt with battery, solar panel and charger 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), High Mast Lighting Octagonal Tower with Solar Based LED Street Light

बिड विवरण/Bid Details	**Searched String**: Flat Three Core Cable for Submersible Pump Motors 1100 Volt, size 6.0sqmm
	Category not available on GeM for the text string uploaded by the buyer **Searched String**: Staright through heat shrinkable joint kit 185 Sq mm 3.5 core 1100V XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2) **Searched String**: Heat shrink termination kit 95sqmm 3.5 core Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: Aluminium Cable Lugs 70 Sqmm Electrical Cable Lugs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: Aluminium Cable Lugs 95 Sqmm Electrical Cable Lugs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Copper/Aluminium Conductors For Insulated Electric Cables and Flexible Cords Conforming To IS 8130 **Searched String**: Two core 0.75 Sqmm PVC Copper cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular

बिड विवरण/Bid Details	Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: Junction Box 4 way 250x250x100mm Telephone Junction Box, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Junction Boxes (Flameproof), Telephone Junction/DP (Distribution Point) Box (V2), Electrical Junction Box for Lighting, Cotton Towelling And Towels Conforming To IS 7056 (V4), Telecommunication Cable Connection Enclosure, File/Folder (V3), Crepe Bandage Conforming to IS 4605, Shaker Incubator **Searched String**: Condenser/ Capacitor 2.5 MFD 5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), 5-5 Dithiobis -2-2 Nitrobenzoic Acid (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, 5-Sulfosalicylic acid, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: Aluminium Cable Lugs 50 Sqmm Electrical Cable Lugs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Wrought Aluminium and Aluminium Alloy Bars, Rods,Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Electric Call Bell (Ding Dong) Electric Bells And Accessories conforming to IS 2268 (V2), Electric Bells and Accessories as per IS 2268, Wireless Attendant Calling System **Searched String**: PVC Tape Insulation 20 mm length 25 Mtr

बिड विवरण/Bid Details	PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Double sided tape, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1) **Searched String**: Plug top 3 pin 16 Amps Electric Power Plug Top for Industrial Applications, Electrical Plugs (V2) ISI Marked to IS 1293, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) **Searched String**: Two core 1.50 Sqmm PVC Copper cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: Plug top 3 pin 5 Amps Electric Power Plug Top for Industrial Applications, Electrical Plugs (V2) ISI Marked to IS 1293, HDMI Switcher, Steinmann Pin **Searched String**: Aluminium Cable Lugs 120 Sqmm Electrical Cable Lugs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Copper/Aluminium Conductors For Insulated Electric Cables and Flexible Cords Conforming To IS 8130

बिड विवरण/Bid Details	
	Searched String: Aluminium Cable Lugs 185 Sqmm Electrical Cable Lugs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Electrical connection Lugs or thimbles, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Copper/Aluminium Conductors For Insulated Electric Cables and Flexible Cords Conforming To IS 8130 **Searched String**: Copper Lugs 120 Sqmm Electrical Cable Lugs, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Electrical connection Lugs or thimbles, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309 **Searched String**: Aluminium Cable Lugs 300 Sqmm Electrical Cable Lugs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Electrical connection Lugs or thimbles, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Copper/Aluminium Conductors For Insulated Electric Cables and Flexible Cords Conforming To IS 8130
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) • Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 • Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)
बीओक्यू शीर्षक /BOQ Title	EM items
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	11 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)

बिड विवरण/Bid Details	
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Partial | Experience - 1 year (s) | Turn over value - 5 (in lakhs)
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Partial | Experience - 1 year (s) | Turn over value - 5 (in lakhs)
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	LED Batten Light (LED Tube Light) (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No

बिड विवरण/Bid Details	
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	111433

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :
SBSO
CWE Bhopal, Department of Military Affairs, Indian Army, Ministry of Defence
(Hq Cwe Bhopal)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier

as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

LED Batten Light (LED Tube Light) (V2) (244 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**Rated Wattage (in Watts)**	20.0
	Length of LED Batten Light	4.0 **(foot)**

Additional Specification Parameters - LED Batten Light (LED Tube Light) (V2) (244 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Tube Light fitting 20 Watt	244 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	244	30

LED Batten Light (LED Tube Light) (V2) (87 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**Rated Wattage (in Watts)**	18.0
	Length of LED Batten Light	4.0 **(foot)**

Additional Specification Parameters - LED Batten Light (LED Tube Light) (V2) (87 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Tube Light fitting 18 Watt	87 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	87	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (73 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	Yes
GENERIC	**Classification of cables for improved fire performace category**	C1 - FR
	Nominal Area of Conductor (in Sq mm)	35
	Number of Cores	3.5
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized round steel wire
	Type of Armouring	Single strip

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (73 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC insulated shethed scrnnn armoured XLPE under ground Aluminium cable of size 3.5core 35 sqmm 1100 volt	73 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	73	30

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Rated Current (in Ampere)**	250A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	36 KA

Additional Specification Parameters - Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCCB 250 Amp 4 P 36 KA	2 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (33 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	01
	Nominal Area of Conductor (in Sq mm)	70
	Number of Cores	3.5
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized round steel wire
	Type of Armouring	Single wire

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (33 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC insulated shethed scrnnn armoured XLPE under ground Aluminium cable of size 3.5core 70 sqmm 1100 volt	33 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	33	30

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Rated Current (in Ampere)**	125A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	25 KA

Additional Specification Parameters - Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCCB 125 Amp 4P 25 KA	3 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	3	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (15 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	01
	Nominal Area of Conductor (in Sq mm)	185
	Number of Cores	3.5
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized round steel wire
	Type of Armouring	Single wire

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (15 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC insulated shethed scrnnn armoured XLPE under ground Aluminium cable of size 3.5core 185 sqmm 1100 volt	15 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	15	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (30 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	C1 - FR
	Nominal Area of Conductor (in Sq mm)	95
	Number of Cores	3.5
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized steel formed wire
	Type of Armouring	Single strip

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (30 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC insulated shethed scrnnn armoured XLPE under ground Aluminium cable of size 3.5core 95 sqmm 1100 volt	30 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	30	30

Self Ballasted LED Lamps (LED Bulb) Conforming To IS 16102 (Part 2) (V3) (117 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**Rated Wattage (in Watts)**	15.0
	BEE Star Rating	1 Star
	Type of LED Lamp Cap	B22d

Additional Specification Parameters - Self Ballasted LED Lamps (LED Bulb) Conforming To IS 16102 (Part 2) (V3) (117 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Bulb 15 wt	117 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	117	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (60 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	01

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Area of Conductor (in Sq mm)	16
	Number of Cores	4
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized steel formed wire
	Type of Armouring	Single strip

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (60 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC insulated shethed scrnnn armoured XLPE under ground Aluminium cable of size 4 core 16 sqmm 1100 volt	60 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	60	30

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Rated Current (in Ampere)**	160A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	25 KA

Additional Specification Parameters - Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCCB 160 Amp 4P 25 KA	2 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Rated Current (in Ampere)**	400A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	36 KA

Additional Specification Parameters - Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC

60947 (Part 2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCCB 400 Amp 4 P 36 KA	1 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	1	30

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Rated Current (in Ampere)**	320A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	36 KA

Additional Specification Parameters - Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCCB 320 Amp 4 P 36 KA	1 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	1	30

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	150
	LED Luminaire System Efficacy (in lumen/watt)	140 Or higher

Additional Specification Parameters - LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Street Light 150 watt made up of pressure die cast aluminium housing with IP66 protection and impact resistance of IK07	5 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	5	30

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	45
	LED Luminaire System Efficacy (in lumen/watt)	140 Or higher

Additional Specification Parameters - LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Street Light 45 watt made up of pressure die cast aluminium housing with IP66 protection and impact resistance of IK07	8 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	8	30

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Rated Current (in Ampere)**	63A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	16 KA

Additional Specification Parameters - Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCCB 63 Amps 16KA 4 pole	3 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	3	30

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	70
	LED Luminaire System Efficacy (in lumen/watt)	140 Or higher

Additional Specification Parameters - LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Street Light 70 watt made up of pressure die cast aluminium housing with IP66 protection and impact resistance of IK07	3 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	3	30

LED Batten Light (LED Tube Light) (V2) (27 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**Rated Wattage (in Watts)**	20.0
	Length of LED Batten Light	3.0 **(foot)**

Additional Specification Parameters - LED Batten Light (LED Tube Light) (V2) (27 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Tube 20 Watt ,Decorative ultra slim round profile LED lighting fixture with extruded polycarbonate, LED 6000 K	27 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	27	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (24 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	01
	Nominal Area of Conductor (in Sq mm)	16
	Number of Cores	2
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized round steel wire
	Type of Armouring	Single wire

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (24 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC insulated shethed scrnnn armoured XLPE under ground Aluminium cable of size 2 core 16 sqmm 1100 volt	24 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	24	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (11 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	2 P with 1 PP
	Rated Current (in Ampere)	32
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (11 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 32 Amps SPN 240 volt 10 KA	11 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	11	30

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	18
	LED Luminaire System Efficacy (in lumen/watt)	100 Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Shape of the Fixture	Square
	Size of the Fixture	200 mm x 200 mm
	Type of Mounting	Recessed

Additional Specification Parameters - LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Recess light 18W square type	5 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	5	30

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (66 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Category of Cable**	FR-LSH
	Conductor Material	Annealed Bare copper
	Form of Conductor	Solid(Class 1)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	6.0
	Type of Insulation	Type A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Core	1 Core
	Sheath Type	Type ST1

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (66 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694 size 6.0 sqmm	66 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	66	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (155 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	C2 - FR-LSH
	Nominal Area of Conductor (in Sq mm)	16

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Cores	4
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Aluminium flat strip
	Type of Armouring	Single wire

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (155 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
LT Cable 16 Sqmm 4 core	155 RM
LT Cable 16 Sqmm 4 core	155 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	155	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (49 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Classification of cables for improved fire performace category**	01
	Nominal Area of Conductor (in Sq mm)	10
	Number of Cores	3
CONSTRUCTION	**Material of Conductor**	Plain Copper
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized steel formed wire
	Type of Armouring	Double wire

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (49 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Copper cable 10 Sqmm x 3 Core	49 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	49	30

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	36
	LED Luminaire System Efficacy (in lumen/watt)	100 Or higher
	Shape of the Fixture	Square
	Size of the Fixture	600 mm x 600 mm
	Type of Mounting	Recessed

Additional Specification Parameters - LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Recess mounted ceiling light 2'x2' 36 watt	12 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	12	30

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	36
	LED Luminaire System Efficacy (in lumen/watt)	100 Or higher
	Shape of the Fixture	Square

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Size of the Fixture	600 mm x 600 mm
	Type of Mounting	Recessed

Additional Specification Parameters - LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED recess light 36W	6 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	6	30

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (35 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Category of Cable**	FR
	Conductor Material	Annealed Bare copper
	Form of Conductor	Stranded (Class 2)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	6.0
	Type of Insulation	Type A
	Number of Core	2 Core
	Sheath Type	Type ST1

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (35 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Cable PVC insulated 6.0 Sq mm 2 core copper conductor	35 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	35	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	2 P with 1 PP
	Rated Current (in Ampere)	63
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To

IS/IEC 60898 (Part 1) (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 63 Amps SPN,240 volt 10 KA	6 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	6	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (33 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	01
	Nominal Area of Conductor (in Sq mm)	16
	Number of Cores	2
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized steel formed wire
	Type of Armouring	Single strip

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (33 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC insulated shethed scrnnn armoured XLPE under ground Aluminium cable of size 2 core 16 sqmm 1100 volt	33 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	33	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	1 P
	Rated Current (in Ampere)	20
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 20 Amps SP 220 volt 10 KA	20 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	20	30

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	9
	LED Luminaire System Efficacy (in lumen/watt)	100 Or higher
	Shape of the Fixture	Round
	Size of the Fixture	102 mm
	Type of Mounting	Recessed

Additional Specification Parameters - LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED recess light 9W round	4 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	4	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (55 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	Yes
GENERIC	**Classification of cables for improved fire performace category**	C2 - FR-LSH
	Nominal Area of Conductor (in Sq mm)	1.5
	Number of Cores	1
CONSTRUCTION	**Material of Conductor**	Plain Copper
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Un-armoured cable
	Material of Armouring	Galvanized round steel wire
	Type of Armouring	Single wire

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (55 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed)Flexible Cables, 1100 Volt Conforming to IS 694 size 1 sqmm	55 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	55	30

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (400 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Category of Cable**	FR-LSH
	Conductor Material	Annealed Tinned Copper
	Form of Conductor	Solid(Class 1)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	1.5
	Type of Insulation	Type A
	Number of Core	1 Core
	Sheath Type	Type ST1

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (400 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC insulated Copper Cable 1.50 Sqmm single core	400 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	400	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	1 P
	Rated Current (in Ampere)	40
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 40 Amps SP 240 volt 10 KA	8 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	8	30

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	120
	LED Luminaire System Efficacy (in lumen/watt)	120, 140 Or higher

Additional Specification Parameters - LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Street Light 120 watt made up of pressure die cast aluminium housing with IP66 protection and impact resistance of IK07	3 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	3	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part

1) (10 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	01
	Nominal Area of Conductor (in Sq mm)	25
	Number of Cores	4
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized steel formed wire
	Type of Armouring	Single strip

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (10 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Cable Armoured XLPE 4 x 25 Sqmm	10 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	10	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (18 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	1 P
	Rated Current (in Ampere)	32
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (18 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 32 Amps SP 240 volt 10 kA	18 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	18	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part

1) (10 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	No
GENERIC	**Classification of cables for improved fire performace category**	01
	Nominal Area of Conductor (in Sq mm)	10
	Number of Cores	4
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Solid
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized round steel wire
	Type of Armouring	Single wire

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (10 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Cable Armoured XLPE 4x10 Sqmm	10 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	10	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	1 P
	Rated Current (in Ampere)	63
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 63 Amps SP	5 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	5	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (4

pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	2 P with 1 PP
	Rated Current (in Ampere)	63
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 63 Amps SPN 10 KA	4 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	4	30

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	18
	LED Luminaire System Efficacy (in lumen/watt)	80, 90, 100 Or higher
	Shape of the Fixture	Round
	Size of the Fixture	102 mm
	Type of Mounting	Recessed

Additional Specification Parameters - LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Recess light 18W round type	3 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	3	30

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	30

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	LED Luminaire System Efficacy (in lumen/watt)	100, 120, 140 Or higher

Additional Specification Parameters - LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Street Light 30 watt made up of pressure die cast aluminium housing with IP66 protection and impact resistance of IK07	3 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	3	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	1 P
	Rated Current (in Ampere)	25
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 25 Amp 240 volt 10 KA SP	8 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	8	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	4 P with 3 PP
	Rated Current (in Ampere)	32
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 32 Amps TPN,415 volt 10 kA	3 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	3	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	1 P
	Rated Current (in Ampere)	10
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 10 Amps SP 240 volt 10 KA	8 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	8	30

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (4 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Cables suitable for use in mines**	Yes
GENERIC	**Classification of cables for improved fire performace category**	01
	Nominal Area of Conductor (in Sq mm)	120
	Number of Cores	3.5
CONSTRUCTION	**Material of Conductor**	Aluminium
	Construction of the conductor	Stranded
	Type of Inner Sheath	Thermoplastic
ARMOURING	**Type of Cable**	Armoured cable
	Material of Armouring	Galvanized steel formed wire
	Type of Armouring	Single wire

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (4 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Cable Armoured XLPE 3.5x120 Sqmm	4 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	4	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	1 P
	Rated Current (in Ampere)	6
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 6 Amps SP 240 volt 10 KA	8 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	8	30

LED Tube Light (Retrofit Type) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Rated Wattage (in Watts)**	18.0
	Length of LED Tube Light (in feet)	4.0
	Minimum Rated Luminous Efficacy (in lumen/watt)	100, 120 Or higher
CONSTRUCTION	**Lamp Shell Material**	Polycarbonate Or higher
	Tube Type	T-8
	Cap Designation	G13
	Type of Driver	Inbuilt (for T8)

Additional Specification Parameters - LED Tube Light (Retrofit Type) (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Tube 18/20 Watt ,Decorative ultra slim round profile LED lighting fixture with extruded polycarbonate, LED 6000 K	5 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	5	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	1 P
	Rated Current (in Ampere)	16
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 16 Amps SP,240 volt 10 KA	4 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	4	30

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	**Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)**	2 P with 1 PP
	Rated Current (in Ampere)	16
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	**Provision of Steel Sheet Enclosure for MCB**	Yes with 1.2 mm thick

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB 16 Amps SPN 240 volt 10 KA	4 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	4	30

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (88 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Category of Cable**	FR-LSH
	Conductor Material	Annealed Tinned Copper
	Form of Conductor	Solid(Class 1)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	2.5
	Type of Insulation	Type A
	Number of Core	1 Core
	Sheath Type	Type ST1

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (88 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Cable PVC single core 2.5 Sqmm copper	88 RM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	88	30

Self Ballasted LED Lamps (LED Bulb) Conforming To IS 16102 (Part 2) (V3) (154 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**Rated Wattage (in Watts)**	12.0
	BEE Star Rating	2 Star
	Type of LED Lamp Cap	B22d

Additional Specification Parameters - Self Ballasted LED Lamps (LED Bulb) Conforming To IS 16102 (Part 2) (V3) (154 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED Bulb 12 Wt	154 Nos

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	154	30

Cable Joint Kit Cold Shrinkable 95 Sqmm 3 Core Outdoor 11KV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

Cable Joint Kit Cold Shrinkable 120 Sqmm 3 Core Outdoor 11 KV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

Cable Joint Kit Cold Shrinkable 185 Sqmm 3 Core Outdoor 11KV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	1	30

Staright Through Heat Shrinkable Joint Kit 35 Sq Mm 3.5 Core 1100V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	1	30

Staright Through Heat Shrinkable Joint Kit 120 Sq Mm 3.5 Core 1100V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	1	30

Staright Through Heat Shrinkable Joint Kit 95 Sq Mm 3.5 Core1100V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	1	30

Electrical Type 5 Oblique 4 Step Fan Regulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	76	30

Solar Street Light 20 Watt With Battery, Solar Panel And Charger

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	1	45

Flat Three Core Cable For Submersible Pump Motors 1100 Volt, Size 6.0sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	11	30

Staright Through Heat Shrinkable Joint Kit 185 Sq Mm 3.5 Core 1100V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

Heat Shrink Termination Kit 95sqmm 3.5 Core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

Aluminium Cable Lugs 70 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	17	30

Aluminium Cable Lugs 95 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	10	30

Two Core 0.75 Sqmm PVC Copper Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	34	30

Junction Box 4 Way 250x250x100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

Condenser Capacitor 2.5 MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	31	30

Aluminium Cable Lugs 50 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	11	30

Electric Call Bell Ding Dong

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	8	30

PVC Tape Insulation 20 Mm Length 25 Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	14	30

Plug Top 3 Pin 16 Amps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	10	30

Two Core 1.50 Sqmm PVC Copper Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	14	30

Plug Top 3 Pin 5 Amps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	6	30

Aluminium Cable Lugs 120 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	8	30

Aluminium Cable Lugs 185 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	4	30

Copper Lugs 120 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

Aluminium Cable Lugs 300 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Sagar	2	30

Special terms and conditions-Version:1 effective from 11-11-2025 for category Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3)

1. The marking, dimensions and emission (radiated and conducted) of radio frequency disturbances of Self Ballasted LED Lamps (LED Bulb) shall conform to the IS 16102 (Part 2).

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---