बिड संख्या/Bid Number: GEM/2026/B/8213681

दिनांक /Dated: 06-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-11-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-11-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: prin-det-tarsali@gujarat.gov.in
कुल मात्रा/Total Quantity	1620

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	A.C. Energy Meter Single Phase, 10 A, 240 V induction type , Ammeter 0 to 10 Amp. AC AND DC , Ammeter M.C. 0-20 A Centre Zero , Ammeter M.C. 0-50 A Centre Zero , Autoclave , Caliper hermaphrodite spring type 150 mm , Caliper inside spring joint 150 mm , Caliper odd-leg firm joint 150 mm , Caliper outside spring joint 150 mm , Centre punch 100 mm , Clinometer For Angle Measurement , Combination Set 300 mm , Connecting screwdriver 10 X 100 mm , Copper bit soldering iron. 0.25 kg , Crimping Tool For Crimping 16 Sq Mm To 95 Sq.Mm , Depth Gauge Micrometer 0 to 150 mm Least Count 0.01mm , DIGITAL MULTIMETER , Divider 150 mm spring type , Dot punch 100 mm , Dust mask or nose mask , Electrician screw driver 250 mm , File flat 200 mm 2nd cut with handle , File flat 250 mm 2nd cut , File flat bastard 300 mm , File flat rough 150 mm with handle , File flat smooth 200 mm , File flat smooth 250 mm with handle , File half round 200 mm 2nd cut with handle , File Half Round 2nd Cut 200 Mm , File half round bastard. 250 mm , File half round second cut 250 mm , File hand second cut. 150 mm , File Rasp, half round 200 mm bastard with handle , File round 200 mm 2nd cut with handle , File round bastard. 250 mm , File square second cut 250 mm , File triangular second cut 200 mm , Gauge - Radius Set 1 mm to 25 mm by 0.5 mm . , Grease gun heavy duty trolley type 10 kg capacity , Hammer Ball Pein 250 Grams With Handle , Hammer cross peen with handle 250 grams , Knife Double Bladed Electrician 100 mm , LIFTING JACK SCREW TYPE 3000KGS. , LIFTING JACK SCREW TYPE 5000KGS. , Lockers with 16 drawers standard size , Mccb 100amps, Triple Pole , Micro Phone Cum Head Phone , Neon tester 230 V , Neon Tester 500 V , Network Rack 4U for 24 port with cooling Fan , Pipe Cutter To Cut Up To 50 mm Dia , Plier - Flat Nose 150 mm , Plier Flat Nose Length 200 mm Insulated , Plier Round Nose Insulated 100 Mm , Plier Side Cutting Insulted 6 inch , Plumb bob 115 grams , Precision angle grinding vice jaw size 200 mm dimension 250x250x300 mm , Projector Screen , Resistance box 0 to 500 ohms , Safety goggles clear glass Good quality , Screw driver 150 mm , Screw Driver 200 mm , Screw Pitch Gauge Metric each 0.25 to 6mm , Screw Pitch Gauge Whitworth each 0.25 to 6mm , Spanner ring set of 12 6 mm to 32 mm , Switch 24 port , Temperature Controlled Soldering Iron 50 Watt, 230 Volt , Terminal screw Driver 75 mm Connector , Thread Plug Gauge M-20 and M-21 , Voltmeter centre zero 15-0-15 volts , Watt Meter Digital 1kw , 230v , Wi Fi Router , Wire Cutter and Stripper 150 mm , Wire Gauge - Metric , Wire Stripper Adustable Length

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	A.C. Energy Meter Single Phase, 10 A, 240 V induction type, Ammeter 0 to 10 Amp. (AC, DC), Ammeter M.C. 0-20 A Centre Zero, Ammeter M.C. 0-50 A Centre Zero, Autoclave, Caliper hermaphrodite spring type 150 mm, Caliper inside spring joint 150 mm, Caliper odd-leg firm joint 150 mm, Caliper outside spring joint 150 mm, Centre punch 100 mm, Clinometer For Angle Measurement, Combination Set 300 mm, Connecting screwdriver 10 X 100 mm, Copper bit soldering iron. 0.25 kg, Crimping Tool For Crimping 16 Sq Mm To 95 Sq.Mm, Depth Gauge Micrometer 0 to 150 mm, Least Count 0.01, DIGITAL MULTIMETER, Divider 150 mm spring type, Dot punch 100 mm, Dust mask/nose mask, Electrician screw driver (250 mm), File flat 200 mm 2nd cut with handle, File flat 250 mm 2nd cut, File flat bastard 300 mm, File flat rough 150 mm with handle, File flat smooth 200 mm, File flat smooth 250 mm with handle, File half round 200 mm 2nd cut with handle, File Half Round 2nd Cut 200 Mm, File half round bastard. 250 mm, File half round second cut 250 mm, File hand second cut. 150 mm, File Rasp, half round 200 mm bastard with handle, File round 200 mm 2nd cut with handle, File round bastard. 250 mm, File square second cut 250 mm, File triangular second cut 200 mm, Gauge - Radius Set 1 mm to 25 mm by 0.5 mm ., Grease gun heavy duty trolley type (10 kg capacity), Hammer Ball Pein 220 Grams / 250 Grams / 0.5 Lb With Handle, Hammer, cross peen with handle 250 grams, Knife Double Bladed Electrician 100 mm, LIFTING JACK SCREW TYPE 3000KGS., LIFTING JACK SCREW TYPE 5000KGS., Lockers with 16 drawers standard size, Mccb 100amps, Triple Pole, Micro Phone Cum Head Phone, Neon tester 230 V, Neon Tester 500 V, Network Rack 4U for 24 port with cooling Fan, Pipe Cutter To Cut Up To 50 mm Dia, Plier - Flat Nose 150 mm, Plier Flat Nose Length 200 mm Insulated, Plier Round Nose Insulated 100 Mm, Plier Side Cutting Insulted 6" / 15cm, Plumb bob 115 grams, Precision angle grinding vice (200 mm) 250x250x300 mm, Projector Screen, Resistance box 0 to 500 ohms, Safety goggles clear glass (Good quality) , Screw driver 150 mm, Screw Driver 200 mm, Screw Pitch Gauge Metric each (0.25 to 6mm), Screw Pitch Gauge Whitworth each (0.25 to 6mm), Spanner ring set of 12 (6 mm to 32 mm), Switch 24 port, Temperature Controlled Soldering Iron 50 Watt, 230 Volt, Terminal screw Driver 75 mm (Connector), Thread Plug Gauge M-20 and M-21, Voltmeter centre zero 15-0-15 volts, Watt Meter (Digital) 1kw , 230v, WiFi Router, Wire Cutter and Stripper 150 mm, Wire Gauge - Metric, Wire Stripper Adustable Length
	Searched String: A.C. Energy Meter Single Phase, 10 A, 240 V induction type Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: Ammeter 0 to 10 Amp. (AC, DC) Measuring Instrument (BHEL), Digital pH Meter, Toluidine, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Hydrofluoric acid, Aqueous Conforming to IS 10332 (In Kg), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Hydrofluoric acid, Aqueous Conforming to IS 10332 (In Liter), Foreign body

बिड विवरण/Bid Details	(metal) detector for veterinary use, Biodiesel (B-100) — Fatty Acid Methyl Esters (FAME) Conforming to IS 15607, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Ammeter M.C. 0-20 A Centre Zero Muffle/Box Furnace (V2) **Searched String**: Ammeter M.C. 0-50 A Centre Zero Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Laboratory Glassware - Burettes (V2) as per IS 1997 **Searched String**: Autoclave Vertical Autoclave, Horizontal Autoclave, Dental Autoclave, Autoclave (Horizontal), Scrub Suit, Vertical Autoclave (FSSAI), Table Top Autoclave (V2), Hydrothermal Autoclave Reactor, Autoclave (ICMR Specs), Table Top Autoclave **Searched String**: Caliper hermaphrodite spring type 150 mm Binder Clips (V3) Conforming to IS 8231, Laboratory Desiccator (V2), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) **Searched String**: Caliper inside spring joint 150 mm Rubber Seals Joint Rings for Water Supply, Drainage and Sewerage Pipelines as per IS 5382, Safety Relief Valves-Spring Loaded **Searched String**: Caliper odd-leg firm joint 150 mm Rubber Seals Joint Rings for Water Supply, Drainage and Sewerage Pipelines as per IS 5382 **Searched String**: Caliper outside spring joint 150 mm Rubber Seals Joint Rings for Water Supply, Drainage and Sewerage Pipelines as per IS 5382, Safety Relief Valves-Spring Loaded **Searched String**: Centre punch 100 mm Hand Magnifiers (V2) conforming to IS 5148, Foot Steps For Hospital/Clinic and Domestic Purposes, Paper Punch Machine(V2), Polyethylene Pipes for Water Supply conforming to IS 4984, Electronic Baby Weighing Scale - RBSK, Bathroom Water Shower (V2), Wooden Lab Stools, modular electrical enclosure switch board boxes for modular type accessories, Note Sheet Pad (Azure Laid) (V3), Tags For Files (V3) Conforming to IS 8499 **Searched String**: Clinometer For Angle Measurement Copper Alloy Angle Valve For Waterworks Purpose Conforming to IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Water Flow Measurement in Open Channels - Rotating Element Current Meters as per IS 3910, Zeta and Particle Size Analyser, post fence metal angle, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Infrared Medical

बिड विवरण/Bid Details	Thermometer For Measuring Body Temperature (V2) **Searched String**: Combination Set 300 mm Arc Welding Transformer (V2), Blood Administration Set (V2), Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Baby Weighing Scale - RBSK, Pin Up Notice Board (V2), Combination Board (V2), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Wooden Lab Stools, Shallow Sterilizer (Dressing Drum) **Searched String**: Connecting screwdriver 10 X 100 mm Hand Magnifiers (V2) conforming to IS 5148, Electronic Baby Weighing Scale - RBSK, Cast Iron Detachable Joints for Use with Asbestos Cement Pressure Pipes conforming to IS 8794, Wooden Lab Stools, Polyurethane Tube (V2), modular electrical enclosure switch board boxes for modular type accessories, Note Sheet Pad (Azure Laid) (V3), Labels Stickers (V3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Polyethylene Pipes for Water Supply conforming to IS 4984 **Searched String**: Copper bit soldering iron. 0.25 kg Electronic Weighing Scales, Electric Soldering Iron, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: Crimping Tool For Crimping 16 Sq Mm To 95 Sq.Mm Wrought Aluminium Utensils (V2) as per IS 1660, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255 **Searched String**: Depth Gauge Micrometer 0 to 150 mm, Least Count 0.01 Micro/Semi-Micro/Analytical weighing balance, Measuring (Travelling) Microscope as per IS 4329, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Ultrasonic Thickness Gauge **Searched String**: DIGITAL MULTIMETER Digital Multimeter, Digital Multimeter (V2), Rotary Shaker, Digital Timer, true rms clamp meter, Digital Burette, Digital pH Meter, Digital Barometer, Digital Storage Oscilloscope,

बिड विवरण/Bid Details	Digital Tachometer **Searched String**: Divider 150 mm spring type MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Biosafety Cabinet (V2), Hand Operated Shearing Machine, Binder Clips (V3) Conforming to IS 8231, Memory Card Reader (V2), Pin Up Notice Board (V2), Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: Dot punch 100 mm Hand Magnifiers (V2) conforming to IS 5148, Foot Steps For Hospital/Clinic and Domestic Purposes, Paper Punch Machine(V2), Polyethylene Pipes for Water Supply conforming to IS 4984, Electronic Baby Weighing Scale - RBSK, Bathroom Water Shower (V2), Wooden Lab Stools, modular electrical enclosure switch board boxes for modular type accessories, Note Sheet Pad (Azure Laid) (V3), Tags For Files (V3) Conforming to IS 8499 **Searched String**: Dust mask/nose mask Rover Mask, BiPAP Full Face Mask (V2), Tracheostomy Mask, CPAP Mask, Surgical Face Masks Conforming to IS 16289, Nebulizer Mask, Respiratory Protective Devices- Filtering Half Masks, Handcrafted Mask, Reusable / Washable Cloth Face Mask, LARYNGEAL MASK AIRWAYS **Searched String**: Electrician screw driver (250 mm) Screw driver Bits, Speed Breaker (V2), Power Screw Driver (V2), Non-Sparking Screw Driver-IS:4595, Bone Screw (V2), Screwdriver Set (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, 4.5mm Broad D.C. Plate with corresponding screws, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Foot Steps For Hospital/Clinic and Domestic Purposes **Searched String**: File flat 200 mm 2nd cut with handle Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Portable Toilet, Shredding Machine/Paper Shredder **Searched String**: File flat 250 mm 2nd cut Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Polyethylene Bags for General Purposes Conforming to IS 9738, Correspondence Envelopes (V3) Conforming to IS 13892, Shredding Machine/Paper Shredder, Open Jaw Wrenches (Spanners) (V2) As Per Is 2028, Laboratory Desiccator (V2) **Searched String**: File flat bastard 300 mm Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4), Modular Metal Drawer File Cabinet Pedestal, Polyethylene Bags for General Purposes

बिड विवरण/Bid Details	Conforming to IS 9738, Electronic Baby Weighing Scale - RBSK, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pin Up Notice Board (V2), Endodontic Files (V2), Wooden Lab Stools **Searched String**: File flat rough 150 mm with handle Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Chapati/Dosa Griddle (Tawa), Bathroom Water Shower (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Urinal Bowls as per IS 2556 (Part 6), Culture Tube With Screw Cap (V2) **Searched String**: File flat smooth 200 mm Mill File -as per IS 1931, Foot Steps For Hospital/Clinic and Domestic Purposes, Saw File as per IS 1931, Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4), Mild Steel Sheet, Polyethylene Bags for General Purposes Conforming to IS 9738, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Endodontic Files (V2), Roti Making Machine, Tags For Files (V3) Conforming to IS 8499 **Searched String**: File flat smooth 250 mm with handle Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Chapati/Dosa Griddle (Tawa), Computer Paper (V3) Conforming to IS 12766 (In Packet), Correspondence Envelopes (V3) Conforming to IS 13892, Laboratory Shaker (V2), Dak Pad (V3), Urinal Bowls as per IS 2556 (Part 6), Polyethylene Bags for General Purposes Conforming to IS 9738 **Searched String**: File half round 200 mm 2nd cut with handle Portable Toilet, Bathroom Water Shower (V2), Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Shredding Machine/Paper Shredder **Searched String**: File Half Round 2nd Cut 200 Mm Portable Toilet, Bathroom Water Shower (V2), Medals (V3), Shredding Machine/Paper Shredder, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, Laboratory Desiccator (V2), Permanent Paint Marker (V3), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Ultrasonic Thickness Gauge, Towel Ring **Searched String**: File half round bastard. 250 mm Category not available on GeM for the text string uploaded by the buyer **Searched String**: File half round second cut 250 mm Category not available on GeM for the text string uploaded by the buyer **Searched String**: File hand second cut. 150 mm Saw File as per IS 1931, Insulated Pliers (V2), Files (V2) as per IS 1931, Non Sparking Files (V2) as per IS 4595 and IS 1931, Bathroom Water Shower (V2) **Searched String**: File Rasp, half round 200 mm bastard

बिड विवरण/Bid Details	
	with handle Bathroom Water Shower (V2) **Searched String**: File round 200 mm 2nd cut with handle Portable Toilet, Bathroom Water Shower (V2), Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Shredding Machine/Paper Shredder **Searched String**: File round bastard. 250 mm Speed Breaker (V2), Bathroom Water Shower (V2), Dak Pad (V3), Foot Steps For Hospital/Clinic and Domestic Purposes, Endodontic Files (V2), Towel Rail, Correspondence Envelopes (V3) Conforming to IS 13892, Tags For Files (V3) Conforming to IS 8499, Computer Paper (V3) Conforming to IS 12766 (In Packet), Correspondence Envelopes (V3) **Searched String**: File square second cut 250 mm Solid Carbide End Mill (V2), Non Sparking Files (V2) as per IS 4595 and IS 1931, Dak Pad (V3), Files (V2) as per IS 1931 **Searched String**: File triangular second cut 200 mm Files (V2) as per IS 1931, Non Sparking Files (V2) as per IS 4595 and IS 1931, Insulated Pliers (V2) **Searched String**: Gauge - Radius Set 1 mm to 25 mm by 0.5 mm . PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Medicine Ball (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Anti Bird Netting (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Table - Tennis Table (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097 **Searched String**: Grease gun heavy duty trolley type (10 kg capacity)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Electronic Weighing Scales, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Manual Portable Grease Gun (V2) as per IS 7794, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Antiwear Hydraulic Oil, Extra Heavy Duty Type (V3) Conforming to IS 11656 **Searched String**: Hammer Ball Pein 220 Grams / 250 Grams / 0.5 Lb With Handle Category not available on GeM for the text string uploaded by the buyer **Searched String**: Hammer, cross peen with handle 250 grams Non Sparking Hammers (V2), Drone or Unmanned Aerial Vehicle with Customized Payload (Defence Forces - Navy,

बिड विवरण/Bid Details	Army and Air Force) **Searched String**: Knife Double Bladed Electrician 100 mm Foot Steps For Hospital/Clinic and Domestic Purposes, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: LIFTING JACK SCREW TYPE 3000KGS. Karabiners Screw Type MK - 2 (Defence), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cattle Lifting Machine, Stacker (V2), Household Sewing Machine Head, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Carboys-IS 5715, IS 6312, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Plain Washer as per IS 2016 **Searched String**: LIFTING JACK SCREW TYPE 5000KGS. Karabiners Screw Type MK - 2 (Defence), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cattle Lifting Machine, Stacker (V2), Household Sewing Machine Head, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Carboys-IS 5715, IS 6312, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Direct Evaporative Air Cooler (V2) ISI Marked To IS 3315, Water Tender Type B for Fire Brigade Use conforming to IS 950 **Searched String**: Lockers with 16 drawers standard size Composite Office Tables conforming to IS 8126 (V2), Intubation Laryngoscopes for Anesthesia Procedures (V2), Bicycle with Safety and Performance Requirements Conforming to IS 10613, Stainless Steel ANSI B16.5 Flange, PISTOL GRIP PNEUMATIC DRILL GUNS, Stud with Nuts **Searched String**: Mccb 100amps, Triple Pole Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Printed Letter Head Paper (V3), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Foot Steps For Hospital/Clinic and Domestic Purposes, Pole Mounted Stainless Steel Dustbin (V2), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1) **Searched String**: Micro Phone Cum Head Phone Basic/Feature Mobile Phone, Add on Phones / Consols / Endpoint for PABX System, IP/PSTN Conference Phone, Portable UV Disinfection Box for smart phone and accessories, Megaphone-Loud Hailer, Smartphones (V3), Mobile Phone And Tablet Computer Case/Cover, Hand-Held Satellite Phone conforming to MHA QR, Rack Type Charging Station For Tablet/Mobile Phone, ISAT Phone Docking Unit Along with Magnetic Base Outdoor / Vehicular Antenna **Searched String**: Neon tester 230 V Insulation Tester, Line Tester (V2), Digital pH Meter, Power Factor Meter - Digital, Reciprocating Saw, Non-Contact High Voltage Detector, Solenoid Valve (V3)

बिड विवरण/Bid Details	
	Searched String: Neon Tester 500 V Insulation Tester, Line Tester (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Sealing Wax (V2) as per IS 868, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468 **Searched String**: Network Rack 4U for 24 port with cooling Fan Mist Air Fan, Fan Blades for Cooling Tower fan Rev 1, Industrial Cooling Fan (Man Coolers) (V2) Conforming To IS 6272, Circulating/Shaking Water Baths (FSSAI), Spectrum Analyzers and Vector Network Analyzers, Locking Compression Plates (V2) **Searched String**: Pipe Cutter To Cut Up To 50 mm Dia Hand Magnifiers (V2) conforming to IS 5148, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Portable Pipe Threading Machine, Anti Bird Netting (V2), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Universal Tool and Cutter Grinding Machine, Pipe Cutter (V2), Mild Steel Sheet, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: Plier - Flat Nose 150 mm Orthopedic Nose Pliers (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Orthopedic Instruments - Nose Pliers, Insulated Pliers (V2), Flat Woven Webbing Slings ISI Marked to IS 15041, Roti Making Machine, Mild Steel Sheet, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Foot Steps For Hospital/Clinic and Domestic Purposes **Searched String**: Plier Flat Nose Length 200 mm Insulated Mild Steel Sheet, Orthopedic Instruments - Nose Pliers, Insulated Pliers (V2), Pliers, Pincers and Nippers (V2) As Per IS 2615, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Bags for General Purposes Conforming to IS 9738, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 **Searched String**: Plier Round Nose Insulated 100 Mm Bathroom Water Shower (V2), Orthopedic Instruments - Nose Pliers, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Plier Side Cutting Insulted 6" / 15cm Orthopaedic Wire Cutter (V2) **Searched String**: Plumb bob 115 grams Category not available on GeM for the text string uploaded by the buyer **Searched String**: Precision angle grinding vice (200 mm) 250x250x300 mm

बिड विवरण/Bid Details	Parallel Bar - Outdoor Gym Equipment, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Machine Vice as per IS 4502, Labels Stickers (V3), Portable Toilet, Foot Steps For Hospital/Clinic and Domestic Purposes, Kidney Trays Conforming to IS 3992, modular electrical enclosure switch board boxes for modular type accessories, Electronic Baby Weighing Scale - RBSK, Laboratory Shaker (V2) **Searched String**: Projector Screen Projector Screen (V2), Projector Lamps, Rotary Microtome, Multimedia Projector (MMP), Projector Mounting Stand (V3), Hospital Bedside Ward Screen, Screen Protector, Humidity Chamber, Mobile Folding Privacy Screen / Ward Screen, Viscometer **Searched String**: Resistance box 0 to 500 ohms Muffle/Box Furnace (V2), Resistors (V2), Toxic Gas Detector, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Signal Isolator, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3) **Searched String**: Safety goggles clear glass (Good quality) Glass Coasters, File/Folder (V3), Glass Tableware (V2) Conforming to IS 1961, Glass Cleaner, Liquid (V3) conforming to IS 8540 **Searched String**: Screw driver 150 mm Screw driver Bits, Bone Screw (V2), Power Screw Driver (V2), Non-Sparking Screw Driver-IS:4595, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Screwdriver Set (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, 4.5mm Broad D.C. Plate with corresponding screws, Roti Making Machine, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 **Searched String**: Screw Driver 200 mm Screw driver Bits, Bone Screw (V2), Power Screw Driver (V2), Non-Sparking Screw Driver-IS:4595, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Screwdriver Set (V2), Foot Steps For Hospital/Clinic and Domestic Purposes, Hexagon Socket Head Cap Screw (V2) Conforming to IS 2269, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, 4.5mm Broad D.C. Plate with corresponding screws **Searched String**: Screw Pitch Gauge Metric each (0.25 to 6mm) Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Heavy Duty Battery Charger, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: Screw Pitch Gauge Whitworth each (0.25

बिड विवरण/Bid Details	
	to 6mm) Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Heavy Duty Battery Charger, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: Spanner ring set of 12 (6 mm to 32 mm) High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Non Sparking Double Ended Ring Spanner (V2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Carrom Board and Accessories (V2), Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654, Binder Clips (V3) Conforming to IS 8231, Foot Rest, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Ring Wrenches (V2) as Per Is 2029 **Searched String**: Switch 24 port Fibre Channel SAN Switch - Fixed Port, Cleaning Duster (V3), KVM Switches (V2), Chemo Port, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Chemo Port (V2), SAN Switch, Director-Class Storage Area Network (SAN) Switch, Self Priming Pump Conforming To IS 5120, RJ45 Port Locking Blocker **Searched String**: Temperature Controlled Soldering Iron 50 Watt, 230 Volt Category not available on GeM for the text string uploaded by the buyer **Searched String**: Terminal screw Driver 75 mm (Connector) Terminal Strip Connectors, Non-Sparking Screw Driver-IS:4595, Culture Tube With Screw Cap (V2), Wood screws **Searched String**: Thread Plug Gauge M-20 and M-21 Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, HDMI Switcher, Double sided tape, Electronic Weighing Scales, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Plain Washer as per IS 2016 **Searched String**: Voltmeter centre zero 15-0-15 volts Muffle/Box Furnace (V2), Zero Till Seed cum Fertilizer, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Temperature Indicator for Transformers - Analog type, Online UPS (V2), Oxygen Flow Meter, Minifuge, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Analog-Digital Circuits Development Platform

बिड विवरण/Bid Details	**Searched String**: Watt Meter (Digital) 1kw , 230v Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Cotton Towelling And Towels Conforming To IS 7056 (V4), digital conductivity meter, Power Factor Meter - Digital, Digital pH Meter, true rms clamp meter, Digital Light Meter, Digital LCR Meter (V2), Digital Moisture Meter (Textile), Digital Trainer Kit **Searched String**: WiFi Router Wi-Fi/Wireless Router (V2), Books (V2), Wireless LAN Access Point (V3), Network Interface Card (Wired/Wireless), Fiber Optic Patch Cord (V2), Wired Router, T-Shirt (V3), Router Bits, Auditorium Chair (V2), Portable Router **Searched String**: Wire Cutter and Stripper 150 mm Electrician Scissor, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI), NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wired Headphones, Earphones and Communication Headsets, Insulated Wire Stripper (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Kirschner Wire (V2), Foot Steps For Hospital/Clinic and Domestic Purposes **Searched String**: Wire Gauge - Metric Standard Wire Gauge, Muffle Furnace, Plug Gauge, Stitching Wire for Book Binding, Slip Gauges / Gauge Blocks, Blood Lancets, Vertical Staff Gauges - IS 4080, Tapered Bearings as per IS 12102, Gauge Valve - BHEL, Ultrasonic Thickness Gauge **Searched String**: Wire Stripper Adustable Length Insulated Wire Stripper (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Electrician Scissor, Wire rope slings and sling legs (V3) conforming to IS 2762, Test Leads, Telephone Cable As Per TEC Specification (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Pliers, Pincers and Nippers (V2) As Per IS 2615 • Files (V2) as per IS 1931 • Screwdriver Set (V2)
बीओक्यू शीर्षक /BOQ Title	PROCUREMENT OF TOOLS EQUIPMENT
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	2.96 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	11 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	GeM verified turnover

बिड विवरण/Bid Details	
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / **MSE Relaxation for Years Of Experience and Turnover**	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1
विगत प्रदर्शन /**Past Performance**	10 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	File flat smooth 250 mm with handle
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**	No
अनुमानित बिड मूल्य / **Estimated Bid Value**	593060
मूल्यांकन पद्धति/**Evaluation Method**	Item wise evaluation
मध्यस्थता खंड/**Arbitration Clause**	No
सुलह खंड/**Mediation Clause**	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	50

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises

(MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 50% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	अनुमानित मूल्य / **Estimated Value**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	14000	A.c. Energy Meter Single Phase, 10 A, 240 V Induction Type	14
Schedule 2	8000	Ammeter 0 To 10 Amp. Ac And Dc	4
Schedule 3	1500	Ammeter M.c. 0-20 A Centre Zero	1
Schedule 4	1500	Ammeter M.c. 0-50 A Centre Zero	1
Schedule 5	16000	Autoclave	1
Schedule 6	3630	Caliper Hermaphrodite Spring Type 150 Mm	33
Schedule 7	8250	Caliper Inside Spring Joint 150 Mm	75
Schedule 8	16500	Caliper Odd-leg Firm Joint 150 Mm	150
Schedule 9	6490	Caliper Outside Spring Joint 150 Mm	59
Schedule 10	1870	Centre Punch 100 Mm	17
Schedule 11	1600	Clinometer For Angle Measurement	1
Schedule 12	12000	Combination Set 300 Mm	1
Schedule 13	6400	Connecting Screwdriver 10 X 100 Mm	32

Schedule 14	1000	Copper Bit Soldering Iron. 0.25 Kg	4
Schedule 15	6500	Crimping Tool For Crimping 16 Sq Mm To 95 Sq.mm	1
Schedule 16	12500	Depth Gauge Micrometer 0 To 150 Mm Least Count 0.01mm	1
Schedule 17	18000	Digital Multimeter	6
Schedule 18	18810	Divider 150 Mm Spring Type	171
Schedule 19	4700	Dot Punch 100 Mm	47
Schedule 20	19950	Dust Mask Or Nose Mask	70
Schedule 21	5100	Electrician Screw Driver 250 Mm	34
Schedule 22	16400	File Flat 200 Mm 2nd Cut With Handle	41
Schedule 23	4400	File Flat 250 Mm 2nd Cut	10
Schedule 24	5850	File Flat Bastard 300 Mm	15
Schedule 25	8100	File Flat Rough 150 Mm With Handle	27
Schedule 26	1350	File Flat Smooth 200 Mm	3
Schedule 27	14850	File Flat Smooth 250 Mm With Handle	27
Schedule 28	7000	File Half Round 200 Mm 2nd Cut With Handle	10
Schedule 29	1400	File Half Round 2nd Cut 200 Mm	2
Schedule 30	17850	File Half Round Bastard. 250 Mm	21
Schedule 31	19800	File Half Round Second Cut 250 Mm	20
Schedule 32	7360	File Hand Second Cut. 150 Mm	23
Schedule 33	14400	File Rasp, Half Round 200 Mm Bastard With Handle	24
Schedule 34	9200	File Round 200 Mm 2nd Cut With Handle	23
Schedule 35	16200	File Round Bastard. 250 Mm	30
Schedule 36	18880	File Square Second Cut 250 Mm	32
Schedule 37	19800	File Triangular Second Cut 200 Mm	36
Schedule 38	2500	Gauge - Radius Set 1 Mm To 25 Mm By 0.5 Mm .	10
Schedule 39	15000	Grease Gun Heavy Duty Trolley Type 10 Kg Capacity	2
Schedule 40	500	Hammer Ball Pein 250 Grams With Handle	2
Schedule 41	5250	Hammer Cross Peen With Handle 250 Grams	21
Schedule 42	20000	Knife Double Bladed Electrician 100 Mm	200
Schedule 43	6000	Lifting Jack Screw Type 3000kgs.	2
Schedule 44	8000	Lifting Jack Screw Type 5000kgs.	2
Schedule 45	14000	Lockers With 16 Drawers Standard Size	1
Schedule 46	7500	Mccb 100amps, Triple Pole	1

Schedule 47	19800	Micro Phone Cum Head Phone	11
Schedule 48	700	Neon Tester 230 V	14
Schedule 49	1120	Neon Tester 500 V	14
Schedule 50	9000	Network Rack 4u For 24 Port With Cooling Fan	2
Schedule 51	2500	Pipe Cutter To Cut Up To 50 Mm Dia	1
Schedule 52	400	Plier - Flat Nose 150 Mm	2
Schedule 53	2700	Plier Flat Nose Length 200 Mm Insulated	6
Schedule 54	600	Plier Round Nose Insulated 100 Mm	4
Schedule 55	500	Plier Side Cutting Insulted 6 Inch	2
Schedule 56	17550	Plumb Bob 115 Grams	117
Schedule 57	7900	Precision Angle Grinding Vice Jaw Size 200 Mm Dimension 250x250x300 Mm	1
Schedule 58	9000	Projector Screen	1
Schedule 59	7200	Resistance Box 0 To 500 Ohms	6
Schedule 60	400	Safety Goggles Clear Glass Good Quality	2
Schedule 61	400	Screw Driver 150 Mm	4
Schedule 62	800	Screw Driver 200 Mm	4
Schedule 63	1000	Screw Pitch Gauge Metric Each 0.25 To 6mm	4
Schedule 64	3000	Screw Pitch Gauge Whitworth Each 0.25 To 6mm	4
Schedule 65	19500	Spanner Ring Set Of 12 6 Mm To 32 Mm	13
Schedule 66	8000	Switch 24 Port	1
Schedule 67	7800	Temperature Controlled Soldering Iron 50 Watt, 230 Volt	2
Schedule 68	8100	Terminal Screw Driver 75 Mm Connector	81
Schedule 69	7200	Thread Plug Gauge M-20 And M-21	2
Schedule 70	2600	Voltmeter Centre Zero 15-0-15 Volts	2
Schedule 71	5000	Watt Meter Digital 1kw , 230v	2
Schedule 72	2500	Wi Fi Router	1
Schedule 73	500	Wire Cutter And Stripper 150 Mm	5
Schedule 74	900	Wire Gauge - Metric	3
Schedule 75	500	Wire Stripper Adustable Length	1

A.C. Energy Meter Single Phase, 10 A, 240 V Induction Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	14	15

Ammeter 0 To 10 Amp. AC AND DC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	4	15

Ammeter M.C. 0-20 A Centre Zero

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Ammeter M.C. 0-50 A Centre Zero

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Autoclave

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Caliper Hermaphrodite Spring Type 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	33	15

Caliper Inside Spring Joint 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	75	15

Caliper Odd-leg Firm Joint 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	150	15

Caliper Outside Spring Joint 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	59	15

Centre Punch 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	17	15

Clinometer For Angle Measurement

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Combination Set 300 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Connecting Screwdriver 10 X 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	32	15

Copper Bit Soldering Iron. 0.25 Kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	4	15

Crimping Tool For Crimping 16 Sq Mm To 95 Sq.Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Depth Gauge Micrometer 0 To 150 Mm Least Count 0.01mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

DIGITAL MULTIMETER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	6	15

Divider 150 Mm Spring Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	171	15

Dot Punch 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	47	15

Dust Mask Or Nose Mask

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	70	15

Electrician Screw Driver 250 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	34	15

File Flat 200 Mm 2nd Cut With Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	41	15

File Flat 250 Mm 2nd Cut

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	10	15

File Flat Bastard 300 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	15	15

File Flat Rough 150 Mm With Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	27	15

File Flat Smooth 200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	3	15

File Flat Smooth 250 Mm With Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	27	15

File Half Round 200 Mm 2nd Cut With Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	10	15

File Half Round 2nd Cut 200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

File Half Round Bastard. 250 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	21	15

File Half Round Second Cut 250 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	20	15

File Hand Second Cut. 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	23	15

File Rasp, Half Round 200 Mm Bastard With Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	24	15

File Round 200 Mm 2nd Cut With Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	23	15

File Round Bastard. 250 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	30	15

File Square Second Cut 250 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	32	15

File Triangular Second Cut 200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	36	15

Gauge - Radius Set 1 Mm To 25 Mm By 0.5 Mm .

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	10	15

Grease Gun Heavy Duty Trolley Type 10 Kg Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Hammer Ball Pein 250 Grams With Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Hammer Cross Peen With Handle 250 Grams

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	21	15

Knife Double Bladed Electrician 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	200	15

LIFTING JACK SCREW TYPE 3000KGS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

LIFTING JACK SCREW TYPE 5000KGS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Lockers With 16 Drawers Standard Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Mccb 100amps, Triple Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Micro Phone Cum Head Phone

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	11	15

Neon Tester 230 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	14	15

Neon Tester 500 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	14	15

Network Rack 4U For 24 Port With Cooling Fan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Pipe Cutter To Cut Up To 50 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Plier - Flat Nose 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Plier Flat Nose Length 200 Mm Insulated

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	6	15

Plier Round Nose Insulated 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	4	15

Plier Side Cutting Insulted 6 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Plumb Bob 115 Grams

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	117	15

Precision Angle Grinding Vice Jaw Size 200 Mm Dimension 250x250x300 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Projector Screen

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Resistance Box 0 To 500 Ohms

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	6	15

Safety Goggles Clear Glass Good Quality

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Screw Driver 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	4	15

Screw Driver 200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	4	15

Screw Pitch Gauge Metric Each 0.25 To 6mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	4	15

Screw Pitch Gauge Whitworth Each 0.25 To 6mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	4	15

Spanner Ring Set Of 12 6 Mm To 32 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	13	15

Switch 24 Port

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Temperature Controlled Soldering Iron 50 Watt, 230 Volt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Terminal Screw Driver 75 Mm Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	81	15

Thread Plug Gauge M-20 And M-21

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Voltmeter Centre Zero 15-0-15 Volts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Watt Meter Digital 1kw , 230v

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	2	15

Wi Fi Router

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

Wire Cutter And Stripper 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	5	15

Wire Gauge - Metric

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	3	15

Wire Stripper Adustable Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Varmora	390009,GOVT. INDUSTRIAL TRAINING INSTITUTE, TARSALI TARSALI ROAD, OPP. ARMY CANTEEN DI-VADODARA	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   PRINCIPAL ITI TARSALI
   payable at
   MANDVI,VADODARA
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. **Generic**

   Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Supply as per Specifications

The bidder shall be required to supply **all items/materials strictly in accordance with the specifications mentioned in the Additional Terms & Conditions (ATC) of the bid**.

2. Gujarat State Procurement Policy, 2024

This bid shall be governed by the **Gujarat State Procurement Policy, 2024**, published by the Industries and Mines Department, Government of Gujarat.

Bidders are advised to carefully examine the applicable provisions of the **Gujarat State Procurement Policy, 2024**, including provisions relating to:

- EMD Exemption
- Start-up provisions
- Purchase Preference
- MSE provisions
- Other applicable benefits/exemptions

3. Clarification Regarding EMD Exemption

EMD exemption shall be applicable as per the provisions of the Gujarat State Procurement Policy, 2024. The bidder claiming exemption shall submit the relevant valid documents, as applicable:

a) MSE:
Valid **Udyam Registration Certificate** and **NSIC/CSPO Certificate** for the particular item/product.

b) Start-up:
Valid **DPIIT Startup Certificate**, **Udyam Registration**, and **NSIC/CSPO Certificate** for the particular item as an MSE.

c). EMD

The EMD shall be applicable as per the Gujarat State Procurement Policy 2024, non-exempt enterprises participating in applicable state tenders must submit an Earnest Money Deposit (EMD) generally set at **3% of the total estimated tender or bid value.**

EMD AMOUNT FOR THIS BID: RS. 17792/-

4. Compliance with Minimum Specifications

The products supplied must strictly comply with the **minimum specifications prescribed in the bid/corrigendum**.

Any offer/product deviating from the prescribed minimum specifications shall **not be considered for further proceedings**.

5. A selected bidder must approve the sample of an item within 5 days of getting the order.

6. . Brand / Make

Where a specific brand is not mentioned in the BOQ, the bidder may supply any **reputed and standard make/brand**, subject to compliance with the prescribed specification and quality requirements.

The purchaser reserves the right to reject any inferior, sub-standard or unsuitable material.

.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---