बिड संख्या/Bid Number: GEM/2026/B/8215562
दिनांक /Dated: 04-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-11-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-11-2026 18:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	**********
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :kuldeep.rastogi@gov.in Buyer Email id: shakeela6978-cgo@gov.in
कुल मात्रा/Total Quantity	3131
वस्तु श्रेणी /Item Category	LED Batten with Battery or Inverter 20W , Flameproof flood light 100W , Tube light fittings LED type 18 to 20Watt , LED ceiling light 2 X 2 ft with 1X36Watt , LED Flood Light 120W , LED Street Light 90W , CFL lamp 10W or LED Bulb 9W , LED Street Light 70W , LED Bulb 7W , LED Flood Light 150W , Cable PVC twin core 6 Sqmm Copper conductor WF , LED Street Light 45W , MCCB 100 A 4P 25KA , CFL lamp 15W or LED Bulb 12W , Regulator for C Fan Electronic step type , MCB 32 A 2P 10 KA , 2 Core PVC Copper Circular Sheathed cable 2.5 Sqmm , Switch Socket Combination 16A , MCCB 415 A 4 P, 36 KA , LED Garden Light 20W , Switch Socket Combination 06A , Cable PVC single core 2.5 Sqmm Copper conductor , LED post top luminus , MCCB 63 A 4P 10KA , MCB TPN 40 A, 10 KA , LED Batten with LED rod 1x22 of 24W , MCB 32 Amp 01 Pole 10 KA , MCCB 320A 4P 36KA , MCB SP 10A, 10 KA , Call Bell or Buzzer , Tape insulation PVC 15 mmx 6 m , MCCB 315 A 3P 36 KA , MCB 20 Amp 01 Pole 10 KA , Capacitor , MCCB 160 A 4 P 16KA , Cable PVC single core 1.5 Sqmm copper conductor , MCB SP 32 A 10 KA , MCB SP 16A 10 KA , 3 Pin Electric Plug 16 Amp , MCB 6 Amp 01 Pole 10 KA , 3 Pin Electrical Plug 6 Amp , Switch piano 5 to 6A 240V 1 way , 6 Amp Socket , Ceiling rose , PVC Board 4 inch x 4 inch , MCB 16 Amp 01 Pole 10 KA , Water Tank 500 Ltrs , Water Tank 1000 Ltrs , Insulated Water Tank Cover of 1000 Ltr Capacity , Water Storage Tank Cover all size , Water tank 2000 Ltrs

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	LED Batten with Battery/Inverter 20W, Flameproof flood light 100W, Tube light fittings LED type 18watt/20Watt, LED ceiling light 2'X2', 1X36Watt, LED Flood Light 120W, LED Street Light 90W, CFL lamp 10W/LED Bulb 9W, LED Street Light 70W, LED Bulb 7W, LED Flood Light 150W, Cable PVC twin core 6 Sqmm Copper conductor WF , LED Street Light 45W, MCCB 100 A 4P 25KA, CFL lamp 15W/LED Bulb 12W, Regulator for C/Fan Electronic step type, MCB 32 A 2P 10 KA, 2 Core PVC Copper Circular Sheathed cable 2.5 Sqmm, Switch Socket Combination 16A, MCCB 415 A 4 P, 36 KA, LED Garden Light 20W, Switch Socket Combination 06A, Cable PVC single core 2.5 Sqmm Copper conductor , LED post top luminus, MCCB 63 A 4P 10KA, MCB TPN 40 A, 10 KA, LED Batten with LED rod 1x22/24W, MCB 32 Amp 01 Pole 10 KA, MCCB 320A 4P 36KA, MCB SP 10A, 10 KA, Call Bell/Buzzer, Tape insulation PVC 15 mmx 6 m, MCCB 315 A 3P 36 KA, MCB 20 Amp 01 Pole, 10 KA, Capacitor, MCCB 160 A 4 P 16KA, Cable PVC single core 1.5 Sqmm copper conductor (90 Mtrs in one roll), MCB SP 32 A 10 KA, MCB SP 16A 10 KA, 3 Pin Electric Plug 16 Amp, MCB 6 Amp 01 Pole 10 KA, 3 Pin Electrical Plug 6 Amp, Switch piano 5/6A 240V 1 way, 6 Amp Socket, Ceiling rose, PVC Board 4 inch x 4 inch, MCB 16 Amp 01 Pole 10 KA , Water Tank 500 Ltrs, Water Tank 1000 Ltrs, Insulated Water Tank Cover of 1000 Ltr Capacity, Water Storage Tank Cover all size, Water tank 2000 Ltrs
	Searched String: LED Batten with Battery/Inverter 20W LED Batten with Battery / Invertor, Portable Emergency LED Lighting Tower System with Battery Bank, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Rechargeable LED Bulb (V2), Online UPS (>10 KVA) With Battery, Intrinsically Safe (Explosion Proof) LED Torch with Replaceable Battery, LED Batten Light (LED Tube Light) (V2), LED Bulb with Battery as per IS 16102, Online UPS (V2), LED Batten **Searched String**: Flameproof flood light 100W Flameproof LED Emergency Light, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Flood Light Luminaire suitable for HPSV Lamps, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), High Mast Lighting Tower for large area with LED Flood Lighting System, LED Luminaire for Flood Light, Flame Proof (V2), High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: Tube light fittings LED type 18watt/20Watt LED Tube Light (Retrofit Type), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Batten Light (LED Tube Light) (V2), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part

बिड विवरण/Bid Details	5/Section 5) (V3), LED Batten, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Portable Emergency LED Lighting Tower System with Battery Bank, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications **Searched String**: LED ceiling light 2'X2', 1X36Watt LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Well Glass Fixture (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Hand Held Search Light, Cotton Towelling And Towels Conforming To IS 7056 (V4), LED Batten Light (LED Tube Light) (V2), Bunk Beds conforming to IS 17636, Portable Emergency LED Lighting Tower System with Battery Bank **Searched String**: LED Flood Light 120W LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Flood Light, Flame Proof (V2), LED Batten Light (LED Tube Light) (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Flash Light, LED Luminaire for High Bay Lighting **Searched String**: LED Street Light 90W Inverter Based LED Street Light (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, High Mast Lighting Octagonal Tower with Solar Based LED Street Light **Searched String**: CFL lamp 10W/LED Bulb 9W Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Hand Held Slit Lamp - RBSK, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Tubular Fluorescent Lamps Conforming To IS 2418, SMD Rework Station, LED Light Bar (Strobe or warning lights) **Searched String**: LED Street Light 70W Inverter Based LED Street Light (V2), LED Luminaire For

बिड विवरण/Bid Details	Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, High Mast Lighting Octagonal Tower with Solar Based LED Street Light **Searched String**: LED Bulb 7W Rechargeable LED Bulb (V2), Laboratory Incubators, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Bulb with Battery as per IS 16102, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Flower Bulb/Seeds, ECG Bulb Electrode, Muffle Furnace, ecg chest suction bulb electrode, Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725 **Searched String**: LED Flood Light 150W LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Flood Light, Flame Proof (V2), LED Batten Light (LED Tube Light) (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Flash Light, Hand Held Search Light **Searched String**: Cable PVC twin core 6 Sqmm Copper conductor WF PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: LED Street Light 45W Inverter Based LED Street Light (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire For Floodlight Conforming

बिड विवरण/Bid Details	To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), Hand Held Search Light, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Batten Light (LED Tube Light) (V2) **Searched String**: MCCB 100 A 4P 25KA Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL), Cotton Towelling And Towels Conforming To IS 7056 (V4), Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, File/Folder (V3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), A3 Size Multifunction Printer (MFP), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Multifunction Printer (Print, Scan, Copy) **Searched String**: CFL lamp 15W/LED Bulb 12W Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Hand Held Slit Lamp - RBSK, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Tubular Fluorescent Lamps Conforming To IS 2418, SMD Rework Station, LED Light Bar (Strobe or warning lights), Hand Lamp **Searched String**: Regulator for C/Fan Electronic step type Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Pedestal Type Fan and Regulator Conforming To IS 1169, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448 **Searched String**: MCB 32 A 2P 10 KA Circuit Breakers for DC Operation, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Cotton Bandage Cloth Conforming to IS 863, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4) **Searched String**: 2 Core PVC Copper Circular Sheathed

बिड विवरण/Bid Details	
	cable 2.5 Sqmm PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: Switch Socket Combination 16A Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Flameproof Switch Socket, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Computer Monitor (V2), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 **Searched String**: MCCB 415 A 4 P, 36 KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) **Searched String**: LED Garden Light 20W LED Garden Light (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Batten Light (LED Tube Light) (V2), LED Flash Light, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Bulkhead Light, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Track Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2) **Searched String**: Switch Socket Combination 06A Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Flameproof Switch Socket, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Computer Monitor (V2), Laboratory Glassware Bottles

बिड विवरण/Bid Details	(Conical Neck Bottles) as per IS 1388 (Part 2), Digital Earth Resistance Meter, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: Cable PVC single core 2.5 Sqmm Copper conductor PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: LED post top luminus Led post top lantern, Battery-Powered Electronic Clock **Searched String**: MCCB 63 A 4P 10KA File/Folder (V3), Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Circuit Breakers for DC Operation, A3 Size Multifunction Printer (MFP), Cotton Towelling And Towels Conforming To IS 7056 (V4), Multifunction Printer (Print, Scan, Copy), Shredding Machine/Paper Shredder, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, A4 and Legal Size Multifunction Printer (MFP) **Searched String**: MCB TPN 40 A, 10 KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Circuit Breakers for DC Operation **Searched String**: LED Batten with LED rod 1x22/24W LED Batten, Muffle Furnace, LED Batten with Battery / Invertor, LED Batten Light (LED Tube Light) (V2), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Rechargeable LED Bulb (V2), Fixed Computer Workstation (V2), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Portable Emergency LED Lighting Tower System with Battery Bank, Intrinsically Safe (Explosion Proof) LED Torch with Replaceable Battery **Searched String**: MCB 32 Amp 01 Pole 10 KA Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	

बिड विवरण/Bid Details	
	Searched String: MCCB 320A 4P 36KA File/Folder (V3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), A3 Size Multifunction Printer (MFP), Cotton Towelling And Towels Conforming To IS 7056 (V4), Multifunction Printer (Print, Scan, Copy), Shredding Machine/Paper Shredder, A4 and Legal Size Multifunction Printer (MFP), Computer Printer (V2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Circuit Breakers for DC Operation **Searched String**: MCB SP 10A, 10 KA Streptomycin Sulphate 90%+ Tetracycline Hydrochloride 10% WW S.P., water baths, Mycobacterium Tuberculosis-Specific Recombinant Antigens ESAT-6 and CFP-10 injection, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Sports Mats (V2), Humidity Chamber, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Nitrile Coated/Nitrile Hand Gloves (V2), Transfluthrin 1.0% + Cypermethrin 0.25% Spray, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection **Searched String**: Call Bell/Buzzer Electric Bells And Accessories conforming to IS 2268 (V2), Electric Bells and Accessories as per IS 2268, BUZZER SWITCH., Wireless Attendant Calling System, Competition kettle bells, Acoustic Binaural Stethoscope (V3), Bell Metal Craft from Bajali - ODOP, Bell Metal Products from Barpeta - ODOP, acoustic stethoscope, Bell Metal Products from Bastar - ODOP **Searched String**: Tape insulation PVC 15 mmx 6 m PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, HT Tape, Double sided tape, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Self-amalgamating tape **Searched String**: MCCB 315 A 3P 36 KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) **Searched String**: MCB 20 Amp 01 Pole, 10 KA Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) **Searched String**: Capacitor

बिड विवरण/Bid Details	Capacitor Banks For Use On 11 KV System (PSPCL)), Electric Ceiling Fan (V4) ISI Marked to IS 374, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), CR Type Surge Suppressor Upto 33 kV (BHEL), Universal Power Flow Controller **Searched String**: MCCB 160 A 4 P 16KA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Circuit Breakers for DC Operation, Examination Answer Books (V4) Conforming to IS 5195, Examination Answer Books for Higher and Competitive Examinations (V4) **Searched String**: Cable PVC single core 1.5 Sqmm copper conductor (90 Mtrs in one roll) PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: MCB SP 32 A 10 KA General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Circuit Breakers for DC Operation **Searched String**: MCB SP 16A 10 KA Streptomycin Sulphate 90%+ Tetracycline Hydrochloride 10% WW S.P., Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Mycobacterium Tuberculosis-Specific Recombinant Antigens ESAT-6 and CFP-10 injection, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Sports Mats (V2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Transfluthrin 1.0% + Cypermethrin 0.25% Spray, Digital pH Meter **Searched String**: 3 Pin Electric Plug 16 Amp Electric Power Plug Top for Industrial Applications, Electrical Extension Box (V4), Electrical Power Connector, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Electrical Plugs (V2) ISI Marked to IS 1293, Non Modular Piano Type

बिड विवरण/Bid Details	Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 **Searched String**: MCB 6 Amp 01 Pole 10 KA Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) **Searched String**: 3 Pin Electrical Plug 6 Amp Electric Power Plug Top for Industrial Applications, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Power Connector, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Electrical Plugs (V2) ISI Marked to IS 1293, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589 **Searched String**: Switch piano 5/6A 240V 1 way HDMI Switcher, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, shoes school pvc boys girls, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Endotracheal Tube - Sterile (Single Use), Hydrochloric Acid (V3) Conforming to IS 265, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1) **Searched String**: 6 Amp Socket 6-Benzylaminopurine, water baths, Insulated socket, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), IC SOCKET, Muffle/Box Furnace (V2), PVC Reducer Socket, Printed Circuit Board, Flameproof Switch Socket, Electrical Extension Box (V4) **Searched String**: Ceiling rose Ceiling rose - IS 371, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Ceiling Roses Conforming To IS 371 (V2), Rose Seeds, Ceiling OT Light (V2), Wiper Ceiling Bungi, (Vitreous China) - Shower Rose-IS:2556, Electric Ceiling Fan (V4) ISI Marked to IS 374, Standalone Ceiling Mounted Fire Suppression System, Chandeliers-Handicraft **Searched String**: PVC Board 4 inch x 4 inch Plastic Sheet (4 x 50 m) for NDRF, Cleaning Duster (V3), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Caster wheel, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Cotton Towelling And Towels Conforming To IS 7056 (V4), PVC gitti, File/Folder (V3), Crepe Bandage Conforming to IS 4605, Shaker Incubator **Searched String**: MCB 16 Amp 01 Pole 10 KA

बिड विवरण/Bid Details	Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) **Searched String**: Water Tank 500 Ltrs Canvas Water Tank, Environmental Chamber, water truck cabin truck with water tank, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Water Bowser with Boom Tower for Fire Fighting, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Truck with Water Tanker, Potable Water Purification System DE - Ionization Based, Customised Tanker on Truck **Searched String**: Water Tank 1000 Ltrs Canvas Water Tank, Environmental Chamber, water truck cabin truck with water tank, Truck Mounted Jetting Machine, Water Bowser with Boom Tower for Fire Fighting, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Truck with Water Tanker, Potable Water Purification System DE - Ionization Based **Searched String**: Insulated Water Tank Cover of 1000 Ltr Capacity Truck Mounted Jetting Machine, FRP Storage Tank (V2), Water Tender Type B for Fire Brigade Use conforming to IS 950, Truck Mounted Suction Machine (V2) **Searched String**: Water Storage Tank Cover all size Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Potable Water Purification System DE - Ionization Based, Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyster Resing (GRP) Sectional Water Storage Tanks as per IS 14399, FRP Storage Tank (V2) **Searched String**: Water tank 2000 Ltrs Canvas Water Tank, Environmental Chamber, water truck cabin truck with water tank, Small Foam Tender for Fire Brigade Use conforming to IS 10460, Water Bowser with Boom Tower for Fire Fighting, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Truck Mounted Jetting Machine, Truck with Water Tanker, Potable Water Purification System DE - Ionization Based
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3)
बीओक्यू शीर्षक /BOQ Title	BOQ BOQ
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	7.5 Lakh (s)

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes | Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	LED Batten with Battery or Inverter 20W
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation

बिड विवरण/Bid Details	
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	77500

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	3

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :
GARRISON ENGR AF PF BHUJ
Speed post address as Commander Works Engineers Air Force Bhuj, Department of Military Affairs, Indian Army, Ministry of Defence pin370001
(Garrison Engr Af Pf Bhuj)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20

मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local

content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

LED Batten With Battery Or Inverter 20W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	150	45

Flameproof Flood Light 100W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

Tube Light Fittings LED Type 18 To 20Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	200	45

LED Ceiling Light 2 X 2 Ft With 1X36Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	10	45

LED Flood Light 120W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

LED Street Light 90W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

CFL Lamp 10W Or LED Bulb 9W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	150	45

LED Street Light 70W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

LED Bulb 7W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	260	45

LED Flood Light 150W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

Cable PVC Twin Core 6 Sqmm Copper Conductor WF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	180	45

LED Street Light 45W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	6	45

MCCB 100 A 4P 25KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

CFL Lamp 15W Or LED Bulb 12W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	150	45

Regulator For C Fan Electronic Step Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	100	45

MCB 32 A 2P 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	40	45

2 Core PVC Copper Circular Sheathed Cable 2.5 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	200	45

Switch Socket Combination 16A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	150	45

MCCB 415 A 4 P, 36 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	1	45

LED Garden Light 20W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	9	45

Switch Socket Combination 06A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	150	45

Cable PVC Single Core 2.5 Sqmm Copper Conductor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	180	45

LED Post Top Luminus

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

MCCB 63 A 4P 10KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	6	45

MCB TPN 40 A, 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	15	45

LED Batten With LED Rod 1x22 Of 24W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	50	45

MCB 32 Amp 01 Pole 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	50	45

MCCB 320A 4P 36KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	1	45

MCB SP 10A, 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	50	45

Call Bell Or Buzzer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	50	45

Tape Insulation PVC 15 Mmx 6 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	250	45

MCCB 315 A 3P 36 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	1	45

MCB 20 Amp 01 Pole 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	50	45

Capacitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	100	45

MCCB 160 A 4 P 16KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	1	45

Cable PVC Single Core 1.5 Sqmm Copper Conductor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	180	45

MCB SP 32 A 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	20	45

MCB SP 16A 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	20	45

3 Pin Electric Plug 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	50	45

MCB 6 Amp 01 Pole 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	15	45

3 Pin Electrical Plug 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	50	45

Switch Piano 5 To 6A 240V 1 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	110	45

6 Amp Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	15	45

Ceiling Rose

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	15	45

PVC Board 4 Inch X 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

MCB 16 Amp 01 Pole 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

Water Tank 500 Ltrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	10	45

Water Tank 1000 Ltrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	5	45

Insulated Water Tank Cover Of 1000 Ltr Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	10	45

Water Storage Tank Cover All Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	25	45

Water Tank 2000 Ltrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kachchh	1	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.

10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---