बिड संख्या/Bid Number: GEM/2026/B/8218348

दिनांक /Dated: 30-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-11-2026 21:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-11-2026 21:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Kerala
विभाग का नाम/Department Name	Local Self Government Department Kerala
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Mundur Gramapanchayat
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :beena.827231@kerala.gov.in Buyer Email id: vpsureshkveena@gmail.com
कुल मात्रा/Total Quantity	86
वस्तु श्रेणी /Item Category	Wrought Aluminium Utensils (V2) as per IS 1660 (Q3) , Serving Ladle (Karchhi) (Q3) , Steel Plate/Thali (Q4)
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	50 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	50 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	GeM verified turnover
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Serving Ladle (Karchhi)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

1. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity

during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Deggchi/tope With Lid (Cooking Pot)
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
GLPS Poothanoor	Biriyani 13Kg VattaChemp

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Deggchi/tope With Lid (Cooking Pot)
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
GLPS Poothanoor	Pressure Cooker 10L

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Basin
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
GLPS Poothanoor	Basin

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Serving Ladle (Karchhi) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERAL	**Items**	Domestic Ladle (Karchhi)
Material	**Material of Ladle (Karchhi)**	Stainless Steel (304), Mild Steel, Aluminium, Brass, Iron
Dimension	**Diameter of Hemi Spherical Ladle (Karchhi) Bowl (In MM)**	70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250
	Volume of Hemi Spherical Ladle (Karchhi) Bowl(In ml)	50-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351- 400, 401-450, 451-500
	Length of Ladle Handle (Karchhi) (In MM)	300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600
	Width of Ladle Handle (Karchhi) (In MM)	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75
	Thickness of Ladle Handle (Karchhi) (In MM)	1.5, 1.6, 1.7, 1.8, 1.9, 2, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4
	Angle Between Handle and Bowl(In Degree)	90, 105, 120, 135, 150, 165, 180
	Length of Insulation on the Handle(In MM)	300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, NA
Finish	**Finish**	Polished, Anodized, Hard Anodized, NA

Additional Specification Parameters - Serving Ladle (Karchhi) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
GLPS Poothanoor	Kayil

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat, Deggchi/tope With Lid (Cooking Pot), Frying Pan, Kettle With Lid, Tiffin Carrier, Sauce Pan With Lid, Handi With Lid, Basin, Milk Can With Ball Handle And Hinged Lid, Milk Bucket With Ball Handle And Hinged Lid, Mug, Bucket With Stand, Screw Barni With Lid, Cookery Colander, Pans, Patty (Jelly Mould) For Baking And Trays, Karahi/kadai/appachatti, Tava Round, Tava Square, Tub, Milk Pan, Stock Pots With Lid, Casserole With Lid, Compartmental Tray Round, Compartmental Tray Rectangular, Lunch Box Aluminium With Lid, Wok
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
GLPS Poothanoor	Sambar SS Bucket

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat, Deggchi/tope With Lid (Cooking Pot), Frying Pan, Kettle With Lid, Tiffin Carrier, Sauce Pan With Lid, Handi With Lid, Basin, Milk Can With Ball Handle And Hinged Lid, Milk Bucket With Ball Handle And Hinged Lid, Mug, Bucket With Stand, Screw Barni With Lid, Cookery Colander, Pans, Patty (Jelly Mould) For Baking And Trays, Karahi/kadai/appachatti, Tava Round, Tava Square, Tub, Milk Pan, Stock Pots With Lid, Casserole With Lid, Compartmental Tray Round, Compartmental Tray Rectangular, Lunch Box Aluminium With Lid, Wok
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
GLPS Poothanoor	Steel Davara

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat, Deggchi/tope With Lid (Cooking Pot), Frying Pan, Kettle With Lid, Tiffin Carrier, Sauce Pan With Lid, Handi With Lid, Basin, Milk Can With Ball Handle And Hinged Lid, Milk Bucket With Ball Handle And Hinged Lid, Mug, Bucket With Stand, Screw Barni With Lid, Cookery Colander, Pans, Patty (Jelly Mould) For Baking And Trays, Karahi/kadai/appachatti, Tava Round, Tava Square, Tub, Milk Pan, Stock Pots With Lid, Casserole With Lid, Compartmental Tray Round, Compartmental Tray Rectangular, Lunch Box Aluminium With Lid, Wok
Classification	**Classification of Utensil**	Heavy
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
GLPS Poothanoor	Reputed 1000W Mixi

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
GLPS Poothanoor	Vatta Chemp

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Deggchi/tope With Lid (Cooking Pot)
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
10 Kg Biriyani Chemp with Lid	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Steel Vatta 3Kg	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Basin
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Otta Paathram 10Kg	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Kettle With Lid
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Thook 2 Ltr	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	12	180

Serving Ladle (Karchhi) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERAL	**Items**	Domestic Ladle (Karchhi)
Material	**Material of Ladle (Karchhi)**	Stainless Steel (304), Mild Steel, Aluminium, Brass, Iron
Dimension	**Diameter of Hemi Spherical Ladle (Karchhi) Bowl (In MM)**	70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Volume of Hemi Spherical Ladle (Karchhi) Bowl(In ml)	50-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351- 400, 401-450, 451-500
	Length of Ladle Handle (Karchhi) (In MM)	300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600
	Width of Ladle Handle (Karchhi) (In MM)	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75
	Thickness of Ladle Handle (Karchhi) (In MM)	1.5, 1.6, 1.7, 1.8, 1.9, 2, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4
	Angle Between Handle and Bowl(In Degree)	90, 105, 120, 135, 150, 165, 180
	Length of Insulation on the Handle(In MM)	300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, NA
Finish	**Finish**	Polished, Anodized, Hard Anodized, NA

Additional Specification Parameters - Serving Ladle (Karchhi) (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Spoon	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	12	180

Serving Ladle (Karchhi) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERAL	**Items**	Domestic Ladle (Karchhi)
Material	**Material of Ladle (Karchhi)**	Stainless Steel (304), Mild Steel, Aluminium, Brass, Iron
Dimension	**Diameter of Hemi Spherical Ladle (Karchhi) Bowl (In MM)**	70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250
	Volume of Hemi Spherical Ladle (Karchhi) Bowl(In ml)	50-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351- 400, 401-450, 451-500
	Length of Ladle Handle (Karchhi) (In MM)	300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600
	Width of Ladle Handle (Karchhi) (In MM)	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75
	Thickness of Ladle Handle (Karchhi) (In MM)	1.5, 1.6, 1.7, 1.8, 1.9, 2, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4
	Angle Between Handle and Bowl(In Degree)	90, 105, 120, 135, 150, 165, 180
	Length of Insulation on the Handle(In MM)	300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, NA
Finish	**Finish**	Polished, Anodized, Hard Anodized, NA

Additional Specification Parameters - Serving Ladle (Karchhi) (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SS Kayil	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	6	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Deggchi/tope With Lid (Cooking Pot)
Classification	**Classification of Utensil**	Heavy
	Thick Bottom utensils	Yes
Material	**Material of Lid, Select NA , In case of no Lid**	Steel as per IS 6911
	Material of Handle Select NA , In case of no handle	Stainless Steel
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	350
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	9
	Coating Thickness(in Micron) Higher is Better	70
Finish	**Coating**	Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Cooker 10L	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Mug
Classification	**Classification of Utensil**	Medium
	Thick Bottom utensils	No
Material	**Material of Lid, Select NA , In case of no Lid**	NA
	Material of Handle Select NA , In case of no handle	Stainless Steel
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	150
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	NA
	Coating Thickness(in Micron) Higher is Better	30
Finish	**Coating**	Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Jug SS	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat, Basin

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Basin	For Labour School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Deggchi/tope With Lid (Cooking Pot)
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
30 Kg Biriyani Chemp with Lid	Mundur School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Frying Pan
Classification	**Classification of Utensil**	Medium
	Thick Bottom utensils	Yes
Material	**Material of Lid, Select NA , In case of no Lid**	NA
	Material of Handle Select NA , In case of no handle	Aluminium
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	300

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	NA
	Coating Thickness(in Micron) Higher is Better	25
Finish	**Coating**	Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Reputed 1000W Mixi	Mundur School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (13 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat, Deggchi/tope With Lid (Cooking Pot), Frying Pan, Kettle With Lid, Tiffin Carrier, Sauce Pan With Lid, Handi With Lid, Basin, Milk Can With Ball Handle And Hinged Lid, Milk Bucket With Ball Handle And Hinged Lid, Mug, Bucket With Stand, Screw Barni With Lid, Cookery Colander, Pans, Patty (Jelly Mould) For Baking And Trays, Karahi/kadai/appachatti, Tava Round, Tava Square, Tub, Milk Pan, Stock Pots With Lid, Casserole With Lid, Compartmental Tray Round, Compartmental Tray Rectangular, Lunch Box Aluminium With Lid, Wok
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (13 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Steel Moodi	Mundur School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	13	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat
Classification	**Classification of Utensil**	Medium
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Kottakayil Big	Mundur School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Mug

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Davara Moodi	???????? School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	3	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
??? ??????	Mundoor School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	2	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Kuzhikinnam	For Mundur School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	5	180

Serving Ladle (Karchhi) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERAL	**Items**	Domestic Ladle (Karchhi)
Material	**Material of Ladle (Karchhi)**	Stainless Steel (304), Mild Steel, Aluminium, Brass, Iron
Dimension	**Diameter of Hemi Spherical Ladle (Karchhi) Bowl (In MM)**	70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250
	Volume of Hemi Spherical Ladle (Karchhi) Bowl(In ml)	50-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351- 400, 401-450, 451-500
	Length of Ladle Handle (Karchhi) (In MM)	300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600
	Width of Ladle Handle (Karchhi) (In MM)	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75
	Thickness of Ladle Handle (Karchhi) (In MM)	1.5, 1.6, 1.7, 1.8, 1.9, 2, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4
	Angle Between Handle and Bowl(In Degree)	90, 105, 120, 135, 150, 165, 180
	Length of Insulation on the Handle(In MM)	300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, NA
Finish	**Finish**	Polished, Anodized, Hard Anodized, NA

Additional Specification Parameters - Serving Ladle (Karchhi) (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Kathi	For Mundur School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	5	180

Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
General	**Utensil type**	Parat, Deggchi/tope With Lid (Cooking Pot), Frying Pan, Kettle With Lid, Tiffin Carrier, Sauce Pan With Lid, Handi With Lid, Basin, Milk Can With Ball Handle And Hinged Lid, Milk Bucket With Ball Handle And Hinged Lid, Mug, Bucket With Stand, Screw Barni With Lid, Cookery Colander, Pans, Patty (Jelly Mould) For Baking And Trays, Karahi/kadai/appachatti, Tava Round, Tava Square, Tub, Milk Pan, Stock Pots With Lid, Casserole With Lid, Compartmental Tray Round, Compartmental Tray Rectangular, Lunch Box Aluminium With Lid, Wok
Classification	**Classification of Utensil**	Heavy, Medium, Light
	Thick Bottom utensils	Yes, No
Material	**Material of Lid, Select NA , In case of no Lid**	Aluminium as per IS 21, Steel as per IS 6911, Toughtened glass, NA
	Material of Handle Select NA , In case of no handle	Aluminium, Stainless Steel, suitable fire resistant Material, NA
Dimension	**Diameter of the utensil as per the (inside) (In mm)**	65, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 910, NA
	Length for Compartmental Tray(in mm) , Select NA , when the utensil type is other than the compartmental tray	300, 400, NA
	Breadth for Compartmental Tray(In MM) , Select NA , when the Utensil type is other than the compartmental tray	200, 300, NA
	Height (inside) for Compartmental Tray Rectangular(In MM) , Select NA , when the Utensil type is other than the compartmental tray	20, 30, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Capacity For Kettle With Lid , Milk Can With Ball Handle And Hinged Lid , Milk Bucket With Ball Handle And Hinged Lid (In Litre) (Tolerance- ±10%)	0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, NA
	Coating Thickness(in Micron) Higher is Better	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100
Finish	**Coating**	Anodized, Hard Anodized

Additional Specification Parameters - Wrought Aluminium Utensils (V2) As Per IS 1660 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
20L ??????	For Mundur School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Steel Plate/Thali (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	**Material of the Plate as per IS 5522**	Stainless Steel 302
Generic	**Shape of Plate**	Round
	Type	Plain

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Compartment in Partition plate Select NA , in case plate type is plain	NA
Dimension	**Maximum Length/Diameter of plate (in mm)**	100-140
	Maximum Width/Diameter of plate (in mm)	100-140
	Thickness of Plate (mm) (Tolerance :- ± 0.1 mm)	1.2
	Height of the plate (mm) (Tolerance :- ± 5 mm)	10

Additional Specification Parameters - Steel Plate/Thali (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Basin	For Mundur School

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Steel Plate/Thali (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	**Material of the Plate as per IS 5522**	Stainless Steel 304, Stainless Steel 302, Stainless Steel 430
Generic	**Shape of Plate**	Round, Square, Rectangle

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type	Plain
	Number of Compartment in Partition plate Select NA , in case plate type is plain	NA
Dimension	**Maximum Length/Diameter of plate (in mm)**	100-140, 141-180, 181-220, 221-260, 261-300, 301-340, 341-380, 381-420
	Maximum Width/Diameter of plate (in mm)	100-140, 141-180, 181-220, 221-260, 261-300, 301-340, 341-380, 381-420
	Thickness of Plate (mm) (Tolerance :- ± 0.1 mm)	0.4, 0.6, 0.8, 1, 1.2, 1.5
	Height of the plate (mm) (Tolerance :- ± 5 mm)	10, 15, 20, 25, 40

Additional Specification Parameters - Steel Plate/Thali (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
????? ??????????	For Mundur

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Suresh Kumar V P	678592,Mundur Gramapanchayat,Mundur(PO),Palakkad	1	180

Special terms and conditions-Version:1 effective from 03-09-2025 for category Steel Plate/Thali

1. The material used for manufacturing the Thali shall be ISI-marked, and the seller shall provide the corresponding BIS certification for the material when asked by the Buyer at the time of supply.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the

additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   As per BATC list item to be bidded and supplied. Whil e bidding also item specification and requirement me ntioned. Quote accordingly

   .

3. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1

bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.

14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---