बिड संख्या/Bid Number: GEM/2026/B/8230888
दिनांक /Dated: 05-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-11-2026 21:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-11-2026 21:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	**********
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :narrni.177w@gov.in Buyer Email id: rstanwar.785y@gov.in
कुल मात्रा/Total Quantity	2149

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	Malleable Cast Iron Pipe Fittings (V2) as per IS 1879 (Q2) , Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4) (Q3) , Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701 (Q3) , Towel Rail (Q3) , Health Faucet (Q3) , (Vitreous China) - Washdown Water Closets as per IS 2556 (Q3) , Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Hydraulically Regulated Door Closers ISI Marked to 3564 (Q3) , Stainless Steel Sinks for Domestic Purposes (V3) as per IS 13983 (Q2) , Plywood for General Purposes Marked to IS 303 (V3) (Q2) , Paint synthetic Enamel various colour 1 ltrs pack , CGI Sheet 0Point63mm thick 10Feet long , Steel Butt hinges 75mm , LED security light 40Oblique45W , LED Bulb 12 W , LED Bulb 18 W , Socket 5Oblique6 Amp , Socket 15Oblique16 Amp , Rechargeable Bulb 18 W , Plug 3 Pin 5 Amp , Plug 3 Pin 15 Amp , Tubelight 2 ft 10W , Wash Basin waste pipe , PVC Union 1 Oblique2Inch , PVC Reducer 1Oblique2Inch , SS Combination 15 Oblique16 AMP , SS Combination 5 Oblique6 AMP , SS Combination with board 16 AMP , PVC Socket 4Inch , PVC Pipe 4Inch , PPR Pipe 20mm , PPR Elbow 20mm , PPR T Joint 20 mm , PVC T Joint 4Inch , PVC Elbow 4Inch , PVC Valve 4Inch , Binding Wire , Socket 6 Amp , Socket 16 Amp , Plug 3 PIN 5 Amp , Plug 3 PIN 15 Amp , LED Street Light 30W , LED Street Light 36W , Hand cutter Blade 4 Inch , Wood Cutter Blade 4 Inch , Tile Cutter Blade 4 Inch , Hand saw big size , PVC Gate valve 25mm , PVC Gate valve 20mm , Sofa set 3 Pcs 5 Seater model No 1489 , Chair Visitor model no 531A , Chair revolving High Back Model No 518A , Chair revolving model No 390ObliqueRF-83 , JADC cdr work station , Chair revolving executive model No 257Oblique94 , JOC technical and admin workstation , Chair computer Model no 519A , Table computer model 594A , Sofa set 3 pcs 5 seater model 1489 , Chair Visitor Model no 475 A , Chair Revolving high back model No 518 A , Chair Visitor Model no 531A
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Paint synthetic Enamel various colours 1 ltrs pack, CGI Sheet 0.63mm Thick 10ft long, Socket 5/6Amp, Socket 15/16Amp, PVC Union 1/2inch, PVC Reducer 1/2 inch, SS Combination 15/16 Amp, SS Combination 5/6 Amp, SS Combination with Board 16 amp, PVC Socket 4 inch, PPR Pipe 20mm, PPR Elbow 20mm, PPR T Joint 20mm, PVC T Joint 4 inch, PVC Elbow 4 inch, PVC Valve 4 inch, Binding Wire, Socket 6 Amp, Socket 16 Amp, Plug 3 Pin 5 Amp, Plug 3 Pin 15 Amp, JADC cdr works, JOC Technical and admin work station
	Searched String: Paint synthetic Enamel various colours 1 ltrs pack Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932 **Searched String**: CGI Sheet 0.63mm Thick 10ft long Force Sensor, Polymethyl Methacrylate (PMMA) (Acrylic) Sheets (V2) as per IS 14753 (Latest), Double sided tape, Linoleum Sheet & Tiles (V2) Conforming to IS 653, Decorative Laminate Sheet, MS Sheet as per IS 1079, Aluminium Composite Panel (V2) as per IS 17682, Detachable Surgical Blades (Bard Parker Type) [V2] **Searched String**: Socket 5/6Amp

बिड विवरण/Bid Details	Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, File/Folder (V3), Insulated socket, Electrical Extension Box (V4), IC SOCKET, Entry and Mid Level Desktop Computer, Impact Socket (V2), All in One PC (V2), Insulated socket wrench, High End Desktop Computer **Searched String**: Socket 15/16Amp Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Cleaning Duster (V3), Insulated socket, Stationery Holder/Pen Stand(V3), IC SOCKET, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Fipronil 15% + Flonicamid 15% WDG (Water Dispersible Granules), Laboratory Glass Adapters, Impact Socket (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: PVC Union 1/2inch PVC gitti, Nitrile Coated/Nitrile Hand Gloves (V2), Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), Vinyl Tape, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Interactive Panels with CPU, Union Bends confirming to IS 1239 (Part 2), Sofa (V3), PVC Sheet (V2), Biosafety Cabinet (V2) **Searched String**: PVC Reducer 1/2 inch Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Cleaning Duster (V3), PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Hand Operated Hydraulic Pipe Bender, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Polyvinylchloride (PVC) Industrial Boots (V3) ISI marked to IS 12254, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: SS Combination 15/16 Amp Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Switching Power Supply for Wireless Application, Non Sparking Combination Spanners (V2) **Searched String**: SS Combination 5/6 Amp Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), JAR TEST APPARATUS, Non Sparking Combination Spanners (V2), Towel Ring **Searched String**: SS Combination with Board 16 amp Electronic Lectern System, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Modular Table / Meeting Table / Centre Table (V2)

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: PVC Socket 4 inch Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Caster wheel, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC gitti, Electrical Extension Box (V4), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Connector Pipes for Washbasins/ Sinks/ Geyser **Searched String**: PPR Pipe 20mm Peste des Petits Ruminants (PPR) Vaccine, Live, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Pipe Clips, Pipe Clamps (V2), Cross - Over Pipe for Line Pipe Casing Pipe (Petroleum Industry), Cleaning Duster (V3), Copper Nickel Pipe (V2), Biosafety Cabinet (V2), Pipe Cutter (V2), Dry Erase Writing Boards (V3) **Searched String**: PPR Elbow 20mm Prosthetic Elbow Joints (Electric Elbow), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Heat Elbow Wrap, Prosthetic Elbow Joint, Cleaning Duster (V3), Peste des Petits Ruminants (PPR) Vaccine, Live, Biosafety Cabinet (V2), Elbow and Forearm CPM (V2), Dry Erase Writing Boards (V3), Shoulder CPM (V2) **Searched String**: PPR T Joint 20mm Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Locking Compression Plates (V2), Non-Locking Bone Plate, LED Based Information Display System, Steel Tubes used for Water Wells (V2) as per IS 4270, Rubber Seals Joint Rings for Water Supply, Drainage and Sewerage Pipelines as per IS 5382, Aac Block-IS:6041 **Searched String**: PVC T Joint 4 inch Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Caster wheel, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC gitti, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Connector Pipes for Washbasins/ Sinks/ Geyser, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: PVC Elbow 4 inch Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core

बिड विवरण/Bid Details	Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Caster wheel, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC gitti, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Connector Pipes for Washbasins/ Sinks/ Geyser, shoes school pvc boys girls, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC Valve 4 inch Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Caster wheel, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC gitti, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Needle Valve, CPVC Ball Valve, Connector Pipes for Washbasins/ Sinks/ Geyser **Searched String**: Binding Wire Stitching Wire for Book Binding, Spiral Binding / Wiro Binding (V2), Automatic Binding Machine, Binding Covers (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermal Binding Machines , Endotracheal Tube - Sterile (Single Use), Book Binding Cloth, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Punching and Binding Machine (V2) **Searched String**: Socket 6 Amp Insulated socket, IC SOCKET, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), 6-Benzylaminopurine, Muffle/Box Furnace (V2), Impact Socket (V2), Printed Circuit Board, Insulated socket wrench, Electrical Extension Box (V4), Flameproof Switch Socket **Searched String**: Socket 16 Amp Insulated socket, Cleaning Duster (V3), IC SOCKET, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Nano Urea (liquid) 16, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Impact Socket (V2), Electrical Extension Box (V4), Insulated socket wrench, Digital pH Meter **Searched String**: Plug 3 Pin 5 Amp Bromophenol Blue (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electric Power Plug Top for Industrial Applications, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, 5-5 Dithiobis -2-2 Nitrobenzoic Acid (V2), Locking Compression Plates (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Bone Screw (V2), Electrical Power Connector

बिड विवरण/Bid Details	
	Searched String: Plug 3 Pin 15 Amp Electric Power Plug Top for Industrial Applications, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Acephate 25% + Fenvalerate 3% Emulsifiable Concentrate Conforming To Is 15156, Plug Cocks for Water Supply Purposes conforming to IS 3004, Handpump Sub-Assemblies (Deepwell Hand Pumps Components) Conforming IS 15500 (Part 3), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Electrical Power Connector, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Sodium Lauryl Sulphate (V2) Conforming to IS 3986 **Searched String**: JADC cdr works Apron for Agricultural works, Muffle/Box Furnace (V2), CDR, IPDR and Tower Dump Analysis Software, Tool kit for Iron Fabrication Works – Fatehpur - under ODOP Scheme of Govt. of Uttar Pradesh, Revolving Chair (V5), Foot Valves for Water Works Purpose as per IS 4038 (Latest), RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES, Shredding Machine/Paper Shredder, Resilient Seated Cart Iron Air Relief Valves for Water Works Purposes as per IS:14845 (Latest), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: JOC Technical and admin work station Modular Work Stations (V3)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932
बीओक्यू शीर्षक /BOQ Title	Misc Maint Stores
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Paint synthetic Enamel various colour 1 ltrs pack
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
3. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid

opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

5. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (25 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings, Unequal Fittings, Male Fittings, Female Fittings, Male-Female Fittings

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Types of Fittings	Elbow, Elbows A1, Male and Female Elbows A4, Side Outlet Elbows Za1, Elbows, Reducing A1, Male and Female Elbows, Reducing A4, 45° Elbows A1/45°, 45° Male and Female Elbows A4/45°, Twin Elbows E2, Twin Reducing Elbows E2, Union Elbows, Union Flat Seat Elbows UA1, Male and Female Union Flat Seat Elbows UA2, Union Taper Seat Elbows UA11, Male and Female Union Taper Seat Elbows UA12, Tees, Tees B1, Side Outlet Tees Za2, Tees, Reducing on the Branch B1, Tees, Increasing on the Branch B1, Tees, Reducing on the Run and Equal in Branch Tee, Tees, Reducing on the Run and Reducing in Branch Tee, Tees, Reducing on the Run and Increasing in Branch Tee, Pitcher Tees Twin Elbow, Pitcher Tees E1, Reducing on the Branch Pitcher Tees, Reducing on the Run Pitcher Tees, Reducing on Branch and Run Pitcher Tees E1, Cross, Crosses C1, Reducing Crosses C1, Bend, Bends D1, Male and Female Bends D4, Long Weep Bend, Long Weep Bend G1, Male and Female Long Sweep Bends G4, Male Long Sweep Bends G8, 45° Long Sweep Bends G1/45°, 45° Male and Female Long Weep Bends G4/45°, Return Bends, Return Bends Kb1, Sockets, Sockets M2, Sockets Right and Left Hand Thread M2 R-L, Socket Reducing M2, Eccentric Sockets Reducing M3, Male and Female Sockets M4, Male and Female Sockets Reducing M4, Bushings Hexagon Nipples, Bushing N4, Hexagon Nipple N8, Hexagon Nipple Right and Left Hand Thread N8 R-L, Hexagon Nipple Reducing N8, Back Nuts, Backnuts P4, Caps Plugs, Hexagon Caps T1, Round Caps T2, Plain Plugs T8, Beaded Plugs T9, Countersunk Plugs T11, Unions, Union Flat Seat U1, Mae and Female Union Flat Seat U2, Unions Taper Seat U11, Male and Female Unions Taper Seat U12, Side Outlet Elbows and Tees, Gasket for Unions Flat Set U1, Gasket for Unions Flat Set U2, Gasket for Unions Flat Set UA1, Gasket for Unions Flat Set UA2
Dimension	**Nominal Size Designation(in inch)**	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6
	Reduce Size (in inch)	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	20	15
2	**********	**********Baramulla	5	15

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings, Unequal Fittings, Male Fittings, Female Fittings, Male-Female Fittings
	Types of Fittings	Elbow, Elbows A1, Male and Female Elbows A4, Side Outlet Elbows Za1, Elbows, Reducing A1, Male and Female Elbows, Reducing A4, 45° Elbows A1/45°, 45° Male and Female Elbows A4/45°, Twin Elbows E2, Twin Reducing Elbows E2, Union Elbows, Union Flat Seat Elbows UA1, Male and Female Union Flat Seat Elbows UA2, Union Taper Seat Elbows UA11, Male and Female Union Taper Seat Elbows UA12, Tees, Tees B1, Side Outlet Tees Za2, Tees, Reducing on the Branch B1, Tees, Increasing on the Branch B1, Tees, Reducing on the Run and Equal in Branch Tee, Tees, Reducing on the Run and Reducing in Branch Tee, Tees, Reducing on the Run and Increasing in Branch Tee, Pitcher Tees Twin Elbow, Pitcher Tees E1, Reducing on the Branch Pitcher Tees, Reducing on the Run Pitcher Tees, Reducing on Branch and Run Pitcher Tees E1, Cross, Crosses C1, Reducing Crosses C1, Bend, Bends D1, Male and Female Bends D4, Long Weep Bend, Long Weep Bend G1, Male and Female Long Sweep Bends G4, Male Long Sweep Bends G8, 45° Long Sweep Bends G1/45°, 45° Male and Female Long Weep Bends G4/45°, Return Bends, Return Bends Kb1, Sockets, Sockets M2, Sockets Right and Left Hand Thread M2 R-L, Socket Reducing M2, Eccentric Sockets Reducing M3, Male and Female Sockets M4, Male and Female Sockets Reducing M4, Bushings Hexagon Nipples, Bushing N4, Hexagon Nipple N8, Hexagon Nipple Right and Left Hand Thread N8 R-L, Hexagon Nipple Reducing N8, Back Nuts, Backnuts P4, Caps Plugs, Hexagon Caps T1, Round Caps T2, Plain Plugs T8, Beaded Plugs T9, Countersunk Plugs T11, Unions, Union Flat Seat U1, Mae and Female Union Flat Seat U2, Unions Taper Seat U11, Male and Female Unions Taper Seat U12, Side Outlet Elbows and Tees, Gasket for Unions Flat Set U1, Gasket for Unions Flat Set U2, Gasket for Unions Flat Set UA1, Gasket for Unions Flat Set UA2
Dimension	**Nominal Size Designation(in inch)**	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6
	Reduce Size (in inch)	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	40	15
2	**********	**********Baramulla	5	15

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (20 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings
	Types of Fittings	Unions
Dimension	**Nominal Size Designation(in inch)**	1, 1¼, 1½
	Reduce Size (in inch)	1, 1¼, 1½

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	20	15

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (35 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings, Unequal Fittings, Male Fittings, Female Fittings, Male-Female Fittings
	Types of Fittings	Elbow, Elbows A1, Male and Female Elbows A4, Side Outlet Elbows Za1, Elbows, Reducing A1, Male and Female Elbows, Reducing A4, 45° Elbows A1/45°, 45° Male and Female Elbows A4/45°, Twin Elbows E2, Twin Reducing Elbows E2, Union Elbows, Union Flat Seat Elbows UA1, Male and Female Union Flat Seat Elbows UA2, Union Taper Seat Elbows UA11, Male and Female Union Taper Seat Elbows UA12, Tees, Tees B1, Side Outlet Tees Za2, Tees, Reducing on the Branch B1, Tees, Increasing on the Branch B1, Tees, Reducing on the Run and Equal in Branch Tee, Tees, Reducing on the Run and Reducing in Branch Tee, Tees, Reducing on the Run and Increasing in Branch Tee, Pitcher Tees Twin Elbow, Pitcher Tees E1, Reducing on the Branch Pitcher Tees, Reducing on the Run Pitcher Tees, Reducing on Branch and Run Pitcher Tees E1, Cross, Crosses C1, Reducing Crosses C1, Bend, Bends D1, Male and Female Bends D4, Long Weep Bend, Long Weep Bend G1, Male and Female Long Sweep Bends G4, Male Long Sweep Bends G8, 45° Long Sweep Bends G1/45°, 45° Male and Female Long Weep Bends G4/45°, Return Bends, Return Bends Kb1, Sockets, Sockets M2, Sockets Right and Left Hand Thread M2 R-L, Socket Reducing M2, Eccentric Sockets Reducing M3, Male and Female Sockets M4, Male and Female Sockets Reducing M4, Bushings Hexagon Nipples, Bushing N4, Hexagon Nipple N8, Hexagon Nipple Right and Left Hand Thread N8 R-L, Hexagon Nipple Reducing N8, Back Nuts, Backnuts P4, Caps Plugs, Hexagon Caps T1, Round Caps T2, Plain Plugs T8, Beaded Plugs T9, Countersunk Plugs T11, Unions, Union Flat Seat U1, Mae and Female Union Flat Seat U2, Unions Taper Seat U11, Male and Female Unions Taper Seat U12, Side Outlet Elbows and Tees, Gasket for Unions Flat Set U1, Gasket for Unions Flat Set U2, Gasket for Unions Flat Set UA1, Gasket for Unions Flat Set UA2
Dimension	**Nominal Size Designation(in inch)**	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6
	Reduce Size (in inch)	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15
2	**********	**********Baramulla	5	15

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (35 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings, Unequal Fittings, Male Fittings, Female Fittings, Male-Female Fittings
	Types of Fittings	Elbow, Elbows A1, Male and Female Elbows A4, Side Outlet Elbows Za1, Elbows, Reducing A1, Male and Female Elbows, Reducing A4, 45° Elbows A1/45°, 45° Male and Female Elbows A4/45°, Twin Elbows E2, Twin Reducing Elbows E2, Union Elbows, Union Flat Seat Elbows UA1, Male and Female Union Flat Seat Elbows UA2, Union Taper Seat Elbows UA11, Male and Female Union Taper Seat Elbows UA12, Tees, Tees B1, Side Outlet Tees Za2, Tees, Reducing on the Branch B1, Tees, Increasing on the Branch B1, Tees, Reducing on the Run and Equal in Branch Tee, Tees, Reducing on the Run and Reducing in Branch Tee, Tees, Reducing on the Run and Increasing in Branch Tee, Pitcher Tees Twin Elbow, Pitcher Tees E1, Reducing on the Branch Pitcher Tees, Reducing on the Run Pitcher Tees, Reducing on Branch and Run Pitcher Tees E1, Cross, Crosses C1, Reducing Crosses C1, Bend, Bends D1, Male and Female Bends D4, Long Weep Bend, Long Weep Bend G1, Male and Female Long Sweep Bends G4, Male Long Sweep Bends G8, 45° Long Sweep Bends G1/45°, 45° Male and Female Long Weep Bends G4/45°, Return Bends, Return Bends Kb1, Sockets, Sockets M2, Sockets Right and Left Hand Thread M2 R-L, Socket Reducing M2, Eccentric Sockets Reducing M3, Male and Female Sockets M4, Male and Female Sockets Reducing M4, Bushings Hexagon Nipples, Bushing N4, Hexagon Nipple N8, Hexagon Nipple Right and Left Hand Thread N8 R-L, Hexagon Nipple Reducing N8, Back Nuts, Backnuts P4, Caps Plugs, Hexagon Caps T1, Round Caps T2, Plain Plugs T8, Beaded Plugs T9, Countersunk Plugs T11, Unions, Union Flat Seat U1, Mae and Female Union Flat Seat U2, Unions Taper Seat U11, Male and Female Unions Taper Seat U12, Side Outlet Elbows and Tees, Gasket for Unions Flat Set U1, Gasket for Unions Flat Set U2, Gasket for Unions Flat Set UA1, Gasket for Unions Flat Set UA2

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimension	**Nominal Size Designation(in inch)**	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6
	Reduce Size (in inch)	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15
2	**********	**********Baramulla	5	15

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (35 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings, Unequal Fittings, Male Fittings, Female Fittings, Male-Female Fittings
	Types of Fittings	Elbow, Elbows A1, Male and Female Elbows A4, Side Outlet Elbows Za1, Elbows, Reducing A1, Male and Female Elbows, Reducing A4, 45° Elbows A1/45°, 45° Male and Female Elbows A4/45°, Twin Elbows E2, Twin Reducing Elbows E2, Union Elbows, Union Flat Seat Elbows UA1, Male and Female Union Flat Seat Elbows UA2, Union Taper Seat Elbows UA11, Male and Female Union Taper Seat Elbows UA12, Tees, Tees B1, Side Outlet Tees Za2, Tees, Reducing on the Branch B1, Tees, Increasing on the Branch B1, Tees, Reducing on the Run and Equal in Branch Tee, Tees, Reducing on the Run and Reducing in Branch Tee, Tees, Reducing on the Run and Increasing in Branch Tee, Pitcher Tees Twin Elbow, Pitcher Tees E1, Reducing on the Branch Pitcher Tees, Reducing on the Run Pitcher Tees, Reducing on Branch and Run Pitcher Tees E1, Cross, Crosses C1, Reducing Crosses C1, Bend, Bends D1, Male and Female Bends D4, Long Weep Bend, Long Weep Bend G1, Male and Female Long Sweep Bends G4, Male Long Sweep Bends G8, 45° Long Sweep Bends G1/45°, 45° Male and Female Long Weep Bends G4/45°, Return Bends, Return Bends Kb1, Sockets, Sockets M2, Sockets Right and Left Hand Thread M2 R-L, Socket Reducing M2, Eccentric Sockets Reducing M3, Male and Female Sockets M4, Male and Female Sockets Reducing M4, Bushings Hexagon Nipples, Bushing N4, Hexagon Nipple N8, Hexagon Nipple Right and Left Hand Thread N8 R-L, Hexagon Nipple Reducing N8, Back Nuts, Backnuts P4, Caps Plugs, Hexagon Caps T1, Round Caps T2, Plain Plugs T8, Beaded Plugs T9, Countersunk Plugs T11, Unions, Union Flat Seat U1, Mae and Female Union Flat Seat U2, Unions Taper Seat U11, Male and Female Unions Taper Seat U12, Side Outlet Elbows and Tees, Gasket for Unions Flat Set U1, Gasket for Unions Flat Set U2, Gasket for Unions Flat Set UA1, Gasket for Unions Flat Set UA2
Dimension	**Nominal Size Designation(in inch)**	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6
	Reduce Size (in inch)	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15
2	**********	**********Baramulla	5	15

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings, Unequal Fittings, Male Fittings, Female Fittings, Male-Female Fittings

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Types of Fittings	Elbow, Elbows A1, Male and Female Elbows A4, Side Outlet Elbows Za1, Elbows, Reducing A1, Male and Female Elbows, Reducing A4, 45° Elbows A1/45°, 45° Male and Female Elbows A4/45°, Twin Elbows E2, Twin Reducing Elbows E2, Union Elbows, Union Flat Seat Elbows UA1, Male and Female Union Flat Seat Elbows UA2, Union Taper Seat Elbows UA11, Male and Female Union Taper Seat Elbows UA12, Tees, Tees B1, Side Outlet Tees Za2, Tees, Reducing on the Branch B1, Tees, Increasing on the Branch B1, Tees, Reducing on the Run and Equal in Branch Tee, Tees, Reducing on the Run and Reducing in Branch Tee, Tees, Reducing on the Run and Increasing in Branch Tee, Pitcher Tees Twin Elbow, Pitcher Tees E1, Reducing on the Branch Pitcher Tees, Reducing on the Run Pitcher Tees, Reducing on Branch and Run Pitcher Tees E1, Cross, Crosses C1, Reducing Crosses C1, Bend, Bends D1, Male and Female Bends D4, Long Weep Bend, Long Weep Bend G1, Male and Female Long Sweep Bends G4, Male Long Sweep Bends G8, 45° Long Sweep Bends G1/45°, 45° Male and Female Long Weep Bends G4/45°, Return Bends, Return Bends Kb1, Sockets, Sockets M2, Sockets Right and Left Hand Thread M2 R-L, Socket Reducing M2, Eccentric Sockets Reducing M3, Male and Female Sockets M4, Male and Female Sockets Reducing M4, Bushings Hexagon Nipples, Bushing N4, Hexagon Nipple N8, Hexagon Nipple Right and Left Hand Thread N8 R-L, Hexagon Nipple Reducing N8, Back Nuts, Backnuts P4, Caps Plugs, Hexagon Caps T1, Round Caps T2, Plain Plugs T8, Beaded Plugs T9, Countersunk Plugs T11, Unions, Union Flat Seat U1, Mae and Female Union Flat Seat U2, Unions Taper Seat U11, Male and Female Unions Taper Seat U12, Side Outlet Elbows and Tees, Gasket for Unions Flat Set U1, Gasket for Unions Flat Set U2, Gasket for Unions Flat Set UA1, Gasket for Unions Flat Set UA2
Dimension	**Nominal Size Designation(in inch)**	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6
	Reduce Size (in inch)	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	5	15

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings, Unequal Fittings, Male Fittings, Female Fittings, Male-Female Fittings
	Types of Fittings	Elbow, Elbows A1, Male and Female Elbows A4, Side Outlet Elbows Za1, Elbows, Reducing A1, Male and Female Elbows, Reducing A4, 45° Elbows A1/45°, 45° Male and Female Elbows A4/45°, Twin Elbows E2, Twin Reducing Elbows E2, Union Elbows, Union Flat Seat Elbows UA1, Male and Female Union Flat Seat Elbows UA2, Union Taper Seat Elbows UA11, Male and Female Union Taper Seat Elbows UA12, Tees, Tees B1, Side Outlet Tees Za2, Tees, Reducing on the Branch B1, Tees, Increasing on the Branch B1, Tees, Reducing on the Run and Equal in Branch Tee, Tees, Reducing on the Run and Reducing in Branch Tee, Tees, Reducing on the Run and Increasing in Branch Tee, Pitcher Tees Twin Elbow, Pitcher Tees E1, Reducing on the Branch Pitcher Tees, Reducing on the Run Pitcher Tees, Reducing on Branch and Run Pitcher Tees E1, Cross, Crosses C1, Reducing Crosses C1, Bend, Bends D1, Male and Female Bends D4, Long Weep Bend, Long Weep Bend G1, Male and Female Long Sweep Bends G4, Male Long Sweep Bends G8, 45° Long Sweep Bends G1/45°, 45° Male and Female Long Weep Bends G4/45°, Return Bends, Return Bends Kb1, Sockets, Sockets M2, Sockets Right and Left Hand Thread M2 R-L, Socket Reducing M2, Eccentric Sockets Reducing M3, Male and Female Sockets M4, Male and Female Sockets Reducing M4, Bushings Hexagon Nipples, Bushing N4, Hexagon Nipple N8, Hexagon Nipple Right and Left Hand Thread N8 R-L, Hexagon Nipple Reducing N8, Back Nuts, Backnuts P4, Caps Plugs, Hexagon Caps T1, Round Caps T2, Plain Plugs T8, Beaded Plugs T9, Countersunk Plugs T11, Unions, Union Flat Seat U1, Mae and Female Union Flat Seat U2, Unions Taper Seat U11, Male and Female Unions Taper Seat U12, Side Outlet Elbows and Tees, Gasket for Unions Flat Set U1, Gasket for Unions Flat Set U2, Gasket for Unions Flat Set UA1, Gasket for Unions Flat Set UA2
Dimension	**Nominal Size Designation(in inch)**	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6
	Reduce Size (in inch)	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	5	15

Malleable Cast Iron Pipe Fittings (V2) As Per IS 1879 (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	**Conformity to Governing Specification (ISS)**	IS 1879
Design	**Fittings Design**	Equal Fittings, Unequal Fittings, Male Fittings, Female Fittings, Male-Female Fittings

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Types of Fittings	Elbow, Elbows A1, Male and Female Elbows A4, Side Outlet Elbows Za1, Elbows, Reducing A1, Male and Female Elbows, Reducing A4, 45° Elbows A1/45°, 45° Male and Female Elbows A4/45°, Twin Elbows E2, Twin Reducing Elbows E2, Union Elbows, Union Flat Seat Elbows UA1, Male and Female Union Flat Seat Elbows UA2, Union Taper Seat Elbows UA11, Male and Female Union Taper Seat Elbows UA12, Tees, Tees B1, Side Outlet Tees Za2, Tees, Reducing on the Branch B1, Tees, Increasing on the Branch B1, Tees, Reducing on the Run and Equal in Branch Tee, Tees, Reducing on the Run and Reducing in Branch Tee, Tees, Reducing on the Run and Increasing in Branch Tee, Pitcher Tees Twin Elbow, Pitcher Tees E1, Reducing on the Branch Pitcher Tees, Reducing on the Run Pitcher Tees, Reducing on Branch and Run Pitcher Tees E1, Cross, Crosses C1, Reducing Crosses C1, Bend, Bends D1, Male and Female Bends D4, Long Weep Bend, Long Weep Bend G1, Male and Female Long Sweep Bends G4, Male Long Sweep Bends G8, 45° Long Sweep Bends G1/45°, 45° Male and Female Long Weep Bends G4/45°, Return Bends, Return Bends Kb1, Sockets, Sockets M2, Sockets Right and Left Hand Thread M2 R-L, Socket Reducing M2, Eccentric Sockets Reducing M3, Male and Female Sockets M4, Male and Female Sockets Reducing M4, Bushings Hexagon Nipples, Bushing N4, Hexagon Nipple N8, Hexagon Nipple Right and Left Hand Thread N8 R-L, Hexagon Nipple Reducing N8, Back Nuts, Backnuts P4, Caps Plugs, Hexagon Caps T1, Round Caps T2, Plain Plugs T8, Beaded Plugs T9, Countersunk Plugs T11, Unions, Union Flat Seat U1, Mae and Female Union Flat Seat U2, Unions Taper Seat U11, Male and Female Unions Taper Seat U12, Side Outlet Elbows and Tees, Gasket for Unions Flat Set U1, Gasket for Unions Flat Set U2, Gasket for Unions Flat Set UA1, Gasket for Unions Flat Set UA2
Dimension	**Nominal Size Designation(in inch)**	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6
	Reduce Size (in inch)	¼, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 4, 5, 6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	5	15

Wash Basins - Vitreous Sanitary Appliances (Vitreous China) Conforming To IS 2556 (Part 4) (2 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Confirming to IS 2556 (Part 4)**	Yes
	Pattern	Flat Back
Dimensions	**Size of Wash Basin (in mm)**	630 mm × 450 mm x 290 mm
	Tap Hole Options	Centre Tap Hole
	Connecting Dimensions for Wash Basin	As per Table 4 of IS 2556 (Part 4)
	Fixing Dimensions for Wall Hung Wash Basin	As per Table 6 of IS 2556 (Part 4)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	2	15

Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	**Type (Based on Shape of Tank)**	Cylindrical Vertical Tank with Lid
	Layer of Tank	Single Layered
Dimensions	**Minimum Net Capacity (In Liter)**	500 Liter

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	5	15

Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 (7 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	**Type (Based on Shape of Tank)**	Cylindrical Vertical Tank with Lid
	Layer of Tank	Single Layered
Dimensions	**Minimum Net Capacity (In Liter)**	1000 Liter

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	7	15

Towel Rail (4 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	**Rail Material**	Stainless Steel (SS 202)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Mounting Bracket Material	Brass
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	600 mm
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	16 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm
Design & Configuration	**Towel Rail Type**	Single Bar
	Bar Shape of Rail	Square
Load & Performance	**Recommended Load Capacity (in kg)**	Up to 3 kg
Fixing & Accessories	**Fixing Hardware Included**	No
	Fasteners Material	Plastic

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	4	15

Health Faucet (10 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Pressure rating (Bar)**	1
	Flow Rate , Minimum (lpm)	8, 9, 10, 11 Or higher
Material & Construction	**Material of construction**	Brass
	Hose Material	Stainless Steel
	Hose length (in meters)	1.5
	Handle Type	Lever

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Anti bacterial coating	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	10	15

Towel Rail (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	**Rail Material**	Stainless Steel (SS 202)
	Mounting Bracket Material	Stainless Steel (SS 202)
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	300 mm
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	16 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm
Design & Configuration	**Towel Rail Type**	Single Bar
	Edge Design	Rounded Edge
	Bar Shape of Rail	Round
Load & Performance	**Recommended Load Capacity (in kg)**	Up to 3 kg
Fixing & Accessories	**Fixing Hardware Included**	No
	Fasteners Material	Stainless Steel

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	5	15

(Vitreous China) - Washdown Water Closets As Per IS 2556 (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Design	**Pattern**	Pattern 1 (fig 1A)
	Type of Trap	P-Trap

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	5	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (20 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Die cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Die cast brass
Generic	**Aerating device fitted with tap**	Yes
	Flow straightening device fitted with tap	No
Warranty	**Warranty (in months)**	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	20	15

(Vitreous China) - Washdown Water Closets As Per IS 2556 (6 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Design	**Pattern**	Pattern 1 (fig 1B)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Trap	S-Trap

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	6	15

Health Faucet (30 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Pressure rating (Bar)**	0.75
	Flow Rate , Minimum (lpm)	8, 9, 10, 11 Or higher
Material & Construction	**Material of construction**	Brass
	Hose Material	Stainless Steel
	Hose length (in meters)	1.5
	Handle Type	Button
	Anti bacterial coating	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	15	15
2	**********	**********Baramulla	15	15

Hydraulically Regulated Door Closers ISI Marked To 3564 (30 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Conformity of IS 2564**	Yes
PRODUCT CLASSIFICATION	**Type of Door Closer**	Tubular Type (Type B)
	Door Hand Compatibility	Right-Hand Door Closer (For Anti Clockwise Door)
	Designation of Closers	Size 3 (Main doors in a building, such as entrance doors
DIMENSIONS	**Mass of the Door (in kg)**	36 kg - 60 kg
	Width of the Door (in mm)	?700 mm

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	30	15

Stainless Steel Sinks For Domestic Purposes (V3) As Per IS 13983 (8 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Standards	**Confirmity to standard IS 13983 and ISI Marked**	Yes
Types and Specification	**Type of Bowl**	Rectangular

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Sink built in counter shall be as per clause 4 Of IS 13983	Single bowl single drainer- right or left hand
	Material used stainless steel of Grade Designation used as per clause 5 of IS 13983	SS 304 Or higher
	Sinks shall be provided, in one of the following conditions as per clause 7.5 of IS 13983	Without tap holes
	Sinks shall be provided without an overflow hole or with an overflow hole as per clause 7.6 of IS 13983	With an overflow hole
Test Report	**Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification**	Yes
	Test Report to be furnished to the buyer on demand	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	8	15

Plywood For General Purposes Marked To IS 303 (V3) (12 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	**Governing Standard**	Conformity to IS 303

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERAL REQUIREMENTS	**Grade of Plywood depending on bond strength**	MR (Moisture Resistant) grade
	Class of Plywood in terms of formaldehyde class	Formaldehyde Class - E1
DIMENSIONS AND TOLERANCES	**Width of Plywood (Tolerance: +3 mm / -1 mm)**	1220 mm
	Length of Plywood (Tolerance: +6 mm / -3 mm)	2440 mm
	Thickness of Plywood boards	4 mm

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	12	15

Paint Synthetic Enamel Various Colour 1 Ltrs Pack

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	20	15

CGI Sheet 0Point63mm Thick 10Feet Long

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	75	15

Steel Butt Hinges 75mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	10	15

LED Security Light 40Oblique45W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	20	15

LED Bulb 12 W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	80	15

LED Bulb 18 W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	80	15

Socket 5Oblique6 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	80	15

Socket 15Oblique16 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	80	15

Rechargeable Bulb 18 W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	200	15

Plug 3 Pin 5 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	81	15

Plug 3 Pin 15 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	43	15

Tubelight 2 Ft 10W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

Wash Basin Waste Pipe

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15

PVC Union 1 Oblique2Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15

PVC Reducer 1Oblique2Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15

SS Combination 15 Oblique16 AMP

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

SS Combination 5 Oblique6 AMP

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

SS Combination With Board 16 AMP

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

PVC Socket 4Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	15	15

PVC Pipe 4Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	20	15

PPR Pipe 20mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	25	15

PPR Elbow 20mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15

PPR T Joint 20 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15

PVC T Joint 4Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	20	15

PVC Elbow 4Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	30	15

PVC Valve 4Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	10	15

Binding Wire

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	100	15

Socket 6 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

Socket 16 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

Plug 3 PIN 5 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

Plug 3 PIN 15 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

LED Street Light 30W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	10	15

LED Street Light 36W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	5	15

Hand Cutter Blade 4 Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	50	15

Wood Cutter Blade 4 Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	5	15

Tile Cutter Blade 4 Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	5	15

Hand Saw Big Size

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	2	15

PVC Gate Valve 25mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	20	15

PVC Gate Valve 20mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Kupwara	20	15

Sofa Set 3 Pcs 5 Seater Model No 1489

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	4	15

Chair Visitor Model No 531A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	10	15

Chair Revolving High Back Model No 518A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	9	15

Chair Revolving Model No 390ObliqueRF-83

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Srinagar	33	15

JADC Cdr Work Station

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Srinagar	1	15

Chair Revolving Executive Model No 257Oblique94

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Srinagar	4	15

JOC Technical And Admin Workstation

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Srinagar	11	15

Chair Computer Model No 519A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	19	15

Table Computer Model 594A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	10	15

Sofa Set 3 Pcs 5 Seater Model 1489

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	6	15

Chair Visitor Model No 475 A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	8	15

Chair Revolving High Back Model No 518 A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	6	15

Chair Visitor Model No 531A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Baramulla	18	15

Special terms and conditions-Version:1 effective from 17-10-2025 for category Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701

1. These tanks are not meant for underground applications. It does not cover mobile water tanks and horizontal cylinderical water tanks. Nominal service temperature from +1 degree Celsius to +50 degree Celsius.

   The product may also carry an ISI Mark/Standard Mark as per the BIS standard governing this category. As such, Buyers may also opt for ISI marked products while creating BID by mentioning their requirement in Bid ATC. Availability of License to vendors in this category needs to be checked by Buyer at their end, in case they add any such conditions in Bid ATC. Further, in such cases, buyer shall verify a valid BIS License for the same at the time of evaluation of the BID and check the ISI marking at the time of receipt of the material before issuing CRAC.

Special terms and conditions-Version:1 effective from 02-12-2025 for category Hydraulically Regulated Door Closers ISI Marked to 3564

1. This category is BIS Scheme - 1 compliant. Catalogs must have valid and active CM/L license number owned by the applicant themselves. In case of non-compliance, appropriate action may be taken against OEM / Brand / Seller as per the GeM IM Policy.

Special terms and conditions-Version:1 effective from 11-11-2024 for category Plywood for General Purposes Marked to IS 303 (V3)

1. Note to Buyers:

   The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

   Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

   Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

   Note to Sellers:

   Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

   Non-compliance shall result in action as per GeM IM policy.

   Buyers and sellers may refer to the relevant S.O at https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up

to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of

this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---