बिड संख्या/Bid Number: GEM/2026/B/8231219
दिनांक /Dated: 05-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-11-2026 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-11-2026 19:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	**********
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :bthda3-mes@nic.in Buyer Email id: ltcolmithughosh@gmail.com
कुल मात्रा/Total Quantity	539
वस्तु श्रेणी /Item Category	LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Q2) , LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Q2) , LED Garden Light (V2) (Q2) , Electrical Cable Lugs (Q3) , Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2) (Q3)
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	8 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	50 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	90000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

CWE
Commander Works Engineer, Bathinda, Department of Military Affairs, Indian Army, Ministry of Defence (Commander Works Engineer)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if

seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (16 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	100

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum LED Luminaire System Efficacy (in lumen/watt)	100
	LED Colour Temperature [Hint: Warm White (2700K-3000K), Bright White (3500 K-4000 K), Cool White/Daylight (5000 K-6500 K)]	5700 K
Construction	Ingress Protection (Entire Housing)	IP66 Or higher
	Minimum Internal Surge Protection (in kV)	5 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	16	30

LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (11 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	150
	Minimum LED Luminaire System Efficacy (in lumen/watt)	100
	LED Colour Temperature [Hint: Warm White (2700K-3000K), Bright White (3500 K-4000 K), Cool White/Daylight (5000 K-6500 K)]	5000 K, 5700 K

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Ingress Protection (Entire Housing)	IP66 Or higher
	Minimum Internal Surge Protection (in kV)	4, 5 Or higher
Warranty	Minimum Standard Warranty	1.0 **(year)**

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	11	30

LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (21 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	200
	Minimum LED Luminaire System Efficacy (in lumen/watt)	100
	LED Colour Temperature [Hint: Warm White (2700K-3000K), Bright White (3500 K-4000 K), Cool White/Daylight (5000 K-6500 K)]	5700 K
Construction	Ingress Protection (Entire Housing)	IP66 Or higher
	Minimum Internal Surge Protection (in kV)	5 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	21	30

LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	70
	Minimum LED Luminaire System Efficacy (in lumen/watt)	100
	LED Colour Temperature [Hint: Warm White (2700K-3000K), Bright White (3500 K-4000 K), Cool White/Daylight (5000 K-6500 K)]	5700 K
Construction	Ingress Protection (Entire Housing)	IP66 Or higher
	Minimum Internal Surge Protection (in kV)	5 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	6	30

LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (7

pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	250
	Minimum LED Luminaire System Efficacy (in lumen/watt)	100
	LED Colour Temperature [Hint: Warm White (2700K-3000K), Bright White (3500 K-4000 K), Cool White/Daylight (5000 K-6500 K)]	3000 K
Construction	Ingress Protection (Entire Housing)	IP66 Or higher
	Minimum Internal Surge Protection (in kV)	5 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	7	30

LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (11 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	120
	Minimum LED Luminaire System Efficacy (in lumen/watt)	100
	LED Colour Temperature [Hint: Warm White (2700K-3000K), Bright White (3500 K-4000 K), Cool White/Daylight (5000 K-6500 K)]	5700 K

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	11	30

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (48 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	60
	LED Luminaire System Efficacy (in lumen/watt)	140 Or higher
	LED Colour Temperature [Hint: Warm White (2700K-3000K), Bright White (3500 K-4000 K), Cool White/Daylight (5000 K-6500 K)]	5700 K
Construction	Ingress Protection (Entire Housing)	IP66 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	48	30

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (42 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	**System Wattage (in Watt)**	70
	LED Luminaire System Efficacy (in lumen/watt)	140 Or higher
	LED Colour Temperature [Hint: Warm White (2700K-3000K), Bright White (3500 K-4000 K), Cool White/Daylight (5000 K-6500 K)]	5700 K
Construction	Ingress Protection (Entire Housing)	IP66 Or higher
	Minimum Internal Surge Protection (in kV)	5 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	42	30

LED Garden Light (V2) (32 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Type of Garden Light**	Bollard type with Pole and LED lantern/luminaire
	Material of Garden Lighting pole including lighting system (lantern/luminaire) (Note: Wherever GI, MS, CI materials used, materials shall be ISI Marked)	Galvanised Iron, Cast iron
	Pole height inlcluding lantern/luminaire (in m)	1
	No.of lantern/luminaire with each pole (in m)	1
LIGHT SOURCE	**Type of light source - BEE star rating of LED Bulb**	SMD LED Chip
	LED Rating in each lantern/luminaire/lighting system (in Watts)	10.0
	LED Lamp/System efficacy in each lantern / luminaire (in lumen / watt)	? 105 and < 120, ? 135
	In case of LED bulb - Cap designation of each lamp and holder in each lantern / luminaire	Not applicable (for SMP LED Chip)
PROTECTION	**Automatic Lower / Higher Cut off voltage**	Yes. Lower cut off 120 V, Higher cut off 300 V
	Protection against surges and transients - External	> / = 10 KV, No Or higher
THERMAL MANAGEMENT	**Minimum Operating Temperature (in deg. C)**	-20, -10
	Maximum Operating Temperature (in deg. C)	50, 55
LANTERN/LUMINAIRE - CONSTRUCTION	**Impact resistance on diffuser material (in IK)**	7, 8, 0
	Protection of the entire housing (in IP) Protection of the entire housing as per IS:10322 (Part 1):1982 latest	65, 66
	Length of ISI marked three core connecting wire (Provided along with each lantern/luminiare) - (in m)	0.5, 1, 1.5

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CERTIFICATIONS	**Warranty for free replacement of lighting systems including lightsource (in years)**	2
ADVANCE SAMPLE	**Agreed to provide Advance Sample(s) for buyer's approval before commencement of supply. (hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying)**	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	32	30

Electrical Cable Lugs (42 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameter	**Material of Lug [Hint: Products matching all selected values will be displayed; For example, if both 'E-aluminium' and 'Copper' are selected, product that include both options will be shown]**	E-aluminium
	Shape of Lug	Round
Dimension	**Suitable Conductor Cross-Sectional Area for Lug (in sq mm)**	150

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	42	30

Electrical Cable Lugs (63 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameter	**Material of Lug [Hint: Products matching all selected values will be displayed; For example, if both 'E-aluminium' and 'Copper' are selected, product that include both options will be shown]**	E-aluminium
	Shape of Lug	Round
Dimension	**Suitable Conductor Cross-Sectional Area for Lug (in sq mm)**	50

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	63	30

Electrical Cable Lugs (42 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameter	**Material of Lug [Hint: Products matching all selected values will be displayed; For example, if both 'E-aluminium' and 'Copper' are selected, product that include both options will be shown]**	E-aluminium, Copper
	Shape of Lug	Round
Dimension	**Suitable Conductor Cross-Sectional Area for Lug (in sq mm)**	95

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	42	30

Electrical Cable Lugs (42 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameter	**Material of Lug [Hint: Products matching all selected values will be displayed; For example, if both 'E-aluminium' and 'Copper' are selected, product that include both options will be shown]**	E-aluminium, Copper
	Shape of Lug	Round
Dimension	**Suitable Conductor Cross-Sectional Area for Lug (in sq mm)**	120

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	42	27

Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Conformity of the specification**	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV, As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	Type of joint kit	Non Rigid - Straight Joint - Heat Shrink
GENERIC	**Applicable conductors for using the joint kits**	Aluminium
	The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1)]	XLPE (Range of approval: XLPE, EPR, HEPR, PVC), EPR, HEPR (Range of approval: EPR, HEPR, PVC), PVC (Range of approval: PVC)
	Applicable cable core for using the joint kits (in Nos)	3
	Applicable cable size for using the joint kits (in sq mm)	185
	Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

Additional Specification Parameters - Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

Specification Parameter Name	Bid Requirement (Allowed Values)
Strait Joint Heat shrink cable Termination Kit for 3 Core 185Sqmm	Strait Joint Heat shrink cable Termination Kit for 3 Core 185Sqmm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	4	30

Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Conformity of the specification**	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV, As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	Type of joint kit	Non Rigid - Straight Joint - Heat Shrink
GENERIC	**Applicable conductors for using the joint kits**	Copper, Aluminium
	The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1)]	XLPE (Range of approval: XLPE, EPR, HEPR, PVC), EPR, HEPR (Range of approval: EPR, HEPR, PVC), PVC (Range of approval: PVC)
	Applicable cable core for using the joint kits (in Nos)	3
	Applicable cable size for using the joint kits (in sq mm)	95

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

Additional Specification Parameters - Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

Specification Parameter Name	Bid Requirement (Allowed Values)
Strait Joint Heat shrink cable Termination Kit for 3 Core 95Sqmm	Strait Joint Heat shrink cable Termination Kit for 3 Core 95Sqmm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	4	30

Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Conformity of the specification**	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV, As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	Type of joint kit	Non Rigid - Transition Joint - Heat Shrink
GENERIC	**Applicable conductors for using the joint kits**	Copper, Aluminium

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1)]	XLPE (Range of approval: XLPE, EPR, HEPR, PVC), EPR, HEPR (Range of approval: EPR, HEPR, PVC), PVC (Range of approval: PVC)
	Applicable cable core for using the joint kits (in Nos)	3
	Applicable cable size for using the joint kits (in sq mm)	240
	Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	4	30

Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Conformity of the specification**	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV, As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of joint kit	Non Rigid - Straight Joint - Heat Shrink, Non Rigid - Straight Joint - Cold Shrink, Non Rigid - Transition Joint - Heat Shrink, Non Rigid - Transition Joint - Cold Shrink
GENERIC	**Applicable conductors for using the joint kits**	Copper, Aluminium
	The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1)]	XLPE (Range of approval: XLPE, EPR, HEPR, PVC), EPR, HEPR (Range of approval: EPR, HEPR, PVC), PVC (Range of approval: PVC)
	Applicable cable core for using the joint kits (in Nos)	3
	Applicable cable size for using the joint kits (in sq mm)	185
	Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet, Cold Shrink Tube, Casting Wrap Mesh, Mastic Tapes, Silicone Tape, PVC (A) Tape, PVC (NA) Tape, Copper Binding Wire, Nylon String, Backup Ring, Jubilee Clamp, Cleaning Tissue, Copper Earthing Braid, Roll Spring, Copper Mesh for screen continuity, Aloxite Tape, Connectors (Ferrules), Instruction Sheet

Additional Specification Parameters - Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

Specification Parameter Name	Bid Requirement (Allowed Values)
Outdoor Termination Heat Shrink Cable 185 Sqmm	Outdoor Termination Heat Shrink Cable 185 Sqmm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	4	30

Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Conformity of the specification**	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV, As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	Type of joint kit	Non Rigid - Straight Joint - Heat Shrink, Non Rigid - Straight Joint - Cold Shrink, Non Rigid - Transition Joint - Heat Shrink, Non Rigid - Transition Joint - Cold Shrink
GENERIC	**Applicable conductors for using the joint kits**	Copper, Aluminium
	The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1)]	XLPE (Range of approval: XLPE, EPR, HEPR, PVC), EPR, HEPR (Range of approval: EPR, HEPR, PVC), PVC (Range of approval: PVC)
	Applicable cable core for using the joint kits (in Nos)	3
	Applicable cable size for using the joint kits (in sq mm)	95
	Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet, Cold Shrink Tube, Casting Wrap Mesh, Mastic Tapes, Silicone Tape, PVC (A) Tape, PVC (NA) Tape, Copper Binding Wire, Nylon String, Backup Ring, Jubilee Clamp, Cleaning Tissue, Copper Earthing Braid, Roll Spring, Copper Mesh for screen continuity, Aloxite Tape, Connectors (Ferrules), Instruction Sheet

Additional Specification Parameters - Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

Specification Parameter Name	Bid Requirement (Allowed Values)
Outdoor Termination Heat Shrink Cable 95Sqmm	Outdoor Termination Heat Shrink Cable 95Sqmm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	4	30

Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) (4 set)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	**Conformity of the specification**	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV, As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	Type of joint kit	Non Rigid - Straight Joint - Heat Shrink, Non Rigid - Straight Joint - Cold Shrink, Non Rigid - Transition Joint - Heat Shrink, Non Rigid - Transition Joint - Cold Shrink
GENERIC	**Applicable conductors for using the joint kits**	Copper, Aluminium
	The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1)]	XLPE (Range of approval: XLPE, EPR, HEPR, PVC), EPR, HEPR (Range of approval: EPR, HEPR, PVC), PVC (Range of approval: PVC)
	Applicable cable core for using the joint kits (in Nos)	3
	Applicable cable size for using the joint kits (in sq mm)	120

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet, Cold Shrink Tube, Casting Wrap Mesh, Mastic Tapes, Silicone Tape, PVC (A) Tape, PVC (NA) Tape, Copper Binding Wire, Nylon String, Backup Ring, Jubilee Clamp, Cleaning Tissue, Copper Earthing Braid, Roll Spring, Copper Mesh for screen continuity, Aloxite Tape, Connectors (Ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	4	30

LED Garden Light (V2) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Type of Garden Light**	Bollard type with Pole and LED lantern/luminaire, Architectural design with pole and LED lantern/luminaire, LED post top lantern/luminaire with pole
	Material of Garden Lighting pole including lighting system (lantern/luminaire) (Note: Wherever GI, MS, CI materials used, materials shall be ISI Marked)	Aluminium casting, Galvanised Iron, Mild steel, Cast iron, LED post top with out pole. Hence not applicable
	Pole height inlcluding lantern/luminaire (in m)	0.5, 1, 1.5, 3, 4, 5, 6, 7, 8, without pole

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	No.of lantern/luminaire with each pole (in m)	1, 2, 3, 4, 5, LED post top with out pole. Hence not applicable
LIGHT SOURCE	**Type of light source - BEE star rating of LED Bulb**	SMD LED Chip
	LED Rating in each lantern/luminaire/lighting system (in Watts)	45.0
	LED Lamp/System efficacy in each lantern / luminaire (in lumen / watt)	? 135
	In case of LED bulb - Cap designation of each lamp and holder in each lantern / luminaire	Not applicable (for SMP LED Chip)
PROTECTION	**Automatic Lower / Higher Cut off voltage**	Yes. Lower cut off 120 V, Higher cut off 300 V
	Protection against surges and transients - External	> / = 10 KV, No Or higher
THERMAL MANAGEMENT	**Minimum Operating Temperature (in deg. C)**	-10
	Maximum Operating Temperature (in deg. C)	50
LANTERN/LUMINAIRE - CONSTRUCTION	**Impact resistance on diffuser material (in IK)**	7
	Protection of the entire housing (in IP) Protection of the entire housing as per IS:10322 (Part 1):1982 latest	65
	Length of ISI marked three core connecting wire (Provided along with each lantern/luminiare) - (in m)	1
CERTIFICATIONS	**Warranty for free replacement of lighting systems including lightsource (in years)**	1
ADVANCE SAMPLE	**Agreed to provide Advance Sample(s) for buyer's approval before commencement of supply. (hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying)**	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	4	30

LED Garden Light (V2) (42 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Type of Garden Light**	Bollard type with Pole and LED lantern/luminaire, Architectural design with pole and LED lantern/luminaire, LED post top lantern/luminaire with pole
	Material of Garden Lighting pole including lighting system (lantern/luminaire) (Note: Wherever GI, MS, CI materials used, materials shall be ISI Marked)	Aluminium casting, Galvanised Iron, Mild steel, Cast iron, LED post top with out pole. Hence not applicable
	Pole height inlcluding lantern/luminaire (in m)	0.5, 1, 1.5, 3, 4, 5, 6, 7, 8, without pole
	No.of lantern/luminaire with each pole (in m)	1, 2, 3, 4, 5, LED post top with out pole. Hence not applicable
LIGHT SOURCE	**Type of light source - BEE star rating of LED Bulb**	LED Bulb - 3 Star, LED Bulb - 4 Star, LED Bulb - 5 Star, SMD LED Chip
	LED Rating in each lantern/luminaire/lighting system (in Watts)	10.0
	LED Lamp/System efficacy in each lantern / luminaire (in lumen / watt)	? 105 and < 120, ? 120 and < 135, ? 135
	In case of LED bulb - Cap designation of each lamp and holder in each lantern / luminaire	B22d, E 27, Not applicable (for SMP LED Chip)
PROTECTION	**Automatic Lower / Higher Cut off voltage**	Yes. Lower cut off 120 V, Higher cut off 300 V, No
	Protection against surges and transients - External	> / = 10 KV, No Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
THERMAL MANAGEMENT	**Minimum Operating Temperature (in deg. C)**	-20, -10
	Maximum Operating Temperature (in deg. C)	50, 55
LANTERN/LUMINAIRE - CONSTRUCTION	**Impact resistance on diffuser material (in IK)**	7, 8, 0
	Protection of the entire housing (in IP) Protection of the entire housing as per IS:10322 (Part 1):1982 latest	65, 66
	Length of ISI marked three core connecting wire (Provided along with each lantern/luminiare) - (in m)	0.5, 1, 1.5
CERTIFICATIONS	**Warranty for free replacement of lighting systems including lightsource (in years)**	1, 2, 3, 4, 5
ADVANCE SAMPLE	**Agreed to provide Advance Sample(s) for buyer's approval before commencement of supply. (hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying)**	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	42	30

LED Garden Light (V2) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Type of Garden Light**	Bollard type with Pole and LED lantern/luminaire, Architectural design with pole and LED lantern/luminaire, LED post top lantern/luminaire with pole
	Material of Garden Lighting pole including lighting system (lantern/luminaire) (Note: Wherever GI, MS, CI materials used, materials shall be ISI Marked)	Aluminium casting, Galvanised Iron, Mild steel, Cast iron, LED post top with out pole. Hence not applicable
	Pole height inlcluding lantern/luminaire (in m)	0.5, 1, 1.5, 3, 4, 5, 6, 7, 8, without pole
	No.of lantern/luminaire with each pole (in m)	1, 2, 3, 4, 5, LED post top with out pole. Hence not applicable
LIGHT SOURCE	**Type of light source - BEE star rating of LED Bulb**	SMD LED Chip
	LED Rating in each lantern/luminaire/lighting system (in Watts)	30.0
	LED Lamp/System efficacy in each lantern / luminaire (in lumen / watt)	? 105 and < 120, ? 120 and < 135, ? 135
	In case of LED bulb - Cap designation of each lamp and holder in each lantern / luminaire	Not applicable (for SMP LED Chip)
PROTECTION	**Automatic Lower / Higher Cut off voltage**	Yes. Lower cut off 120 V, Higher cut off 300 V
	Protection against surges and transients - External	> / = 10 KV, No Or higher
THERMAL MANAGEMENT	**Minimum Operating Temperature (in deg. C)**	-20, -10
	Maximum Operating Temperature (in deg. C)	50, 55
LANTERN/LUMINAIRE - CONSTRUCTION	**Impact resistance on diffuser material (in IK)**	7, 8, 0
	Protection of the entire housing (in IP) Protection of the entire housing as per IS:10322 (Part 1):1982 latest	65, 66
	Length of ISI marked three core connecting wire (Provided along with each lantern/luminiare) - (in m)	0.5, 1, 1.5

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CERTIFICATIONS	**Warranty for free replacement of lighting systems including lightsource (in years)**	1, 2, 3, 4, 5
ADVANCE SAMPLE	**Agreed to provide Advance Sample(s) for buyer's approval before commencement of supply. (hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying)**	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	2	30

Electrical Cable Lugs (84 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameter	**Material of Lug [Hint: Products matching all selected values will be displayed; For example, if both 'E-aluminium' and 'Copper' are selected, product that include both options will be shown]**	E-aluminium
	Shape of Lug	Round
Dimension	**Suitable Conductor Cross-Sectional Area for Lug (in sq mm)**	25

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Features [Hint: Products matching all selected values will be displayed; For example, if both 'Durable' and 'Corrosion resistant' are selected, product that include both options will be shown]	Durable, Corrosion resistant, Sturdy construction, Easy to use
	Surface Finish	Galvanized

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Bathinda	84	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. **Turnover**

   OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the

OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

4. **OEM**

   IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

5. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Certificates**

   ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

7. **Certificates**

   Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer’s Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

8. **Certificates**

   To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

   YES
   .

9. **Past Project Experience**

   Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

10. **Buyer Added Bid Specific ATC**

    Buyer Added text based ATC clauses

1. Scope of Supply

1.1 The contract covers the supply and delivery of Electrical & Mechanical (E/M) Items (including Flood lights, LED, LUGS,JOINT KIT, and associated accesso ries) strictly adhering to the technical specifications, quantities, and delivery m entioned in the Bid

1.2 The material shall be supplied strictly in accordance with the approved t echnical specifications and accepted GeM contract

2. **General Terms & Conditions**

2.1 The bidder shall carefully read and accept all specifications, terms and conditions mentioned in the GeM bid before submitting the offer.

2.2. The products offered must conform to the technical specifications mentioned in the BOQ and bid document.

2.3. The bidder shall submit all required documents within the stipulated time.

2.4. All items supplied shall be new, unused, genuine and free from manufacturing defects.

2.5. The supplier shall be responsible for transportation, delivery and installation (where specified in the BOQ).

2.6. The bidder must comply with applicable statutory requirements, BIS standards, safety regulations and carry valid ISI marking where applicable.

2.7. Brands / Makes Required . All items supplied under this contract must strictly belong to reputed, buyer-approved OEMs (e.g., Havells, Crompton, Philips, Wipro, Legrand, Anchor/Panasonic, Surya or equivalent authorized makes). Items from unbranded or non-listed manufacturers will be rejected automatically.

3. **Technical Specifications & Compliance**

3.1. The bidder shall submit a technical compliance statement against each item mentioned in the bid.

3.2. The manufacturer name, brand, model number and technical specifications shall be clearly mentioned in the bid.

3.3. The offered product must meet or exceed the minimum technical specifications specified in the bid.

3.4. The buyer reserves the right to verify the technical specifications, product catalogue and manufacturer details.

3.5 The bidder shall carefully examine all item descriptions, dimensions, sizes, materials and quantities before submitting the bid.

3.6 The bidder shall upload relevant product catalogues, technical datasheets or manufacturer specifications wherever required for verification.

3.7 Any deviation from the prescribed specifications shall be clearly indicated by the bidder. Unstated deviations shall not be presumed acceptable.

4. **Material Quality & Workmanship.**

4.1 All supplied items shall be of satisfactory commercial quality and suitable for their intended plumbing application.

5. **OEM / Authorised Dealer Requirement**. The bidder other than OEM shall upload bid specific authorization on OEM letter head. The OEM authorisation must correspond to the offered brand and product category. The buyer reserves the right to verify the authenticity of the submitted authorisation.

6. **Warranty** The supplier shall provide a warranty for the period specified in the GeM bid. Warranty shall cover manufacturing defects and failures attributable to the supplied product under normal operating conditions. Defective items shall be repaired or replaced by the supplier as per the applicable warranty terms. Warranty documents shall be provided along with the supply, where applicable and Supplier shall provide the manufacturer's warranty details for each product.

7. The supplier shall coordinate with the consignee for delivery and installation requirements.

8. Any damage during transportation shall be the responsibility of the supp lier as per the contract terms.

9. **Inspection & Acceptance** The supplied items shall be inspected by the consignee / authorised inspection authority. Inspection may include verifica tion of:-

9.1 Quantity.

9.2 Brand and model.

9.3 Technical specifications.

9.4 Physical condition.

9.5 Accessories.

9.6 Warranty documents.

10. Items not conforming to the approved specifications may be rejected in accordance with the applicable contract terms. Acceptance shall be subject to s atisfactory compliance with the contractual requirements.

11. **Documents to be Submitted by Bidder** The bidder shall subm it the following documents, wherever applicable and required by the bid:-

(a) Technical compliance statement.

(b) Manufacturer / brand details.

(c) Product datasheet.

(d) OEM authorisation, if required.

(e) BIS / applicable compliance documents.

(f) Warranty undertaking.

(g) GST registration details.

(h) PAN details.

(j) Past supply / experience documents, if specified.

(k) Bidder upload notarized affidavit not older than six months regarding no n blacklisted/ non debarred from any Govt Deptt.

(l) MII Certificate are required on letter head of OEM/ Supplier.

(m) Any other documents required in the GeM bid.

(n) Acceptance of applicable GeM terms and conditions

12. Bidder shall quote the rate of supply of goods incl transport at consignee lo cation as directed by consignee.

13. **EMD** as required is compulsory by the department as mentioned in the bid and EMD Should reach this office within 05 working days from bid opening d ate in token of uploaded EMD Extract, failing which bidder will be disqualified. T he EMD will be returned as per GTC Stipulated time frame.

14. Bidder last three year annual turnover should be duly verified by CA.

15. **Price & Taxes** The quoted price shall be inclusive of all applicable charges as specified in the GeM bid. GST shall be indicated separately or includ ed as required by the GeM bidding format. The bidder shall ensure that the quot ed price covers all costs required to fulfil the contractual scope.

1 6 . **Rejection of BID** The bid may be rejected in accordance with applicable GeM rules and bid conditions if:-

16.1 The bidder fails to submit mandatory documents.

16.2 The offered product does not meet the specified technical requiremen ts.

16.3 Submitted documents are found to be invalid or unverifiable.

16.4 The bidder provides misleading or materially incorrect information.

16.5 The bidder fails to comply with mandatory ATC requirements.

17. **Delivery Conditions**

17.1 The material shall be delivered to the consignee location specified in the GeM contract within the stipulated delivery period.

17.2 The seller shall be responsible for safe packing, transportation and

delivery of the material.

17.3 The material shall be properly packed to prevent damage during transpo rtation and handling.

17.4 No additional transportation, packing or forwarding charges shall be pay able beyond the accepted contract value, except as expressly permitted under the contract.

18. **Inspection & Acceptance**

18.1 The supplied material shall be subject to inspection by the consignee or an authorized inspection authority.

18.2 Inspection shall include verification of quantity, dimensions, material, wo rkmanship and compliance with the approved specifications.

18.3 The Buyer reserves the right to reject material that does not conform to t he accepted specifications or contractual requirements.

18.4 Defective, damaged or non-conforming items shall be replaced by the se ller at no additional cost, in accordance with applicable contractual provisions.

18.5 Acceptance of the material shall be subject to satisfactory inspection and verification.

18.6. If any document or declaration is found to be false, fabricated or misleadi ng, action may be taken in accordance with applicable GeM terms and Govern ment rules.

18.7 The bidder shall be responsible for the correctness and authenticity of th e information submitted with the bid.

19. Demurrage Charges. In case the rejected items are not lifted by the fi rms within 48 hrs , the demurage charges at the rate of 0.5% od total contract value will be charged per day. In case the items are not lifted within a month, t he same will be destroyed by the station board of officers and no claim will be a

dmitted.

20. **Compliance with GeM Terms & Conditions** All other terms and co nditions shall be governed by the applicable GeM General Terms & Conditions (GTC), bid document and relevant procurement regulations
.

11. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

COMMANDER WORKS ENGINEER
payable at
CWE
.
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.

14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---