बिड संख्या/Bid Number: GEM/2026/B/8231797

दिनांक /Dated: 04-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	21-11-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	22-11-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-gondal@gujarat.gov.in
कुल मात्रा/Total Quantity	60
वस्तु श्रेणी /Item Category	Thermocouple with J, K, E, R, T, S type , A.C. Series type Motor , Shaded Pole Motor Fractional HP , Manual Motor coil Winding Machine With step arbor and analog or digital counting meter , Contactor and auxiliary contacts set , ELCB , TONG TESTER or CLAMP METER , Function Generator , Operational Amplifier Trainer , Potentiometer _ thermocouple test set , Autotransformer 3 phase , Temperature transmitter electronic _input RTD,TC Type , Digital IO cards , Discrete component trainer with following Seven BasicModules , Automatic reverse forward starter for 5 hp motor , D.C. shunt motor , REWINDING MACHINE , 3 Phase KW meter , Clamp on ammeter , Single phase KWH meter analog , INSULATOR PIN TYPE INCLUDING HARDWARE FITTING , INSULATOR SHACKLE TYPES INCLUDING HARDWARE FITTING , INSULATOR EGG TYPE INCLUDING HARDWARE FITTING , INSULATOR SUSPENSION TYPE INCLUDING HARDWARE FITTING , Rubber gloves PAIRS , Solar charge controller with manualswitch _Day lighting , Semi-automatic Star delta Starter for 5 hp , Multi meter , Wheatstone Bridge , Three phase KWH meter digital , Three phase KWH meter analog , DC Power supply , Field regulator

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Thermocouple with J, K, E, R, T, S type -, A.C. Series type Motor 1 HP, 240 V, 50 Hz, Shaded Pole Motor Fractional HP 240 V, 50 Hz, Manual Motor coil Winding Machine With step arbor and counting meter, Contactor & auxiliary contacts set 3 phase, 415 volt, 32 Amp with 2 NO and 2 NC, ELCB 25AMP DOUBLE POLE AND 30mA, TONG TESTER/CLAMP METER 0-100A DIGITAL TYPE, Function Generator 2 to 200 KHz, Sine, Square, Triangular 220 V, 50 Hz, 1 Phase, Operational Amplifier Trainer Instrument , Potentiometer/thermocouple test set for resistance feeding For RTD transmitter, Autotransformer 3 0 to120% orabove, 5 A or Above current rating, Temperature transmitter electronic (input RTD,TC) Type Thermocouple j&K type, Digital I/O cards 24VDC, 16 Inputs source or sink type, with transistorized , Discrete component trainer with following Seven BasicModules, Automatic reverse forward starter for 5 hp motor -, D.C. shunt motor 3 H.P 250 V with 3 point starter andspeed regulator, REWINDING MACHINE Coil winding manual adjustable stepped arbour counter meter, 3 Phase KW meter 15A, 440 V, Clamp on ammeter 0-25A, Single phase KWH meter analog 5A, 250 V AC, INSULATOR PIN TYPE INCLUDING HARDWARE FITTING -, INSULATOR SHACKLE TYPES INCLUDING HARDWARE FITTING -, INSULATOR EGG TYPE INCLUDING HARDWARE FITTING -, INSULATOR SUSPENSION TYPE INCLUDING HARDWARE FITTING -, Rubber gloves PAIRS 5000 Volts , Solar charge controller with manualswitch (Day lighting) 6V,5 A, Semi-automatic Star delta Starter for 5 hp -, Multi meter 0-5, 100, 200, 500 milli-amperes 0-150, 300, 600 V AC/DC, Wheatstone Bridge -, Three phase KWH meter digital 25A, 415 V A. C, Three phase KWH meter analog 25A, 415 V A. C, DC Power supply 250V DC, 25 Amp, Field regulator 0 - 1000 ohmic, 2 Amps
	Searched String: Thermocouple with J, K, E, R, T, S type - Thermocouple Standards Platinum / Platinum Rhodium, Tower Ladder (V2), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2) **Searched String**: A.C. Series type Motor 1 HP, 240 V, 50 Hz Frequency meter - Analog (Panel Meter), Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: Shaded Pole Motor Fractional HP 240 V, 50 Hz Reciprocating Saw **Searched String**: Manual Motor coil Winding Machine With step arbor and counting meter Category not available on GeM for the text string uploaded by the buyer **Searched String**: Contactor & auxiliary contacts set 3 phase, 415 volt, 32 Amp with 2 NO and 2 NC

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: ELCB 25AMP DOUBLE POLE AND 30mA Category not available on GeM for the text string uploaded by the buyer **Searched String**: TONG TESTER/CLAMP METER 0-100A DIGITAL TYPE Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Digital Moisture Meter (Textile), Abrasion cum Pilling Tester - Martindale Type (Textile) **Searched String**: Function Generator 2 to 200 KHz, Sine, Square, Triangular 220 V, 50 Hz, 1 Phase Category not available on GeM for the text string uploaded by the buyer **Searched String**: Operational Amplifier Trainer Instrument Colorimeter/ Spectrophotometer (Textile), Wind Vane as per IS 5799, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Digital Trainer Kit, Operating Table (V2), Surgical Operating ENT Microscope **Searched String**: Potentiometer/thermocouple test set for resistance feeding For RTD transmitter Category not available on GeM for the text string uploaded by the buyer **Searched String**: Autotransformer 3 0 to120% orabove, 5 A or Above current rating Winter Jacket (V2), Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2) **Searched String**: Temperature transmitter electronic (input RTD,TC) Type Thermocouple j&K type Temperature Transmitter **Searched String**: Digital I/O cards 24VDC, 16 Inputs source or sink type, with transistorized Category not available on GeM for the text string uploaded by the buyer **Searched String**: Discrete component trainer with following Seven BasicModules Category not available on GeM for the text string uploaded by the buyer **Searched String**: Automatic reverse forward starter for 5 hp motor - Star Delta Motor Starter for Three Phase Induction Motors (V2), Submersible Pump Starters (Motor starter controls) **Searched String**: D.C. shunt motor 3 H.P 250 V with 3 point starter andspeed regulator Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	**Searched String**: REWINDING MACHINE Coil winding manual adjustable stepped arbour counter meter
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Category not available on GeM for the text string uploaded by the buyer **Searched String**: 3 Phase KW meter 15A, 440 V Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Gamjee Rolls / Pads (V2), Shaping Machine, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Power Factor Meter - Digital, Digital Earth Resistance Meter, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2) **Searched String**: Clamp on ammeter 0-25A Electronic Weighing Scales, Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Laboratory Glassware - Burettes (V2) as per IS 1997, Multimedia Projector (MMP), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Sterile Hypodermic Needles for Single use (V2), Cables, Converters and Adapters, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1) **Searched String**: Single phase KWH meter analog 5A, 250 V AC AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Ammeter - Analog (Panel Meter) as per IS 1248, Voltmeter - Analog (Panel Meter) as per IS 1248, Frequency meter - Analog (Panel Meter), Analog-Digital Circuits Development Platform, Temperature Indicator for Transformers - Analog type **Searched String**: INSULATOR PIN TYPE INCLUDING HARDWARE FITTING - Pin Up Notice Board (V2), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445 **Searched String**: INSULATOR SHACKLE TYPES INCLUDING HARDWARE FITTING - Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445 **Searched String**: INSULATOR EGG TYPE INCLUDING HARDWARE FITTING - Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445 **Searched String**: INSULATOR SUSPENSION TYPE INCLUDING HARDWARE FITTING - Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445

बिड विवरण/Bid Details	
	Searched String: Rubber gloves PAIRS 5000 Volts Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Post-Mortem Rubber Gloves Conforming to IS 4149, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Hospitals Cleaning Gloves, Waterproof Boot Boot Combat Rubber In Pairs as per Defence Specification, Post Mortem Rubber Gloves as per IS 4149 **Searched String**: Solar charge controller with manualswitch (Day lighting) 6V,5 A Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications **Searched String**: Semi-automatic Star delta Starter for 5 hp - Star Delta Motor Starter for Three Phase Induction Motors (V2), Submersible Pump Starters (Motor starter controls), Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Semi Automatic Bio Chemistry Analyser **Searched String**: Multi meter 0-5, 100, 200, 500 milli-amperes 0-150, 300, 600 V AC/DC Category not available on GeM for the text string uploaded by the buyer **Searched String**: Wheatstone Bridge - Meter Bridge, Electronic Weigh Bridge (Without Civil Work), Bridge Rectifiers, Outdoor Wireless Bridge, Crown and bridge preparation kit, Bridge Plug Socket Head Screw-IS:2269, Rigid Cystoscope, Sounding and Suspension Equipment as per IS 6064, Trackside Indicator Boards and Signages as per IRICEN Manual, 5 Axis CNC Double Column Vertical Machining Centre / Gantry Type Machining Centre **Searched String**: Three phase KWH meter digital 25A, 415 V A. C Category not available on GeM for the text string uploaded by the buyer **Searched String**: Three phase KWH meter analog 25A, 415 V A. C Ammeter - Analog (Panel Meter) as per IS 1248, Voltmeter - Analog (Panel Meter) as per IS 1248 **Searched String**: DC Power supply 250V DC, 25 Amp DC Regulated Power Supply As Per MHA QRs, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Heavy Duty Battery Charger, Solar Based Home Systems (Solar Power Packs): DC Models as per MNRE Specifications, Electrical Power Connector, Switching Power Supply for Wireless Application, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, DC EV Charging Station, Circuit Breakers for DC Operation **Searched String**: Field regulator 0 - 1000 ohmic, 2 Amps

बिड विवरण/Bid Details	
	Muffle/Box Furnace (V2), Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Electronic Weighing Scales
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445 • Mineral Insulated Thermocouple • Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615
बीओक्यू शीर्षक /**BOQ Title**	Electrical machinery equipments for ITI
पिछले 3 वितीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	1.17 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/**OEM Average Turnover (Last 3 Years)**	9 Lakh (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/**MSE Relaxation for Years of Experience and Turnover**	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	5
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	2

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	A.C. Series type Motor
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	50

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 50% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue

12-11-2026 11:00:00	M.B.ITI Gondal, Near 66 KV Getco Substation, Opp. Ramdvar, National Highway 27 Bypass, gondal-360311

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	Thermocouple With J, K, E, R, T, S Type	6
Schedule 2	A.c. Series Type Motor	2
Schedule 3	Shaded Pole Motor Fractional Hp	2
Schedule 4	Manual Motor Coil Winding Machine With Step Arbor And Analog Or Digital Counting Meter	1
Schedule 5	Contactor And Auxiliary Contacts Set	2
Schedule 6	Elcb	2
Schedule 7	Tong Tester Or Clamp Meter	2
Schedule 8	Function Generator	1
Schedule 9	Operational Amplifier Trainer	1
Schedule 10	Potentiometer _ Thermocouple Test Set	1
Schedule 11	Autotransformer 3 Phase	1
Schedule 12	Temperature Transmitter Electronic _input Rtd,tc Type	1
Schedule 13	Digital Io Cards	1
Schedule 14	Discrete Component Trainer With Following Seven Basicmodules	1
Schedule 15	Automatic Reverse Forward Starter For 5 Hp Motor	1
Schedule 16	D.c. Shunt Motor	2
Schedule 17	Rewinding Machine	3
Schedule 18	3 Phase Kw Meter	1
Schedule 19	Clamp On Ammeter	1
Schedule 20	Single Phase Kwh Meter Analog	2
Schedule 21	Insulator Pin Type Including Hardware Fitting	2
Schedule 22	Insulator Shackle Types Including Hardware Fitting	2
Schedule 23	Insulator Egg Type Including Hardware Fitting	4
Schedule 24	Insulator Suspension Type Including Hardware Fitting	2
Schedule 25	Rubber Gloves Pairs	1
Schedule 26	Solar Charge Controller With Manualswitch _day Lighting	2
Schedule 27	Semi-automatic Star Delta Starter For 5 Hp	1

Schedule 28	Multi Meter	1
Schedule 29	Wheatstone Bridge	1
Schedule 30	Three Phase Kwh Meter Digital	4
Schedule 31	Three Phase Kwh Meter Analog	4
Schedule 32	Dc Power Supply	1
Schedule 33	Field Regulator	1

Thermocouple With J, K, E, R, T, S Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	6	25

A.C. Series Type Motor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

Shaded Pole Motor Fractional HP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

Manual Motor Coil Winding Machine With Step Arbor And Analog Or Digital Counting Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Contactor And Auxiliary Contacts Set

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

ELCB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

TONG TESTER Or CLAMP METER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

Function Generator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Operational Amplifier Trainer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Potentiometer _ Thermocouple Test Set

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Autotransformer 3 Phase

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Temperature Transmitter Electronic _input RTD,TC Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Digital IO Cards

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Discrete Component Trainer With Following Seven BasicModules

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Automatic Reverse Forward Starter For 5 Hp Motor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

D.C. Shunt Motor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

REWINDING MACHINE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	3	25

3 Phase KW Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Clamp On Ammeter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Single Phase KWH Meter Analog

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

INSULATOR PIN TYPE INCLUDING HARDWARE FITTING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

INSULATOR SHACKLE TYPES INCLUDING HARDWARE FITTING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

INSULATOR EGG TYPE INCLUDING HARDWARE FITTING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	4	25

INSULATOR SUSPENSION TYPE INCLUDING HARDWARE FITTING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

Rubber Gloves PAIRS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Solar Charge Controller With Manualswitch _Day Lighting

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	2	25

Semi-automatic Star Delta Starter For 5 Hp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Multi Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Wheatstone Bridge

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Three Phase KWH Meter Digital

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	4	25

Three Phase KWH Meter Analog

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	4	25

DC Power Supply

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

Field Regulator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Joshi Yogeshkumar Bharatbhai	360311,GOVT. INDUSTRIAL TRAINING INSTITUTE, GONDAL, NATIONAL HIGHWAY 8-B, NEAR - G.E.B., TA - GONDAL, DI - RAJKOT	1	25

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   Please download and read the attached Buyer added Bid Specificd ATC terms and condtions file Carefully.

   .

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The

Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---