बिड संख्या/Bid Number: GEM/2026/B/8232764

दिनांक /Dated: 05-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	20-11-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	21-11-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: con1.iti.kuberngr@gembuyer.in
कुल मात्रा/Total Quantity	15281
	HAND SHUTOFF VALVE , BRASS UNION , 5 PIN RELAY , DC ADAPTER , FLAXIBLE WIRE , FLEXIBLE PIPE , 18 SWG BINDING ALUMINUM BARE WIRE , PVC PIPE 19MM DIA , 2 PIN TOP 6A , MFD OILED FILLED CAPACTIOR , ARMOURED CABLE 4 CORE , DC WATERPROOF COB LIGHT WHITE , PVC SOLID INSULATED COPPER WIRE , ALUMINUM CONDUCTOR , 3V CR2032 COIN CELL , 4 FEET LONG CHARGING LINE WITH VALVE , 45 MFD 5 PIN CAPACITOR , 6mm NUT BOLT and WASHER SET , 7404 NOT GATE IC , 7408 AND GATE IC , 7432 OR GATE IC , ALUMINUM BARE WIRE , AC coil cleaning spray , ACETIC ACID GLECIAL LR , ACETIC ANHYDRIDE LR , Acetone , ACRALIC COLOUR , Acrelic sheet , ACTIVA AIR FILTER , ACTIVA BATTERY , AIR COMPRESSOR PIPE WITH SCREW CLAMP , AIR COMPRESSOR PU PIPE 12MM , AIR COMPRESSOR PU PIPE 12MM CONNECTOR , ALLUMINIUM REVAT 5 MM , ALLUMINIUM SQ. HEAT SINK 100 X 100 MM , ALLUMINIUM SQ. HEAT SINK 75 X 75 X 45 MM , ALUMINIUM FLAT HEAD RIVET 6MM , ANCHOR COLOUR THREAD , ANILINE LR , ANTISEPTIC LIQUID , Assorted size carbon resistor , AUTOMATIC DOOR CLOSER , AUTOMOBILE SWITCH RELAY , AUXILIARY CONNECT FOR CONTACTOR 16A 415V , AV CABLE , Bakelite strip 3 mm , Banboo strip , BAR COPPER WIRE , BAR MAGNET , BARE COPPER WIRE 8 SWG , BATTERY , BATTERY CABLE TERMINAL 5MTR LONG , BATTERY SOLUTION , BI METAL THERMOSTATE FOR FORST FREE REFRIGERATOR , BISMUTH NITRATE LR , BLACK THREAD , BLUE PASTE EMERY , BORIC ACID LR , Brass cleaning brush soft , BRASS SHEET 65 X 4 MM , BRAZING TORCH WITH REFLECTOR , BRAZZING FLUX , BRAZZING ROD , Bridge rectifier circuit kit , BROMINE WATER LR , BUFFER TABLET ,

बिड विवरण/Bid Details	BUFFING DISC , Bulb 100 W , Bulb 15 Volt , Bulb 200 W , BURNOL , BUTANE GAS CARTRIDGE 220 GM , BUTANE GAS
वस्तु श्रेणी /Item Category	TORCH , BUTTON CELL 1.5V LR 44 , C I BLOCK 150X50X10 MM , C.I. BLOCK 50X50X50mm , C.I. ROUND BAR , C.I.ROUNDBAR , CALCIUM CARBONATE , Canvas , Cap diameter 25mm , CAP SCREW M6 X 12 MM , Capaciter 2.5uf,8uf assorted , CAPACITOR , Capacitor , CAPACITOR 4 MFD, 440V OR 250V NON POLAR , CAR AC FILTER , CARBIDE TIP V TOOL RH 10X10X100mm , CARBIDE TIP TOOL , CARBIDE TIP TOOL LH , CARBIDE TIP TOOL RH , CARBON REGISTOR , CARBON RESISTOR , CARBON RESISTOR BOX , CARBON RESISTOR FOR DIFFERENT VALUE , CARBON TETRA CHLORIDE , Cardboard A1 Size , Cardboard sheet , CAST IRON 50X50X6 MM , CAST IRON ELECTRODE DIA. 3.15MM , CELL BIG SIZE , CEMENT , Ceramic marker assorted , CHAIN AND SPROCKET , CHART PAPER , Chart Hanging Hook , Charts for PPO trade , Cheese head screw m6 , china screw , CI BLOCK 50X50X50MM , CI BLOCK 60X60X60MM , CLAP SWITCH LOOSE KIT , CMOS Lithium cell , COAL , COLOR DRAWING SHEET , OIL PAINT COLOR GRAY , COLOUR POPLINE FABRIC , COLOUR PALLET , COLOUR THREAD , Combined capacitor , Commercial HCL , CONDYUT COPLING INTERNAL THREADING19 MM , CONDYUT PIPE 19 MM , CONNECTIN WIRE 0.5 MM HOOK UP WIRE , Connecting lead , CONTACTOR 16A 415V , CONTROL RELAY 12VOLT DC , COPPER BRAZING ROD , Copper NRV , COPPER SHEET 65 X 4 MM , COPPER SULPHATE , COPPER TUBE , Copper welding cable for 400Amp , CORDLESS DRILL 12V WITH DIFFERENT DRILL BIT , COTTOM WAX THREAD , Cotton tape thread , COTTON WOOL , COUNT DOWN TIMER CIRCUIT LOOSE KIT , COUNTER SUNK HEAD RIVET DIA 3 MM , COUNTERSUNK HEAD RIVET DIA 6 X 10MM , Coupling diameter 25mm , CPU Cabinet , CPU Power cable , CROCODILE PIN SET WITH WIRE , Cross 25 mm , CSK Head RIVET 4 MM Dia , CSK HEAD Screw M4 x 20 MM , CURTAIN SPRING WIRE , CYLINDRICAL Pin Dia.2 x 20 MM , CYLINDRICAL Pin Dia.4 x 20 MM , D P.Test Kit , DANCING LED LOOSE KIT , DC ADAPTER 6,12 V , DC COOLING FAN 100 X 100 MM, 12V , DC COOLING FAN 75 X 75 MM, 12V , DEFROST HEATER FOR FORST FREE REFRIGERATOR , DESOLDER WICK , DI PHYNIAL AMINE LR , Diac DB3 , DIGITAL CLOCK LOOSE KIT , DIGITAL MULTIMETER KIT , DIODE 1N4007 , Diode IN 4002 , Display Board
	1/4" HAND SHUTOFF VALVE, 1/41/4 BRASS UNION , 5 PIN RELAY 12V DC 10A, 12V, 15A DC ADAPTER / POWER SUPPLY, 14/36 FLAXIBLE WIRE, 16 MM FLEXIBLE PIPE, 18 SWG BINDING ALUMINUM BARE WIRE , PVC PIPE 19MM DIA , 2 PIN TOP 6A, 2.5 MFD OILED FILLED CAPACTIOR, 25 mm2 ARMOURED CABLE 4 CORE , 2W, 12V DC WATERPROOF COB LIGHT WHITE, 3/20 PVC SOLID INSULATED COPPER WIRE , 35 MM SQ ALL ALUMINUM CONDUCTOR, 3V CR2032 COIN CELL, 4 FEET LONG CHARGING LINE WITH VALVE, 45 MFD 5 PIN CAPACITOR, 6mm NUT, BOLT & WASHER SET, 7/20 PVC SOLID INSULATED COPPER WIRE , 7404 NOT GATE IC, 7408 AND GATE IC, 7432 OR GATE IC, 8 S.W.G. ALUMINUM BARE WIRE , AC coil cleaning spray (Tetraclean or equivalent), ACETIC ACID GLECIAL LR, ACETIC ANHYDRIDE LR, Acetone, ACRALIC COLOUR(FEVICRYL 6/12 SHADES), Acrelic sheet 6ft x 4ft x 3 mm (TRASFERENT color), ACTIVA AIR FILTER, ACTIVA BATTERY, AIR COMPRESSOR PIPE WITH SCREW CLAMP, AIR COMPRESSOR PU PIPE 12MM , AIR COMPRESSOR PU PIPE 12MM CONNECTOR, ALLUMINIUM REVAT 5 MM, ALLUMINIUM SQ. HEAT SINK 100 X 100 MM, ALLUMINIUM SQ. HEAT SINK 75 X 75 X 45 MM, ALUMINIUM

बिड विवरण/Bid Details	FLAT HEAD RIVET 6MM, ANCHOR COLOUR THREAD, ANILINE LR, ANTISEPTIC LIQUID [DETTOLE] (250ML), Assorted size
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	carbon resistor, AUTOMATIC DOOR CLOSER, AUTOMOBILE SWITCH RELAY (04 & 05 POINT), AUXILIARY CONNECT FOR CONTACTOR 16A 415V, AV CABLE 1.5 METER, Bakelite strip 3 mm, Banboo strip, BAR COPPER WIRE (19 SWG), BAR MAGNET, BARE COPPER WIRE 8 SWG, BATTERY (HERO SPLENDER), BATTERY CABLE TERMINAL 5MTR LONG, BATTERY SOLUTION (H2SO4), BI METAL THERMOSTATE FOR FORST FREE REFRIGERATOR, BISMUTH NITRATE LR, BLACK THREAD, BLUE PASTE EMERY, BORIC ACID LR, Brass cleaning brush soft, BRASS SHEET 65 X 4 MM, BRAZING TORCH WITH REFLECTOR, BRAZZING FLUX, BRAZZING ROD (COPPER TO COPPER), Bridge rectifier circuit kit, BROMINE WATER LR, BUFFER TABLET(4 PH), BUFFER TABLET(9 PH), BUFFING DISC -4", Bulb 100 W (Filament induslent typy), Bulb 15 Volt (Filament induslent typy) (Red, Yellow, Blue - 05 nos each), Bulb 200 W (Filament induslent typy), BURNOL, BUTANE GAS CARTRIDGE220 GM, BUTANE GAS TORCH, BUTTON CELL 1.5V LR 44, C I BLOCK 150X50X10, C.I. BLOCK 50X50X50mm, C.I. ROUND BAR 25X150mm, C.I.ROUNDBAR 40X100 MM, C.I.ROUNDBAR 50X25 MM, C.I.ROUNDBAR 90X20 MM, CALCIUM CARBONATE, Canvas 60 * 90 cm, Canvas 75 * 100 cm, Cap diameter 25mm, CAP SCREW M6 X 12 MM, Capaciter 2.5uf,8uf assorted, CAPACITOR - 1000?f / 50 V, CAPACITOR - 10?f / 25 V, CAPACITOR - 2200?f / 50 V, CAPACITOR - 22?f / 50 V, CAPACITOR 0.1?f, CAPACITOR 0.1?f/16v, CAPACITOR 10 MICROFARADE, 25V, CAPACITOR 10 nf, CAPACITOR 100 MICROFARADE, 16V, CAPACITOR 100 MICROFARADE, 25V, CAPACITOR 22 MICROFARADE, 25V, CAPACITOR 47 MICROFARADE, 25V, Capacitor 8 mfd, CAPACITOR 4 MFD, 440V OR 250V NON POLAR, CAPACITOR, 1000uF, 50V, CAR AC FILTER, CARBIDE TIP "V' TOOL (R.H) 10X10X100mm, CARBIDE TIP TOOL 5/8*5/8*/6", CARBIDE TIP TOOL LH 3/8"* 3/8" *6", CARBIDE TIP TOOL RH 1/2"* 1/2" *6", CARBON REGISTOR 1 K OHM 1/4 W, CARBON REGISTOR 1.2K OHM 1/4 W, CARBON REGISTOR 10K OHM 1/4 W, CARBON REGISTOR 12K OHM 1 W, CARBON REGISTOR 180E OHM 1/4 W, CARBON REGISTOR 1M OHM 1/4 W, CARBON REGISTOR 2K2 OHM 1/4 W, CARBON REGISTOR 330E OHM 1/4 W, CARBON REGISTOR 3K3 OHM 1/4 W, CARBON REGISTOR 3K9 OHM 1/4 W, CARBON REGISTOR 470 OHM 1/2 W, CARBON REGISTOR 470E OHM 1/4 W, CARBON REGISTOR 51K OHM 1/4 W, CARBON REGISTOR 820E OHM 1/4 W, CARBON RESISTOR 100E/1/4W, CARBON RESISTOR 2.2 K?/1/4W, CARBON RESISTOR 220E/1/4W, CARBON RESISTOR 3.3 K?/1/4W, CARBON RESISTOR 470E/1/4W, CARBON RESISTOR BOX, CARBON RESISTOR FOR DIFFERENT VALUE 1/4 Watt, CARBON RESISTOR FOR DIFFERENT VALUE 1/4 Watt, CARBON TETRA CHLORIDE, Cardboard A1 Size, Cardboard sheet, CAST IRON 50X50X6 MM, CAST IRON ELECTRODE DIA. 3.15MM, CELL(DRY) BIG SIZE, CEMENT, Ceramic marker assorted , CHAIN AND SPROCKET (SPLENDER), CHART PAPER, Chart Hanging Hook, Charts for PPO trade, Cheese head screw m6, china screw, CI BLOCK 50X50X50MM, CI BLOCK 60X60X60MM, CLAP SWITCH LOOSE KIT, CMOS Lithium cell, COAL, COLOR DRAWING SHEET, OIL PAINT COLOR GRAY , COLOUR POPLINE FABRIC, COLOUR PALLET, COLOUR THREAD(300 MTR ANCHOR BRAND), Combined capacitor 45 +_ 5 mfd, Combined capacitor 60 +_ 5 mfd, Commercial HCL, CONDYUT COPLING INTERNAL THREADING19 MM, CONDYUT PIPE 19 MM , CONNECTIN WIRE 0.5 MM HOOK UP WIRE, Connecting lead,

बिड विवरण/Bid Details	CONTACTOR 16A 415V, CONTROL RELAY 12VOLT DC, COPPER BRAZING ROD, Copper NRV 1/4" (Non return valve), COPPER SHEET 65 X 4 MM, COPPER SULPHATE, COPPER TUBE 1/4 INCH, Copper welding cable for 400Amp, CORDLESS DRILL 12V WITH DIFFERENT DRILL BIT, COTTOM WAX THREAD, Cotton tape thread, COTTON WOOL [FIRST AID ITEM DRESSING], COUNT DOWN TIMER CIRCUIT LOOSE KIT, COUNTER SUNK HEAD RIVET DIA 3 MM, COUNTERSUNK HEAD RIVET DIA 6 X 10MM, Coupling diameter 25mm, CPU Cabinet, CPU Power cable, CROCODILE PIN SET WITH WIRE, Cross 25 mm, CSK Head RIVET 4 MM Dia, CSK HEAD Screw M4 x 20 MM, CURTAIN SPRING WIRE, CYLINDRICAL Pin Dia.2 x 20 MM, CYLINDRICAL Pin Dia.4 x 20 MM, D P.Test Kit, DANCING LED LOOSE KIT, DC ADAPTER 6,12 V, DC COOLING FAN 100 X 100 MM, 12V, DC COOLING FAN 75 X 75 MM, 12V, DEFROST HEATER FOR FORST FREE REFRIGERATOR, DESOLDER WICK, DI PHYNIAL AMINE LR, Diac DB3, DIGITAL CLOCK LOOSE KIT, DIGITAL MULTIMETER KIT, DIODE 1N4007, Diode IN 4002, Display Board, Colourmate Synthetic Paint Brush SetFLAT (0,2,4,6,8,10,12), Colourmate Synthetic Paint Brush SetROUND (0,2,4,6,8,10,12), DOOR WATCHER LOOSE KIT, Double Compression Flame proof cable gland 19mm, Double Compression weather proof cable gland 19mm, Double side Tape, DOVE TAIL CUTTER 12X4 degree, Dovelpin diameter 6-18 mm, Dowel pin 6-22mm, Dowel Pin Dia.4 x 20 MM, DOWEL PIN DIAMETER 6MM X 20 MM, Draw The Cotton, DRILL BIT RCC 4MM,5MM,8MM,12MM, DVR card, EAR PLUG, ECLB FOR 1 PHASE 230V, 16A, 30mA, EDTA POWDER REAGENT GRADE, ELASTIC 1cm, Elbow diameter 25mm, ELCB 240VOLT,25AMP,2POLE 30MA, ELCB FOR 1 PHASE 230V, 16A, 30mA, ELCB FOR 3 PHASE 440V, 16A, 30mA, ELECTRIC PUSH START SWITH, ELECTRIC PVC MODULAR 25A SWITCH & SOCKET BOARD, ELECTRICAL CONNECTOR, Electrolitic Capacitor 1000 mfd 25 V, ELECTROMAGNETIC RELAY 24VOLT DC, Electronic RESISTER 5.6, 100, 2800 OHM, Electronics Sequential controlcircuit 4-channel, EMBROIDARY RING WOODEN (9 NUMBER), EMERGENCY LIGHT LOOSE KIT, EVENT COUNTER LOOSE KIT , Expandable PU(Polyurethene) foam spray can 750 ml, FABRIC GLUE(FEVICRYL), FABRIC PRINTED COTTON, FAN EXTENSION PIPE, FASTNER PIN, FERROUS AMMONIUM SULPHATE LR, FERROUS SULPHATE HEPTAHYDRATED, FERROUS SULPHATE LR, FET BF W 11, Fevicryl Acrylic Colours Sunflower Kit | 10 Colours x 15 ml, Fiber Optic Modem, Fiber wage, FILE HANDLE WOODWN, Fire wire card , FLARE NUT (BRASS) 1/4", FLEXIBLE WIRE (14X36), FORWARD REVERSE SWITCH 16 AMP FOR LATHE M/C, FRENCH POLISH
	Searched String: 1/4" HAND SHUTOFF VALVE N-(1-Naphthyl)ethylenediamine, Nitrile Coated/Nitrile Hand Gloves (V2), Towel Hand Cotton Turkish (IAF), Modular Toilet, Steel components (Deepwell Hand Pumps Components) as per IS 15500 (Part 4), Cotton Towelling And Towels Conforming To IS 7056 (V4), Handpump Sub-Assemblies (Deepwell Hand Pumps Components) Conforming IS 15500 (Part 3), Synthetic Life Jacket MK 1 (Defence), Sulphanilic Acid, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: 1/41/4 BRASS UNION N-(1-Naphthyl)ethylenediamine, Cotton Towelling And Towels Conforming To IS 7056 (V4), Synthetic Life Jacket MK 1 (Defence), Pad Lock Various (As Per Defence

बिड विवरण/Bid Details	Specification), Sulphanilic Acid, Extendable Road Barricade (V2), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Meter Bridge, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Micro/Semi-Micro/Analytical weighing balance **Searched String**: 5 PIN RELAY 12V DC 10A shoes school pvc boys girls, Electric Ceiling Fan (V4) ISI Marked to IS 374, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Plug In Relay, 24V DC (BHEL-SCR), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), boot ankle for marching purpose double density pu sole, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: 12V, 15A DC ADAPTER / POWER SUPPLY DC Regulated Power Supply As Per MHA QRs, Computer Monitor (V2), Switching Power Supply for Wireless Application, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731 **Searched String**: 14/36 FLAXIBLE WIRE Conference Speakerphone without Bluetooth, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Conference Speakerphone with Bluetooth, Binder Clips (V3) Conforming to IS 8231, Wire rope slings and sling legs (V3) conforming to IS 2762, Tapered Bearings as per IS 12102 **Searched String**: 16 MM FLEXIBLE PIPE Black Flexible Rubber Hose Pipe, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Ratchet Pipe Threader for Taper Pipe Threads (R-Series) (V2) as per IS 16176, Ratchet Pipe Threader for Taper Pipe Threads as per IS 16176, Parallel Bar - Outdoor Gym Equipment, Hydraulic Hose, KITCHEN STORAGE RACKS (various type), Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Non - Smooth External Surface Pipe, Type B as per IS 16098 **Searched String**: 18 SWG BINDING ALUMINUM BARE WIRE Stitching Wire for Book Binding **Searched String**: PVC PIPE 19MM DIA Pipe for Gardening Purpose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Parallel Bar - Outdoor Gym Equipment, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cord Single Core and Multi Core

बिड विवरण/Bid Details	Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Large Outer Diameter Casing Pipes (Petroleum Industry), Pipe Cutter (V2) **Searched String**: 2 PIN TOP 6A Multi-Pin electrical top for industrial appliacation, Biosafety Cabinet (V2), Electric Power Plug Top for Industrial Applications, Lat Pull Down (Version 2), Desk and Bench Set for Classroom/Training Area, Combination Board (V2), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Encrypted Removable Storage Devices (V2), File/Folder (V3), Entomological Pins **Searched String**: 2.5 MFD OILED FILLED CAPACTIOR Permanent Paint Marker (V3) **Searched String**: 25 mm2 ARMOURED CABLE 4 CORE XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694 **Searched String**: 2W, 12V DC WATERPROOF COB LIGHT WHITE Cotton Towelling And Towels Conforming To IS 7056 (V4), White LED (W - LED) Based Solar Home Lighting Systems (V2), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Covers Waterproof (Defence), Portable Emergency LED Lighting Tower System with Battery Bank, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Solenoid Valve (V3) **Searched String**: 3/20 PVC SOLID INSULATED COPPER WIRE Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core

बिड विवरण/Bid Details	Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3) **Searched String**: 35 MM SQ ALL ALUMINUM CONDUCTOR XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255 **Searched String**: 3V CR2032 COIN CELL Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), Secondary Lithium Cells and Batteries For Portable Application Conforming To IS 16047 (Part 3), Field Telephone Cable As per MHA Specifications (V2), Biobanking and Cell Culture Cryogenic Tubes, Student Response System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Cadmium Conforming To IS 16048 (Part 1) **Searched String**: 4 FEET LONG CHARGING LINE WITH VALVE Modular Toilet, Line Interactive UPS with AVR (V2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593 **Searched String**: 45 MFD 5 PIN CAPACITOR Acephate 45%+ Cypermethrin 5% Dry Flowable(DF), Rotary Evaporator, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electric Ceiling Fan (V4) ISI Marked to IS 374, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Electric Axial Flow Fans (V2) Conforming To IS 3588, Endotracheal Tube - Sterile (Single Use), Staplers(V3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Non-Locking Bone Plate **Searched String**: 6mm NUT, BOLT & WASHER SET Coach Bolt, Nut and Washer (BHEL), Blood Administration Set (V2), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Plain Washer as per IS 2016, Span Bolt and Nut, Desk and Bench Set for Classroom/Training Area, Hardened and Tempered Washer for High Strength Structural Bolts and Nuts (V2) conforming to IS 6649, Scalp Vein (Winged Needle) Infusion Set

बिड विवरण/Bid Details	Conforming to IS 16097, Hydraulic Nut Splitter, Desk and Chair Set for Classroom/Training Area
	Searched String: 7/20 PVC SOLID INSULATED COPPER WIRE PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: 7404 NOT GATE IC IC SOCKET, IC Engine Forklifts, Ride-On Sweepers, IC Socket (V2), Three Wheeler for Goods (V2), Starter Motors for IC Engines, IC Engine Scooters for Specially Abled, Ion Chromatography System, Diesel Engine as per IS 10001, Ice Cube Machine **Searched String**: 7408 AND GATE IC Category not available on GeM for the text string uploaded by the buyer **Searched String**: 7432 OR GATE IC IC SOCKET, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, IC Engine Forklifts, Ride-On Sweepers, IC Socket (V2), Manual Metal Arc Welding (MMA) Machine (V3), Grill Gate, Three Wheeler for Goods (V2), Sliding Gate, Register (V2) **Searched String**: 8 S.W.G. ALUMINUM BARE WIRE Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, scrubbing brush, PCR Tubes **Searched String**: AC coil cleaning spray (Tetraclean or equivalent) Category not available on GeM for the text string uploaded by the buyer **Searched String**: ACETIC ACID GLECIAL LR Acetic Acid (ONGC), GLACIAL ACETIC ACID, Diethylenetriaminepenta acetic acid, Ammonium acetate, Acetic Acid (V3) Conforming to IS 695, 1-Naphthylacetic acid, Ammonium acetate AR Grade, Di-ethylene Triamine Penta Acetic Acid (DTPA) (V2), Ethyl Acetate, Ammonium Acetate (V2) **Searched String**: ACETIC ANHYDRIDE LR

बिड विवरण/Bid Details	Acetic Anhydride (V2) conforming to IS 1235, Yoga Mats (V2), Maleic Anhydride, Diethylenetriaminepenta acetic acid, Acetic Acid (ONGC), Domestic Wiper/Wiper Mopper (V3), GLACIAL ACETIC ACID, Ethyl Acetate, Lead (II) Oxide (LithARGE) LR, SODIUM ACETATE **Searched String**: Acetone ACETYLE ACETONE, Acetyl Acetone (V2), Acetone as per IS 170, Acetone (V2) ISI Marked to IS 170 **Searched String**: ACRALIC COLOUR(FEVICRYL 6/12 SHADES) Leaf Colour Chart (V2) **Searched String**: Acrelic sheet 6ft x 4ft x 3 mm (TRASFERENT color) Computer Paper (V3) Conforming to IS 12766 (In Packet), Corrugated Boxes, Roller Blind (V2), Labels Stickers (V3), Polyurethane Tube (V2), Bond Paper (V3) Conforming to IS 1848 (Part 1), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Bed Mattress Conforming to IS 13489 (V3), General Purpose Ball Valves conforming to IS 9890 **Searched String**: ACTIVA AIR FILTER Air Pre Filter, Laboratory Hot Air Oven (V2), Vehicle Mounted Air Filter, Element Filter Compressor, Air Curtain, Air Sampler, Flange type industrial air filters, Air Activated Heating Pad, Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Filter Cloth **Searched String**: ACTIVA BATTERY Battery Cover, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Battery Tester, Battery Operated Three Wheeler for Goods, Battery Terminal Cover/Battery Enclosure (V2), Online UPS (V2), Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, Battery Operated Motorized Tricycle for Specially Abled, Inverter Battery Trolley, Online UPS (>10 KVA) With Battery **Searched String**: AIR COMPRESSOR PIPE WITH SCREW CLAMP Centrifugal/Screw Compressor with Dryer (NALCO), Screw Compressor, plasma air cutting machine, Zero Air generator with compressor, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Zero Air Generator with Compressor (V2) **Searched String**: AIR COMPRESSOR PU PIPE 12MM Dental Air Compressor, Parallel Bar - Outdoor Gym Equipment, Reciprocating Air Compressor (IOCL), Auditorium Chair (V2), Element Filter Compressor, Laminar air flow cabinets or stations (V2), High Pressure Breathing Air Compressor Motor Driven conforming to IS 15879 (V2), Polyethylene Pipes for Water Supply conforming to IS 4984, Reciprocating Air Compressors - Electric Motor Driven, Air Compressor Lubricants - Types DAA and DAB Conforming to IS 13256

बिड विवरण/Bid Details	**Searched String**: AIR COMPRESSOR PU PIPE 12MM CONNECTOR
	Connector Pipes for Washbasins/ Sinks/ Geyser, Reciprocating Air Compressors - Electric Motor Driven, Air Caloric Irrigator for Video Nystagmography Machine, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor **Searched String**: ALLUMINIUM REVAT 5 MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flameproof Switch Socket, Endotracheal Tube - Sterile (Single Use), Alluminium Alloy Ingots, Locking Compression Plates (V2), Oxygen Flow Meter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bone Screw (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands **Searched String**: ALLUMINIUM SQ. HEAT SINK 100 X 100 MM Labels Stickers (V3), Floor Drain Traps (V2), Note Sheet Pad (Azure Laid) (V3), Electronic Baby Weighing Scale - RBSK, Modular Toilet, modular electrical enclosure switch board boxes for modular type accessories, Correspondence Envelopes (V3) Conforming to IS 13892, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Wooden Lab Stools **Searched String**: ALLUMINIUM SQ. HEAT SINK 75 X 75 X 45 MM modular electrical enclosure switch board boxes for modular type accessories, Floor Drain Traps (V2), Portable Toilet, Labels Stickers (V3), Decorative Mats - Mat Door Coir, Equipment Camouflage Nets (Jute) as per Defence Specification, Wooden Lab Stools, Elastic Bandage Conforming to IS 16111, Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Multipurpose or General Test Tubes (V2) as per IS 2618 **Searched String**: ALUMINIUM FLAT HEAD RIVET 6MM Slotted Countersunk Flat Head Screws- IS 1365, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Countersunk Flat Head Screws (V2) ISI marked to IS 7485 (Part 1), Cold Forged Steel Rivets For Cold Closing-IS:2998, Countersunk Flat Head Screws (V2) ISI marked to IS 7485 (Part 2), Wood screws, Slotted Countersunk Flat Head Screws (Grade A) Conforming to IS 1365, Mild Steel Sheet, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Hot Rolled Strips Flats **Searched String**: ANCHOR COLOUR THREAD Grapnel Anchor, Curtains (V2), Vertical Anchor for wire rope barrier, Silk Thread, Thread sealant, Register (V2), Nylon Thread, Twine Thread, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, A3

बिड विवरण/Bid Details	Size Multifunction Printer (MFP) **Searched String**: ANILINE LR Aniline, Technical as per IS 2833, N Heptane, Lead (II) Oxide (LithARGE) LR, L-Ascorbic Acid, Methyl Blue for Microscopy, Karl Fischer Reagent, Methyl Blue For Microscopy (V2), 1-Butanesulphonic Acid Sodium Salt 98% (Sodium -1-Butane Sulphonate), ACETYLE ACETONE, Hexamethylenetetramine(Hexamine) - IS 4306 **Searched String**: ANTISEPTIC LIQUID [DETTOLE] (250ML) Antiseptic Liquid, Household Insecticides (V2), Antiseptic Liquid / Gel, Toilet Cleaner Liquid (V3) conforming to IS 7983, Touchless Soap Dispenser (V3), Air Freshener liquid (V3), Liquid Soap Dispenser (V2), Toilet Soap, Liquid (V3) Conforming to IS 4199, Quaternary Ammonium Compound based Surface Cleaner (liquid) (V2) conforming to IS 14364, Antimicrobial Hand Wash (V2) **Searched String**: Assorted size carbon resistor Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, ASSORTED PIPES, Shoes Leather Oxford DMS as per Defence Specification, Hedge Shears as per IS 2563, shoes school pvc boys girls, coat combat disruptive detachable lining, single texture white rubberized waterproof nylon fabric rain capes with attached hood, General Purpose Ball Valves (V2), Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Blind flange **Searched String**: AUTOMATIC DOOR CLOSER Automatic Door sensor, Metal Storage Cabinet, Automatic Door Sensing System, Hydraulically Regulated Door Closers ISI Marked to 3564, Bag Closer Machine, Curtains (V2), HYDRAULICALLY REGULATED DOOR CLOSERS, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Bag Closer Machine (Bag sealing tools or equipment), Sanitary Napkins Vending Machines **Searched String**: AUTOMOBILE SWITCH RELAY (04 & 05 POINT) Category not available on GeM for the text string uploaded by the buyer **Searched String**: AUXILIARY CONNECT FOR CONTACTOR 16A 415V V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Silicomanganese for Steel PSUs, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2) **Searched String**: AV CABLE 1.5 METER XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Aluminium Cable

बिड विवरण/Bid Details	Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Octyl Alcohol (V2), true rms clamp meter, LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), Blood Collection Tube, Untarred Sisal Rope (V2) Conforming To IS 1321 (Part 1) **Searched String**: Bakelite strip 3 mm MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Mild Steel Sheet, Hand Lamp, Locking Compression Plates (V2), Heavy Duty Curtains - Panchakarma, Endotracheal Tube - Sterile (Single Use), Tapered Bearings as per IS 12102, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Bone Screw (V2) **Searched String**: Banboo strip Packing Strip, Tapered Bearings as per IS 12102, EFF Strip, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electric Strip Heater, Urine Test Strip (V2), PVC Strip Curtain, PCR Tubes, Terminal Strip Connectors, Hot Rolled Strips Flats **Searched String**: BAR COPPER WIRE (19 SWG) Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Binder Clips (V3) Conforming to IS 8231, Copper (in the form of refinery shapes) Conforming to IS 191, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Copper Bus Bar (Bhel)-IS:1897, IS:8130, Stitching Wire for Book Binding, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266 **Searched String**: BAR MAGNET Magnetic Stirring Bar, Dry Erase Writing Boards (V3), Magnet Door Catcher, Electric Cars (V4), Magnetic Stirring Bar (V2), magnetic stirrers, Triceps bar, Lighting Box (Flasher For Police Vehicles), Extension Bar, Cloth Dryer Stand **Searched String**: BARE COPPER WIRE 8 SWG Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Endotracheal Tube - Sterile (Single Use), Zinc Coated EDM Wire (V2), Non Sparking Double Ended Ring Spanner (V2), Copper (in the form of refinery shapes) Conforming to IS

बिड विवरण/Bid Details	191. Non Sparking Double Open Ended Spanner (V2) **Searched String**: BATTERY (HERO SPLENDER) Battery Cover, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Battery Tester, Mild Steel Sheet, Battery Terminal Cover/Battery Enclosure (V2), Online UPS (V2), Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, Bicycle with Safety and Performance Requirements Conforming to IS 10613, Inverter Battery Trolley, Online UPS (>10 KVA) With Battery **Searched String**: BATTERY CABLE TERMINAL 5MTR LONG Battery Terminal Coating, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Battery Link Terminal, Battery Terminal Cover/Battery Enclosure (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Battery Terminal Protective Coating (V2), Electrical Cable Lugs, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: BATTERY SOLUTION (H2SO4) Battery Cover, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Battery Tester, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Battery Terminal Cover/Battery Enclosure (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, White LED Based Solar Study Lamp as per MNRE Specifications, AIIMS Neuropsychological Battery, Desk and Bench Set for Classroom/Training Area **Searched String**: BI METAL THERMOSTATE FOR FORST FREE REFRIGERATOR Metal Free Optical Fibre Cable with Double HDPE Sheath for Underground Duct Application, Household Refrigerating Appliances as per IS 17550, Bitumen Primer for use in Waterproofing and Damp - Proofing as per IS 3384 **Searched String**: BISMUTH NITRATE LR Cobalt (II) Nitrate Hexahydrate (V2), Cellulose Nitrate Filter Paper (V2), Potassium Nitrate, Agar Media (V2), Sodium Nitrate, THINNER FOR CELLULOSE NITRATE BASED PAINTS AND LACQUERS, Strontium Nitrate, Aluminium nitrate, N Heptane, Barium Nitrate **Searched String**: BLACK THREAD Black Salt, Metal Beds (V3), Thread sealant, Silk Thread, Nylon Thread, Office Bags (V2), Twine Thread, Steel Almirah / Cabinets (V4), anklet synthetic black, A3 Size Multifunction Printer (MFP) **Searched String**: BLUE PASTE EMERY Emery Cloth, Steel Almirah / Cabinets (V4), Cutting Paste, Bromophenol Blue, Curtains (V2), Bromothymol Blue, Emery

बिड विवरण/Bid Details	Powder Grit # 120-IS 3178, Prussian Blue, Cotton Towelling And Towels Conforming To IS 7056 (V4), Hydroxynaphthol Blue **Searched String**: BORIC ACID LR Lead (II) Oxide (LithARGE) LR, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Potassium Tetraborate, 1-Butanesulphonic Acid Sodium Salt 98% (Sodium -1-Butane Sulphonate), Humic Acid and Fulvic Acid, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Veratric Acid (3,4-Dimethoxybenzoic Acid), N-Butyric Acid (For Synthesis), Acid Orange, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 **Searched String**: Brass cleaning brush soft Antistatic Brush (V2), Brush for Road Sweeper Machine, Toilet Brush (V3), Laboratory Glassware Cleaning Solutions, scouring pads, Brass Band Bugles, Toothbrush (V3) Conforming to IS 3387, Fruit and Vegetable Washing Machine (V2) **Searched String**: BRASS SHEET 65 X 4 MM Plastic Sheet (4 x 50 m) for NDRF, Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Computer Paper (V3) Conforming to IS 12766 (In Packet), Work Benches, Mild Steel Sheet, Corrugated Boxes, Note Sheet Pad (Azure Laid) (V3), Correspondence Envelopes (V3) Conforming to IS 13892, Bathroom Water Shower (V2) **Searched String**: BRAZING TORCH WITH REFLECTOR Intrinsically Safe (Explosion Proof) LED Torch with Replaceable Battery, Rechargeable LED Head Torch (Head Lamp), Oxy Gasoline Metal Cutting Torch System **Searched String**: BRAZZING FLUX Brazing flux, Flux Cored Solder Wire as per IS 1921, WELDING FLUX, Hollow Fiber Dialyzers, Flux for submerged arc welding of structural steel (BEML) -as per C4202 BEML Welding Electrode, WELDING ELECTRODE -Flux cored wire for CO2 gas shielded arc welding (BEML), Toroidal Gravito Complex Magnetic Field Incorporated Scientific Water Treatment Device **Searched String**: BRAZZING ROD (COPPER TO COPPER) Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, OXYGEN FREE COPPER ROD (OFHC), Copper Rods And Bars For Electrical Purposes-IS:613, Copper carbonate, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Jumper, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Bridge rectifier circuit kit Bridge Rectifiers, Crown and bridge preparation kit

बिड विवरण/Bid Details	
	Searched String: BROMINE WATER LR Liquid Bromine-IS:2142, water baths, Lead (II) Oxide (LithARGE) LR, Karl Fischer Reagent, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Aerator/Water Automiser, L-Ascorbic Acid, Hexamethylenetetramine(Hexamine) - IS 4306, Environmental Chamber, Potassium Bicarbonate **Searched String**: BUFFER TABLET(4 PH) Buffer Solutions (V2) Conforming to IS 15557, Tablet Computer (V2), Buffer Tablets, Buffer Capsules, Phenytoin Tablet, Water Quality Meters / Analyzers, Phenobarbitone Tablet, Mobile Phone And Tablet Computer Case/Cover, Di Sodium Hydrogen Phosphate-IS:567, Pera nitro Phenol **Searched String**: BUFFER TABLET(9 PH) Buffer Solutions (V2) Conforming to IS 15557, Buffer Tablets, Buffer Capsules, Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Phenytoin Tablet, Phenobarbitone Tablet, Tablet Computer (V2), Mobile Phone And Tablet Computer Case/Cover, N,N Dimethyl P Phenylenediamine Dihydrochloride, Rack Type Charging Station For Tablet/Mobile Phone **Searched String**: BUFFING DISC -4" Buffing Wheel, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Disc Friction, Tractor Operated Disc Plough, Sander Disc, Cotton Towelling And Towels Conforming To IS 7056 (V4), Oxidase disc, Sander Disc (V2), File/Folder (V3), Disc polisher machine **Searched String**: Bulb 100 W (Filament induslent typy) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Bulb 15 Volt (Filament induslent typy) (Red, Yellow, Blue - 05 nos each) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Bulb 200 W (Filament induslent typy) Category not available on GeM for the text string uploaded by the buyer **Searched String**: BURNOL Category not available on GeM for the text string uploaded by the buyer **Searched String**: BUTANE GAS CARTRIDGE220 GM Liquefied Petroleum Gases (V3) Conforming to IS 4576, Electric Fumigator, Gas Metal Arc Welding (GMAW) Machine (V2), Liquified Petroleum Gas (LPG) as per IS 4576 for Bulk Supply, Ultra Light Smart Thermal Imager for Weapon System as per MHA QR **Searched String**: BUTANE GAS TORCH Preheat Gas Burner (Used in Welding), Hand Held Search Light, Liquefied Petroleum Gases (V3) Conforming to IS

बिड विवरण/Bid Details	4576, Liquified Petroleum Gas (LPG) as per IS 4576 for Bulk Supply, Infra red Torch, Commercial Idli Steamer, Ultra violet torch, LED Diving Torch Light (Diving Instruments or Accessories), Solar Torch Light, Gas Analyser **Searched String**: BUTTON CELL 1.5V LR 44 Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), Sealed Nickel Cadmium Button Type Rechargeable Single Cells Conforming to IS 10893, Liquid Consortia (V2), Non Sparking Ring Slugging Spanners (V2) **Searched String**: C I BLOCK 150X50X10 Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Correspondence Envelopes (V3) Conforming to IS 13892, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), C Arm Fluoroscope X - Ray Machine (V2), Self Priming Pump Conforming To IS 5120, Muffle/Box Furnace (V2), Laboratory Deep Freezer (Upto -20°C Degree), Commercial Idli Steamer, Prelaminated MDF Board Conforming to IS 14587 **Searched String**: C.I. BLOCK 50X50X50mm Biosafety Cabinet (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Correspondence Envelopes (V3) Conforming to IS 13892, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, C Arm Fluoroscope X - Ray Machine (V2), Self Priming Pump Conforming To IS 5120, Exercise Books Conforming to IS 5195, Prelaminated MDF Board Conforming to IS 14587 **Searched String**: C.I. ROUND BAR 25X150mm Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), Biosafety Cabinet (V2), Drill Rods for Tools, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Alloy Steel Round Bars (BHEL), Parallel Bar - Outdoor Gym Equipment, Carbon And Alloy Steel Round Bars (BHEL Trichy), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), High Alloy Creep Steel Round Bars (BHEL), Bathroom Water Shower (V2) **Searched String**: C.I.ROUNDBAR 40X100 MM BOMB 81mm MORTAR 'C' EMPTY BODY(OFB), Dry Erase Writing Boards (V3), Memory Card Reader (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Pin Up Notice Board (V2), Biosafety Cabinet (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Bunk Beds conforming to IS 17636, Cast Iron Bench, rubber bands **Searched String**: C.I.ROUNDBAR 50X25 MM BOMB 81mm MORTAR 'C' EMPTY BODY(OFB), Dry Erase Writing Boards (V3), Memory Card Reader (V2), Socket Reducing confirming to IS 1239 (Part 2), Pin Up Notice Board (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Biosafety Cabinet (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part

बिड विवरण/Bid Details	1), Speed Breaker (V3), Correspondence Envelopes (V3) Conforming to IS 13892
	Searched String: C.I.ROUNDBAR 90X20 MM BOMB 81mm MORTAR 'C' EMPTY BODY(OFB), Dry Erase Writing Boards (V3), Memory Card Reader (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Pin Up Notice Board (V2), Biosafety Cabinet (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Muffle/Box Furnace (V2), Bunk Beds conforming to IS 17636, Laboratory Deep Freezer (Upto -20°C Degree) **Searched String**: CALCIUM CARBONATE Calcium Carbonate (V2), Calcium carbonate (Fine), Calcium carbonate (Micronized) (MCC), Calcium carbonate (Medium), Non Carbonated Beverage Dispenser (V2), Calcium carbonate (Coarse), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Calcium Carbonate Scale Inhibitor - ONGC, Copper carbonate, Computer Paper (V3) Conforming to IS 12766 (In Packet) **Searched String**: Canvas 60 * 90 cm Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Cotton Towelling And Towels Conforming To IS 7056 (V4), Disposable Single Use Towels, Sweeping Broom (V5), Hand Knotted Silk Carpet (V2) Conforming to IS 14566, Digital pH Meter, Decorative Mats - Mat Door Coir, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Cotton Towelling And Towels (V3) Conforming To IS 7056, Decorative Flag **Searched String**: Canvas 75 * 100 cm Hand Magnifiers (V2) conforming to IS 5148, Cotton Towelling And Towels Conforming To IS 7056 (V4), Water proof HDPE/PP Woven Sack (for packing) - OFB, Sweeping Broom (V5), Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Cotton Towelling And Towels (V3) Conforming To IS 7056, Decorative Mats - Mat Door Coir, Decorative Flag, Plain Weave Cotton Fabrics - Leopard Packing Cloth as per IS 181, modular electrical enclosure switch board boxes for modular type accessories **Searched String**: Cap diameter 25mm Blanking cap, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Neopren Cap, Pipe Clamps (V2), Swimming Cap, Biosafety Cabinet (V2), Cap Glacier, Dry Erase Writing Boards (V3), Welding Cap, Pin Up Notice Board (V2) **Searched String**: CAP SCREW M6 X 12 MM Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Culture Tube With Screw Cap (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Polyurethane Tube (V2), Shaker Incubator, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, rubber bands, General Purpose Ball Valves conforming to IS 9890, Bunk Beds conforming to IS 17636 **Searched String**: Capaciter 2.5uf,8uf assorted

बिड विवरण/Bid Details	File/Folder (V3), Great Coat Short with Hood Conforming to Defence Specification, Endotracheal Tube - Sterile (Single Use), Blouse (JSS) - Military Hospital Clothing, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Multimedia Projector (MMP), Isopropyl Alcohol (2 - Propanol) **Searched String**: CAPACITOR - 1000?f / 50 V Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Submersible Sewerage Pump, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Digital pH Meter, Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Insulation Tester, Cotton Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: CAPACITOR - 10?f / 25 V Transmission Fluid F-10 - Defence(V2), Digital pH Meter, TLC plate, Silica gel 60, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Rubberised Fabrics and Ground Sheet - JSS Standard - MK XII, function generator, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Non Adherent Dressings (V2), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Shaping Machine **Searched String**: CAPACITOR - 2200?f / 50 V Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Digital pH Meter, Cotton Towelling And Towels Conforming To IS 7056 (V4), Radial Drilling Machine, Shaping Machine, Soldering and Desoldering Station with digital display, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Reciprocating Saw, Non-Contact High Voltage Detector **Searched String**: CAPACITOR - 22?f / 50 V Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, 1-Heptanesulphonic acid sodium salt anhydrous, Electric Solenoid Operated Actuators-IS:8935, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Digital pH Meter, Mesotrione 2.27% + Atrazine 22.7% SC (Suspension Concentrate), Submersible Sewerage Pump, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Cotton Towelling And Towels Conforming To IS 7056 (V4), Tapping screws **Searched String**: CAPACITOR 0.1?f A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Line Interactive UPS with AVR (V2), Enamelled Round Copper

बिड विवरण/Bid Details	Wire as per IS 13730 (Part 0 / Sec 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Muffle/Box Furnace (V2), Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Electronic Weighing Scales **Searched String**: CAPACITOR 0.1?f/16v A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Cotton Towelling And Towels Conforming To IS 7056 (V4), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Line Interactive UPS with AVR (V2), Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years, Muffle/Box Furnace (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: CAPACITOR 10 MICROFARADE, 25V Digital pH Meter, Capacitors for Electric Fan Motors as per IS 1709 (V2), function generator, Shaping Machine, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Electronic Weighing Scales, Endotracheal Tube - Sterile (Single Use), Cloth Dryer Stand, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Laboratory Glassware - Burettes (V2) as per IS 1997 **Searched String**: CAPACITOR 10 nf Capacitor Banks For Use On 11 KV System (PSPCL)), water baths, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Wooden Podium, Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), Humidity Chamber, Chlorpyrifos 10% GR, Capacitors for Electric Fan Motors as per IS 1709 (V2), Imazethapyr 10% SL, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection **Searched String**: CAPACITOR 100 MICROFARADE, 16V Cotton Towelling And Towels Conforming To IS 7056 (V4), Electric Ceiling Fan (V4) ISI Marked to IS 374, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Light emitting diode driver, Polyethylene Pipes for Water Supply conforming to IS 4984 **Searched String**: CAPACITOR 100 MICROFARADE, 25V Cotton Towelling And Towels Conforming To IS 7056 (V4), Capacitors for Electric Fan Motors as per IS 1709 (V2), Electronic Weighing Scales, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Floor Drain Traps (V2), Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Urine Collection Bag - Sterile (Single Use), Respirable Dust Sampler as per IS 5182, Light emitting diode driver

बिड विवरण/Bid Details	**Searched String**: CAPACITOR 22 MICROFARADE, 25V Capacitors for Electric Fan Motors as per IS 1709 (V2), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018 **Searched String**: CAPACITOR 47 MICROFARADE, 25V Capacitors for Electric Fan Motors as per IS 1709 (V2), Tapered Bearings as per IS 12102 **Searched String**: Capacitor 8 mfd Capacitor Banks For Use On 11 KV System (PSPCL)), A3 Size Multifunction Printer (MFP), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), 8-Hydroxyquinoline, File/Folder (V3), Figure 8 Descender (V3), Figure 8 Descender (V2), water baths, Transmission Oil TSZP-8 **Searched String**: CAPACITOR 4 MFD, 440V OR 250V NON POLAR Cotton Towelling And Towels Conforming To IS 7056 (V4), Antimicrobial Dressing (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Flex Posters / Banners (V2), Non-Contact High Voltage Detector, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Power Factor Meter - Digital, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), cobweb brush, Non-Rebreather Oxygen Mask (V2) **Searched String**: CAPACITOR, 1000uF, 50V Capacitor Banks For Use On 11 KV System (PSPCL)), Nitrile Coated/Nitrile Hand Gloves (V2), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Laboratory Hot Air Oven (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1) **Searched String**: CAR AC FILTER Car Accessories, Passenger Car, Filter Cartridge, Towel Hand Cotton Turkish (IAF), Oil Filter Cartridges, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Wound Filter Cartridge, Digital pH Meter, Polypropylene Cartridge Filter, Stack a car **Searched String**: CARBIDE TIP "V' TOOL (R.H) 10X10X100mm Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801, Mechanical Pencil (V3), Bone Screw (V2), Auditorium Chair (V2), Welding Cable ISI Marked To IS 9857 (V2), Dry Erase Writing Boards (V3), Watt Meter - Analog (Panel Meter) as per IS 1248:2003, RCC Guard stone Type B (Cement or concrete posts) **Searched String**: CARBIDE TIP TOOL 5/8*5/8*/6" Fabricated PVC - U Fittings for Portable Water Supplies as

बिड विवरण/Bid Details	per IS 10124, File/Folder (V3), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Endotracheal Tube - Sterile (Single Use), Shoes-Handicraft, Minifuge, Static Protective Relays, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Locking Compression Plates (V2), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774 **Searched String**: CARBIDE TIP TOOL LH 3/8"* 3/8" *6" 8-Hydroxyquinoline, Screw Compressor, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Health Supplements, Nutraceuticals and Food for Special Dietary Use, Blood Collection Tube, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Shoes-Handicraft, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Polyurethane Tube (V2) **Searched String**: CARBIDE TIP TOOL RH 1/2"* 1/2" *6" BCAA 2:1:1 Powder, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Isoprothiolane, Micro/Semi-Micro/Analytical weighing balance, Combination Board (V2), Test Sieves as per IS 460 (Part 1 and Part 2), Static Protective Relays, Beehive Stand -as per IS 1735 Part 1, IS 1735 Part 2, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Test Sieves (V2) as per IS 460 (Part 1 and Part 2) **Searched String**: CARBON REGISTOR 1 K OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), K - 4 Crash Rated Boom Barrier, K - 4 Crash Rated Blocking Bollard, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Ethyl Ester 38% Ec (2-4-D) (V2), Online Ups Modular Type **Searched String**: CARBON REGISTOR 1.2K OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, K - 4 Crash Rated Blocking Bollard, shoes school pvc boys girls, Hand Operated Hydraulic Pipe Bender, K - 4 Crash Rated Boom Barrier, Digital Grounding System with Equipment Protection, Trousers Sleeping Flannel and Trousers Sleeping Cotton - Military Hospital Clothing, Flood Light Luminaire suitable for HPSV Lamps, General Purpose Ball Valves (V2) **Searched String**: CARBON REGISTOR 10K OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), shoes school pvc boys girls, K - 4 Crash Rated Blocking Bollard, K - 4 Crash Rated Boom Barrier, Hand Operated Hydraulic Pipe Bender, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Hammers (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Combination Spanners (V2), Endotracheal Tube - Sterile (Single Use)

बिड विवरण/Bid Details	
	Searched String: CARBON REGISTOR 12K OHM 1 W K - 4 Crash Rated Blocking Bollard, Resistors (V2), MS Sheet as per IS 1079 **Searched String**: CARBON REGISTOR 180E OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), K - 4 Crash Rated Blocking Bollard, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Hand Operated Hydraulic Pipe Bender, Add on Gateways for PABX System **Searched String**: CARBON REGISTOR 1M OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Carbon brushes for motor and generator, Extendable Road Barricade (V2), Carbon brush, Micro/Semi-Micro/Analytical weighing balance, Correspondence Envelopes (V3) Conforming to IS 13892, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service **Searched String**: CARBON REGISTOR 2K2 OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, K - 4 Crash Rated Blocking Bollard, shoes school pvc boys girls, Hand Operated Hydraulic Pipe Bender, K - 4 Crash Rated Boom Barrier, Digital Grounding System with Equipment Protection, Trousers Sleeping Flannel and Trousers Sleeping Cotton - Military Hospital Clothing, Flood Light Luminaire suitable for HPSV Lamps, General Purpose Ball Valves (V2) **Searched String**: CARBON REGISTOR 330E OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), K - 4 Crash Rated Blocking Bollard, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Hand Operated Hydraulic Pipe Bender, Add on Gateways for PABX System **Searched String**: CARBON REGISTOR 3K3 OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, K - 4 Crash Rated Blocking Bollard, Extendable Road Barricade (V2), Sharp Container for Bio - Medical Waste Collection, Desk and Chair Set for Classroom/Training Area, shoes school pvc boys girls, Power Factor Meter - Digital, K - 4 Crash Rated Boom Barrier, Desk and Bench Set for Classroom/Training Area **Searched String**: CARBON REGISTOR 3K9 OHM 1/4 W

बिड विवरण/Bid Details	Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Portable Fire
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Extinguishers (V3) ISI Marked to IS 15683, Rechargeable LED Bulb (V2), Extendable Road Barricade (V2), Desk and Chair Set for Classroom/Training Area, shoes school pvc boys girls, Power Factor Meter - Digital, K - 4 Crash Rated Boom Barrier, Desk and Bench Set for Classroom/Training Area, Hand Operated Hydraulic Pipe Bender **Searched String**: CARBON REGISTOR 470 OHM 1/2 W Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Flood Light Luminaire suitable for HPSV Lamps, Mild Steel Sheet, Hand Operated Hydraulic Pipe Bender, Screw driver Bits, General Purpose Ball Valves (V2) **Searched String**: CARBON REGISTOR 470E OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), K - 4 Crash Rated Blocking Bollard, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Hand Operated Hydraulic Pipe Bender, Add on Gateways for PABX System **Searched String**: CARBON REGISTOR 51K OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), K - 4 Crash Rated Boom Barrier, K - 4 Crash Rated Blocking Bollard, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Hand Operated Hydraulic Pipe Bender, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593 **Searched String**: CARBON REGISTOR 820E OHM 1/4 W Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), K - 4 Crash Rated Blocking Bollard, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Hand Operated Hydraulic Pipe Bender, Add on Gateways for PABX System **Searched String**: CARBON RESISTOR 100E/1/4W Calcined Magnesia Carbon Grog - SAIL, Cotton Towelling And Towels Conforming To IS 7056 (V4), Cold Reduced carbon steel sheet and strip IS 513(Part 1)(UNIT -Quantity), Carbon brushes for motor and generator, Mild Steel Sheet, Digital Trainer Kit, Carbon brush, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Extendable Road Barricade (V2) **Searched String**: CARBON RESISTOR 2.2 K?/1/4W BCAA 2:1:1 Powder, Cotton Towelling And Towels Conforming To IS 7056 (V4), Strontium Carbonate, Hand Operated Hydraulic Pipe Bender, Isoprothiolane, water baths, Combination Board (V2), Steel Trunk confirming to IS 7257 (V3), Test Sieves as per IS 460 (Part 1 and Part 2), Biosafety Cabinet (V2)

बिड विवरण/Bid Details	
	Searched String: CARBON RESISTOR 220E/1/4W Calcined Magnesia Carbon Grog - SAIL, Cotton Towelling And Towels Conforming To IS 7056 (V4), Cold Reduced carbon steel sheet and strip IS 513(Part 1)(UNIT -Quantity), Carbon brushes for motor and generator, Mild Steel Sheet, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Carbon brush, Extendable Road Barricade (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Micro/Semi-Micro/Analytical weighing balance **Searched String**: CARBON RESISTOR 3.3 K?/1/4W 1, 1, 3 - Triethoxybutane, A3 Size Multifunction Printer (MFP), Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Hand Operated Hydraulic Pipe Bender, Sulphanilic Acid, Fixed Computer Workstation (V2), Distribution Transformer, 3 Phase, 6.6 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Steel Trunk confirming to IS 7257 (V3), Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), Blood Collection Tube **Searched String**: CARBON RESISTOR 470E/1/4W Calcined Magnesia Carbon Grog - SAIL, Cotton Towelling And Towels Conforming To IS 7056 (V4), Cold Reduced carbon steel sheet and strip IS 513(Part 1)(UNIT -Quantity), Carbon brushes for motor and generator, Mild Steel Sheet, Foldable Umbrellas as per IS 10675, Carbon brush, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Extendable Road Barricade (V2), Micro/Semi-Micro/Analytical weighing balance **Searched String**: CARBON RESISTOR BOX Neutral Grounding Resistor (NGR), Muffle/Box Furnace (V2), Resistors (V2), STEEL STAMP NUMBER, Rheostat Kit For Educational Purpose, File/Folder (V3), Carbon Bush, Piston Pin, Carbon brush, Electrical Extension Box (V4) **Searched String**: CARBON RESISTOR FOR DIFFERENT VALUE 1/4 Watt Category not available on GeM for the text string uploaded by the buyer **Searched String**: CARBON RESISTOR FOR DIFFERENT VALUE 1/4 Watt Category not available on GeM for the text string uploaded by the buyer **Searched String**: CARBON TETRA CHLORIDE Carbon Tetrachloride as per IS 718, Suction Catheters (V2), TETRA Radio Trunking as per MHA QR, Bolt / Bullet Seal, Tetra-n-butylammonium hydrogen sulfate, Carbon Tetrachloride (V2) conforming to IS 718, Neodymium Chloride, Non Carbonated Beverage Dispenser (V2), Mercuric Chloride, Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: Cardboard A1 Size Anti-A1 Lectin Reagent (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Particle Size Analyser, File/Folder (V3), Zeta

बिड विवरण/Bid Details	and Particle Size Analyser, Cleaning Duster (V3), KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Biosafety Cabinet (V2), A3 Size Multifunction Printer (MFP), Endotracheal Tube - Sterile (Single Use) **Searched String**: Cardboard sheet Polyproylene Sheet, File/Folder (V3), Polystyrene sheet, Mouse Trap (V2), Titanium Sheet, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Polypropylene (PP) Sheet (V2), Handloom Cotton Bed Sheets (V2) as per IS 745, Flexible Transparent Sheet (V2), Insect Killer **Searched String**: CAST IRON 50X50X6 MM Cast Iron Bench, Garden Bench, FRP strip cast iron Bench, Cast Iron Components (Deepwell Hand Pumps Components) Conforming to IS 15500 (Part 5), Dry Erase Writing Boards (V3), Cast Iron Saddle Pieces for Service Connection from Asbestos Cement Pressure Pipes conforming to IS 10299, Pin Up Notice Board (V2), Engineering Metrology-Measuring Equipment - Cast Iron Surface Plates - IS 2285, Speed Breaker (V3), Malleable Cast Iron Pipe Fittings (V2) as per IS 1879 **Searched String**: CAST IRON ELECTRODE DIA. 3.15MM Garden Bench, Cast Iron Bench, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Vacuum Pump, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, General Purpose Ball Valves (V2), Cylinder Liner, Engineering Metrology-Measuring Equipment - Cast Iron Surface Plates - IS 2285 **Searched String**: CELL(DRY) BIG SIZE Corrugated Boxes, Intrinsically Safe (Explosion Proof) LED Torch with Replaceable Battery, Rhizobium Inocultants (Bio Fertilizer)-IS:8268, Cell Scraper, DRY CHEMICAL POWDER (MONO-AMMONIUM PHOSPHATE BASE WITH MAP 90 % (TYPE -'B')) **Searched String**: CEMENT Cement Capsule, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Portland Slag Cement conforming to IS 455, Reinforced Concrete Fence Posts (V2) as per IS 4996, Resin Modified Water based Dental Cement Conforming to IS/ISO 9917 (Part 2), Ordinary Portland Cement (V3) Confirming to IS 269, Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), Fibre Cement Flat Sheet as per IS 14862, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, HAEMATITE FOR CEMENT SLURRIES- ONGC **Searched String**: Ceramic marker assorted ASSORTED PIPES, DNA marker, Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, Brushable Ceramic, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Protein ladder marker, Surgical Skin Marker Pen (V2), Markers and

बिड विवरण/Bid Details	Highlighters, Rigid / Flexible Median Marker, Pressed Ceramic Tiles conforming to IS 15622
	Searched String: CHAIN AND SPROCKET (SPLENDER) High Steel Speed Cutters, Mobile Storage Compactors, Sprocket **Searched String**: CHART PAPER Weapon Training Chart, Plotter Paper Roll (V2), Weapon Training Chart (V2), Educational & Training Charts, Shredding Machine/Paper Shredder, Digital Visual Acuity Chart, Computer Paper (V3) Conforming to IS 12766 (In Packet), Leaf Colour Chart (V2), Digital LED vision chart, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1) **Searched String**: Chart Hanging Hook Vertical Hanging Garden Pots, Hook wrench, traffic signs - bilinker light, Weapon Training Chart, Surgical Hooks, Hook Wrench (V2), Bill Hook as per IS 3094, Weapon Training Chart (V2), Educational & Training Charts, Lifting Hook (V2) as per IS 12162 **Searched String**: Charts for PPO trade Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Desk and Bench Set for Classroom/Training Area, Chair for General Purpose, Bunk Beds conforming to IS 17636, Desk Only for Classroom/Training Area, Endless V Belt for Industrial Purposes ISI marked to IS 2494 (Part 1), Desk and Chair Set for Classroom/Training Area, Toner Cartridges / Ink Cartridges / Consumables for Printers, Box type PP Bag for Postal Deptt **Searched String**: Cheese head screw m6 Stainless Steel slotted Cheese Head Screw - BHEL, Hexagonal Socket Head Cap Screw, Plain Washer as per IS 2016, Bridge Plug Socket Head Screw-IS:2269, Wood screws, Hexagon Socket Head Cap Screw (V2) Conforming to IS 2269, Cross Recessed Countersunk Head Screws - IS 7485, Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), Countersunk Flat Head Screws (V2) ISI marked to IS 7485 (Part 1), Self Drilling Screw **Searched String**: china screw China Astor Seeds, Compression Screw, Tea Set (V2), Screw Compressor, Bone Screw (V2), (Vitreous China) - Squatting Pans, Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Pedicle Screw (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 **Searched String**: CI BLOCK 50X50X50MM Calibration Block, Cleaning Duster (V3), Wooden block, Mounted Bearings, Plummer Block Assembly, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wrap Block (Textile), Biosafety Cabinet (V2), Dry Block Heater, Nitrile Coated/Nitrile Hand Gloves (V2) **Searched String**: CI BLOCK 60X60X60MM

बिड विवरण/Bid Details	Calibration Block, Cleaning Duster (V3), Wooden block, Mounted Bearings, Plummer Block Assembly, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wrap Block (Textile), Biosafety Cabinet (V2), Dry Block Heater, File/Folder (V3) **Searched String**: CLAP SWITCH LOOSE KIT Dental Elevators to Loosen the Teeth - RBSK **Searched String**: CMOS Lithium cell Secondary Lithium Cells and Batteries For Portable Application Conforming To IS 16047 (Part 3), Breath Analyser, Lithium Metaborate, Flame Photometer, Lithium Carbonate Tablets, Lithium sulfate monohydrate, Cell Scraper, Lithium ion solar battery, Cell cleaner, Biobanking and Cell Culture Cryogenic Tubes **Searched String**: COAL Anthracite coal, Steam Coal, Steam Coal (V2), Total Station Survey Instrument (Coal India), Domestic Coal for NTPC, Anti Wear Hydraulic Oil - Coal India, Solid Coal Tar Pitch, Blow Pipe for Welding and Cutting as per IS 7653 (V2), Truck mounted Fog Cannon system (Coal India), Liquid Coal Tar Pitch (V2) (NALCO) **Searched String**: COLOR DRAWING SHEET Transcranial Color Doppler, Steel Almirah / Cabinets (V4), Drawing Trussels / Drawing Board Stand, Drawing Trussels / Drawing Board Stand (V2), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Hemoglobin Color Scale Kit, Rubberised Fabrics and Ground Sheet - JSS Standard - MK XII, Engineer's Pattern Drawing Boards as per IS 1444 (V2), Metal Beds (V3), Ishihara Color Vision Test Chart **Searched String**: OIL PAINT COLOR GRAY Metal Beds (V3), Permanent Paint Marker (V3) **Searched String**: COLOUR POPLINE FABRIC Colour Pencil (V2), Curtains (V2), Colour Pencil (V3), Velvet Fabric, Register (V2), Fabric Paint, Stamp Album, Leaf Colour Chart (V2), Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Colour Matching Cabinet (Textile) **Searched String**: COLOUR PALLET Pallet Truck (V3), Curtains (V2), Pallet Truck (V2), Dunnage Pallets Made From Recycled Plastic Wastes For Warehousing Applications (V2) Conforming to IS 16058, Register (V2), Colour Pencil (V2), Colour Pencil (V3), Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Leaf Colour Chart (V2), Colour Matching Cabinet (Textile) **Searched String**: COLOUR THREAD(300 MTR ANCHOR BRAND) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Combined capacitor 45 +_ 5 mfd

बिड विवरण/Bid Details	Acephate 45%+ Cypermethrin 5% Dry Flowable(DF), Rotary Evaporator, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electric Ceiling Fan (V4) ISI Marked to IS 374, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Electric Axial Flow Fans (V2) Conforming To IS 3588, Endotracheal Tube - Sterile (Single Use), Self Adhesive Flags (V3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Hot Rolled Round Steel Bars as per IS 1732 **Searched String**: Combined capacitor 60 +_ 5 mfd Mancozeb 60% + Pyraclostrobin 5% WG (Wettable Granule), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, HDMI Switcher, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electric Axial Flow Fans (V2) Conforming To IS 3588, Online UPS (V2), Non Sparking Combination Spanners (V2) **Searched String**: Commercial HCL Grinding Media Rods (HCL), Commercial Idli Steamer, Commercial Veneers, DICYCLOMINE + PARACETAMOL, Commercial Dishwasher, Truck Mounted Fog Cannon / Anti Smog Gun / Dust Suppression System, Irinotecan HCl trihydrate Solution for Injection, Prison Van Police Vehicles (V2), Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636, Commercial UPVC Fittings **Searched String**: CONDYUT COPLING INTERNAL THREADING19 MM Endotracheal Tube - Sterile (Single Use), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Blood Administration Set (V2), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, General Purpose Ball Valves conforming to IS 9890, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Foot Rest, Shredding Machine/Paper Shredder, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Binder Clips (V3) Conforming to IS 8231 **Searched String**: CONDYUT PIPE 19 MM Carbon Tape 19 MM(OFB-DEFENCE), Parallel Bar - Outdoor Gym Equipment, Mild Steel Sheet, MS ERW Pipe for Bus Body Building Parts as per IS 3601 (Latest), Polyethylene Pipes for Water Supply conforming to IS 4984, Binder Clips (V3) Conforming to IS 8231, Nipples, Hexagon, Equal confirming to IS 1239 (Part 2), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Connector Pipes for Washbasins/ Sinks/ Geyser, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 **Searched String**: CONNECTIN WIRE 0.5 MM HOOK UP WIRE XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wild - Life Cages, Endotracheal

बिड विवरण/Bid Details	Tube - Sterile (Single Use), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wire rope slings and sling legs (V3) conforming to IS 2762, Wire Cup Brush, Kirschner Wire (V2), Exercise Books Conforming to IS 5195, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Wire Cloth for General Purposes conforming to IS 1568 **Searched String**: Connecting lead Sterile Connecting Device, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Lead nitrate, Connecting Rod Assembly for Automobile Engine, Radiation protective Lead aprons with accessories, Lead nitrate (V2), Lead(II) Acetate, Electrical connection Lugs or thimbles, Refined Secondary Lead (V2) as per IS 3717, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651 **Searched String**: CONTACTOR 16A 415V CONTACTOR RELAY, Cleaning Duster (V3), Vacuum Contactor Conforming To IS/IEC 60470, Air Break Contactors, Biosafety Cabinet (V2), DC Motor Armature Reversing Contactor-BHEL, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, File/Folder (V3), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Cotton Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: CONTROL RELAY 12VOLT DC Relay Module, PID Controller, Plug In Relay, 24V DC (BHEL-SCR), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Inductive Proximity Sensor, Single phasing preventer Relay (SPPR), Power Analyser, DC Voltage transducer(BHEL), OVERVOLTAGE PROTECTOR, Programmable Logic Controller Trainer Kit **Searched String**: COPPER BRAZING ROD Brazing flux, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Brazing Alloy (V2) Conforming to IS 2927, OXYGEN FREE COPPER ROD (OFHC), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, Threaded Rod, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Tungsten Rod **Searched String**: Copper NRV 1/4" (Non return valve) Body Seat Ring For Non Return Valve-IS:5312, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Check Valve For Waterworks Purpose (V2)

बिड विवरण/Bid Details	Conforming to IS 778, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Non Sparking Combination Spanners (V2) **Searched String**: COPPER SHEET 65 X 4 MM Plastic Sheet (4 x 50 m) for NDRF, Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Computer Paper (V3) Conforming to IS 12766 (In Packet), Rolled Copper and Copper Alloy Sheet, Strip and Foil, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Work Benches, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, Corrugated Boxes **Searched String**: COPPER SULPHATE Copper Sulphate (V3) Conforming to IS 261, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper Sulphate (V2) as per IS 261, Potassium Sulphate, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Nickel sulphate, Ammonium Sulphate, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cadmium Sulphate, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: COPPER TUBE 1/4 INCH Copper Tube-BHEL, Cotton Towelling And Towels Conforming To IS 7056 (V4), Copper Tube 104.9mm-OFB, Endotracheal Tube - Sterile (Single Use), Copper Tube 35 mm-OFB, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, N-(1-Naphthyl)ethylenediamine, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Copper welding cable for 400Amp Welding Cable ISI Marked To IS 9857 (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Copper Cable Analyser, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Welding Cap, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Optical Fibre Cable for Networking **Searched String**: CORDLESS DRILL 12V WITH DIFFERENT DRILL BIT Twist Drill Bit, Morse Taper Shank as per IS 5103 (V2), Rotary Hammer Drill (NDRF), Twist Drill Bit, Parallel Shank, Jobber Series as per IS 5101 (V2), Twist Drill Bit, Parallel Shank, Long Series as per IS 5102 (V2), Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2),

बिड विवरण/Bid Details	Radial Drilling Machine, tricone rock roller bits roller steel tooth drill bits, Twist Drill Bit, Parallel Shank, Extra Long Series as per IS 7823 (V2), PISTOL GRIP PNEUMATIC DRILL GUNS, Center Drill Bits (V2) as per IS 6708 and IS 6709 **Searched String**: COTTOM WAX THREAD paraffin wax medical for wax bath, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Thread sealant, Nylon Thread, Allen Bolt, Silk Thread, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Twine Thread, Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Paraffin Wax Bath **Searched String**: Cotton tape thread Thread Sealant Tape, Cleaning Duster (V3), Cotton Thread - Twine, Polytetrafluoroethylene (PTFE) Thread Sealing Tape, Cotton Towelling And Towels Conforming To IS 7056 (V4), Thread, Cotton, Sewing - OFB, Cotton Bandage Cloth Conforming to IS 863, Tape Cotton Medium (OFB), Absorbent Cotton Gauze Conforming to IS 758, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2) **Searched String**: COTTON WOOL [FIRST AID ITEM DRESSING] First Aid Dressing Conforming to IS 11163, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468 **Searched String**: COUNT DOWN TIMER CIRCUIT LOOSE KIT Category not available on GeM for the text string uploaded by the buyer **Searched String**: COUNTER SUNK HEAD RIVET DIA 3 MM MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Self Drilling Screw, Locking Compression Plates (V2), Non-Locking Bone Plate **Searched String**: COUNTERSUNK HEAD RIVET DIA 6 X 10MM Correspondence Envelopes (V3) Conforming to IS 13892, Cold Forged Steel Rivets For Cold Closing-IS:2998, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Wood screws, rubber bands, Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, Polyurethane Tube (V2), Solid Cushion Tyres (V2), Modular Toilet, The Indian National Flag - Polyester **Searched String**: Coupling diameter 25mm Grid coupling, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flexible Jaw Coupling, Pipe Clamps (V2), HYDRAULIC FLAT FACE QUICK COUPLINGS, Biosafety Cabinet (V2), Coupling-I (BHEL), Dry Erase Writing Boards (V3), Hex Coupling Nut, Pin Up Notice Board (V2) **Searched String**: CPU Cabinet CPU Trolley / CPU Stand, High End Desktop Computer, CPU Trolley, Interactive Panels with CPU, Entry and Mid Level

बिड विवरण/Bid Details	Desktop Computer, Interactive Panels without CPU, Steel Almirah / Cabinets (V4), Harberium Cabinet, Biosafety Cabinet (V2), Biosafety Cabinet **Searched String**: CPU Power cable CPU Trolley / CPU Stand, High End Desktop Computer, Power Cable Fault Locator, Cable Management - Cable Tray System and Cable Ladder System Conforming To IS/IEC 61537, CPU Trolley, Entry and Mid Level Desktop Computer, Computer Power Cord, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Power Cord For Computer (V2), Interactive Panels with CPU **Searched String**: CROCODILE PIN SET WITH WIRE Rolling Pin, Board and Sets (Chakla, Belan, Chakla and Belan Set), Sofa (V3), Ventilator Circuit (Dual Limb with Heated Wire), Steel Countersunk Head Wire Nails Conforming To IS 723, Pin Up Notice Board (V2), Wireline Diamond Core Bit Set (V2), Wireline Diamond Core Bit Set, Tracksuit, Stud Remover & Installer with Screwdriver tool Set(ONGC), Yankauer Suction Set **Searched String**: Cross 25 mm Cross Trainers, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), MM Personality inventory, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Iprodion 25% + Carbendazim 25% WP (Wettable Powder), Biosafety Cabinet (V2), Elliptical Cross Trainer, Commercial PPR Pipes Fittings as per IS 15801, Cross over bench, Dry Erase Writing Boards (V3) **Searched String**: CSK Head RIVET 4 MM Dia Hand Rivet Tool, Cold Forged Steel Rivets For Cold Closing-IS:2998, Pillow for Head and Knee For Panchakarma, Shirodhara Vessel For Panchakarma, Locking Compression Plates (V2), Non-Locking Bone Plate **Searched String**: CSK HEAD Screw M4 x 20 MM Slotted Countersunk Flat Head Screws- IS 1365, Parallel Bar - Outdoor Gym Equipment, Hexagon Socket Head Cap Screw (V2) Conforming to IS 2269, Wood screws, Countersunk Flat Head Screws (V2) ISI marked to IS 7485 (Part 1), Bone Screw (V2), Countersunk Flat Head Screws (V2) ISI marked to IS 7485 (Part 2), Cleaning Duster (V3), Slotted Countersunk Flat Head Screws (Grade A) Conforming to IS 1365, Correspondence Envelopes (V3) Conforming to IS 13892 **Searched String**: CURTAIN SPRING WIRE Air Curtain, Curtains (V2), Water Curtain Nozzle, PVC Strip Curtain, Adjustable Shower Curtain Rods, Compression Springs, Spring Rider, Spring post, Binder Clips (V3) Conforming to IS 8231, Spring Balance **Searched String**: CYLINDRICAL Pin Dia.2 x 20 MM Ammonium Sulphate, Pin Up Notice Board (V2), Mild Steel Sheet, Steinmann Pin, Bunk Beds conforming to IS 17636, Domestic Tongs(Chimta), Correspondence Envelopes (V3) Conforming to IS 13892, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution

बिड विवरण/Bid Details	Supplies (V3) conforming to IS 15778, Combination Board (V2), Binder Clips (V3) Conforming to IS 8231
	Searched String: CYLINDRICAL Pin Dia.4 x 20 MM Pin Up Notice Board (V2), Wild - Life Cages, Parallel Bar - Outdoor Gym Equipment, Combination Board (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Theft Proof Rifle Racks, Staplers(V3), Polyurethane Tube (V2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Labels Stickers (V3) **Searched String**: D P.Test Kit P - Nitrophenyl - B - d - Glucopyranoside, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, P - Nitrophenyl - B - D - Glucopyranoside (V2), Poly-pallets for bag storage godowns (V2) Conforming to IS 13664, Bag Kit Universal (N/P) (V2) (IAF), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Field test kit, Rheumatoid Factor Test Kit - RA Test Kit (V2), Rapid Pregnancy Test Kit, ELISA Test Kits (V2) **Searched String**: DANCING LED LOOSE KIT Dental Curing light gun, Fibre Optics Trainer Kit for Educational Use, Dielectric Constant Kit for Solids, Dental Elevators to Loosen the Teeth - RBSK, Boltzman Constant Kit **Searched String**: DC ADAPTER 6,12 V Jersey Mens Woollen 'V' Neck (Defence), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Jersey Woolen 'V" NECK DYED (Uttar Pradesh - Gram Prahri), Desk and Bench Set for Classroom/Training Area, Acetyl Acetone (V2), DC Regulated Power Supply As Per MHA QRs, Potassium Pyroantimonate, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Coir - Mattings, Mourzouks and Carpets Conforming to IS 12503 (Part 1 to 6), Directional Control Valve **Searched String**: DC COOLING FAN 100 X 100 MM, 12V Cotton Towelling And Towels Conforming To IS 7056 (V4), Floor Drain Traps (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Labels Stickers (V3), Note Sheet Pad (Azure Laid) (V3), Electronic Baby Weighing Scale - RBSK, Modular Toilet, modular electrical enclosure switch board boxes for modular type accessories, Correspondence Envelopes (V3) Conforming to IS 13892, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: DC COOLING FAN 75 X 75 MM, 12V Cotton Towelling And Towels Conforming To IS 7056 (V4), Floor Drain Traps (V2), modular electrical enclosure switch board boxes for modular type accessories, Portable Toilet, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Labels Stickers (V3), Equipment Camouflage Nets (Jute) as per Defence Specification, Wooden Lab Stools, Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Multipurpose or General Test Tubes (V2) as per IS 2618 **Searched String**: DEFROST HEATER FOR FORST FREE

बिड विवरण/Bid Details	REFRIGERATOR
	Household Refrigerating Appliances as per IS 17550 **Searched String**: DESOLDER WICK Wick Type Kerosene Oil Heater, Soldering and Desoldering Station with digital display, Wicker Willow from Ganderbal - ODOP, Wicker Furniture **Searched String**: DI PHYNIAL AMINE LR Methyl Di-Ethanol Amine - ONGC, Methyl Di Ethanol Amine (MDEA) (V2), Methyl Di Ethanol Amine (MDEA) in tanker, Methyl Di Ethanol Amine (MDEA) (In Kg), Dimethyl Amine SL Salts of 2,4-D (V3) Conforming To IS 1827, Dimethyl Amine SL Salts of 2,4-D (V2) Conforming To IS 1827, Diethylamine (V2), Random Access Memory (RAM) Module **Searched String**: Diac DB3 Barium Acetate, Interactive Panels with CPU, ACETYLE ACETONE, High End Desktop Computer, Entry and Mid Level Desktop Computer, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, Sofa (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: DIGITAL CLOCK LOOSE KIT Battery-Powered Electronic Clock, Digital Trainer Kit, Electronic Clock with Mains Power, DIGITAL SIGNAL PROCESSING BOARD, Stack Monitoring Kit, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), Fingerprint Elimination Kit, Dental Elevators to Loosen the Teeth - RBSK, Electronic Tyre Inflator Kit For Educational Purpose, Digital UHF Hand-Held Radio Sets as per MHA QR (V2) **Searched String**: DIGITAL MULTIMETER KIT Digital Multimeter, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Digital Multimeter (V2), Digital Trainer Kit, Biochemistry Reagent Kit for Human Samples, DIGITAL SIGNAL PROCESSING BOARD, true rms clamp meter, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), Digital pH Meter, Fingerprint Elimination Kit **Searched String**: DIODE 1N4007 Rectifier diode, Nitrile Coated/Nitrile Hand Gloves (V2), Diode Stud Type(RINL), Relay Module, Light emitting diode driver, Biosafety Cabinet (V2), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Lyophilizer, Soft Tissue Diode Dental Laser, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422 **Searched String**: Diode IN 4002 Rectifier diode, All in One PC (V2), Diode Stud Type(RINL), Light emitting diode driver, Dry Erase Writing Boards (V3), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , White LED (W-LED) based Solar Lantern as per MNRE Specification, Soft Tissue Diode Dental Laser, Environmental Chamber, Bridge Rectifiers

बिड विवरण/Bid Details	
	Searched String: Display Board Radar Speed Display Board (V2), Modular Table / Meeting Table / Centre Table (V2), Professional Large Format Display (V2), Interactive Panels with CPU, Laboratory Incubators, Matrix Display, Holographic Display Device, File/Folder (V3), Token Display System, Computer Table (V3) **Searched String**: Colourmate Synthetic Paint Brush SetFLAT (0,2,4,6,8,10,12) Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Blouse (JSS) - Military Hospital Clothing, Artist & Calligraphy Paint Brush (V2), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063 **Searched String**: Colourmate Synthetic Paint Brush SetROUND (0,2,4,6,8,10,12) Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Blouse (JSS) - Military Hospital Clothing, Artist & Calligraphy Paint Brush (V2), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063 **Searched String**: DOOR WATCHER LOOSE KIT Car Remote Door Opening Kit (MHA), Traffic Police Booths, Dental Elevators to Loosen the Teeth - RBSK, Sliding door **Searched String**: Double Compression Flame proof cable gland 19mm Weatherproof Double Compression Cable Gland As Per BHEL Specification, Electrical Cable Lugs, Flamproof Cable Gland, Flameproof Cable Gland (BHEL) (EM), Theft Proof Rifle Racks, Brass Glands for PVC Cables of Voltage Grade Up to and Including 3.3 KV Conforming To IS 12943 (V2), Welding Cable ISI Marked To IS 9857 (V2) **Searched String**: Double Compression weather proof cable gland 19mm Weatherproof Double Compression Cable Gland As Per BHEL Specification, Electrical Cable Lugs, Brass Glands for PVC Cables of Voltage Grade Up to and Including 3.3 KV Conforming To IS 12943 (V2), Theft Proof Rifle Racks **Searched String**: Double side Tape Double sided tape, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Double Side Lapping and Polishing Machine, Die Cast Grill Pan, foot step for hospitals, Tape Cartridge / Tape Media, Ceiling OT Light (V2), Double Hex Sockets, Nitrile Coated/Nitrile Hand Gloves (V2), Double Break Disconnectors **Searched String**: DOVE TAIL CUTTER 12X4 degree High Steel Speed Cutters, Non-Locking Bone Plate, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Mice and Rat Restrainers, Analgesiometer **Searched String**: Dovelpin diameter 6-18 mm Zinc Nitrate (Hexahydrate), Roti Making Machine, Steel Rod 30.1mm Diameter (OFB (Defence)), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266,

बिड विवरण/Bid Details	Formic acid Anhydrous, Blood Administration Set (V2), Paper Pins (V2) Conforming to IS 5653, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Endotracheal Tube - Sterile (Single Use), patient care mattresses **Searched String**: Dowel pin 6-22mm Dowel Pin, Pin Up Notice Board (V2), Endotracheal Tube - Sterile (Single Use), patient care mattresses, Endodontic Files (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Combination Board (V2), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Correspondence Envelopes (V3) Conforming to IS 13892, Staplers(V3) **Searched String**: Dowel Pin Dia.4 x 20 MM Pin Up Notice Board (V2), Dowel Pin, Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Combination Board (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Theft Proof Rifle Racks, Staplers(V3), Polyurethane Tube (V2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 **Searched String**: DOWEL PIN DIAMETER 6MM X 20 MM Mild Steel Sheet, Dry Erase Writing Boards (V3), Dowel Pin, Pin Up Notice Board (V2), Paper Pins (V2) Conforming to IS 5653, Roti Making Machine, Wax Candle as per IS 11359, Correspondence Envelopes (V3) Conforming to IS 13892, Bunk Beds conforming to IS 17636, Blood Administration Set (V2) **Searched String**: Draw The Cotton Wool Cotton Drawer, White (MHA), Cleaning Duster (V3), Draw a Person Projective Technique test, Special Uniform Article for VIP Security Personnel as per CRPF Specifications, Short Drawer Cotton (MHA), Cotton Towelling And Towels Conforming To IS 7056 (V4), Gents Cotton Short Drawers (Trunks) as per IS 4376, Cloth Disruptive Polyester and Cotton (20: 80) with Digital Print Uniform Cloth (V4) as per CRPF Specifications, COTTON Seeds, Cotton Bandage Cloth Conforming to IS 863 **Searched String**: DRILL BIT RCC 4MM,5MM,8MM,12MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Biosafety Cabinet (V2), Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Endotracheal Tube - Sterile (Single Use), Speed Breaker (V3), Roti Making Machine, Bathroom Water Shower (V2), Correspondence Envelopes (V3) Conforming to IS 13892 **Searched String**: DVR card Tent Card, Video Recorder for CCTV System (V2), Mamata Card, Gel Card Centrifuge, FTA Card, ID Card Holder (V2), Network Interface Card, PVC Card Printers, Add on Cards and Accessories for PABX System, Visiting Cards (V3) **Searched String**: EAR PLUG

बिड विवरण/Bid Details	Animal Ear Tag (V2), Rubber Plug, Plug Gauge, Mobile Containers For Solid Waste Conforming to IS 12402, ENT Head Light - Ear, Non Linear Junction Evaluator (NLJE) as per MHA QRs, Rubber Plug (V2), Behind the Ear Hearing Aid (Digital), Thread Plug Gauge, Electrical Plugs (V2) ISI Marked to IS 1293 **Searched String**: ECLB FOR 1 PHASE 230V, 16A, 30mA V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Transformer Oil BDV Test Set, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Power Factor Meter - Digital, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Circuit Breakers for DC Operation **Searched String**: EDTA POWDER REAGENT GRADE Beef Extract Reagent Grade, Reagent Grade Distilled water, Ammonium Persulphate Reagent Grade, Edta Disodium Salt (V2), Ammonium Chloride Reagent Grade, Household Laundry Detergent Powders (V2) Conforming to IS 4955, EDTA Solution, Reagent Grade water as per IS:1070, Agar, Microbiological Grade Conforming to IS 6850, Orthotolidine **Searched String**: ELASTIC 1cm Elastic Bandage Conforming to IS 16111, Nitrile Coated/Nitrile Hand Gloves (V2), Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, Shin Guard for Taekwondo, Elastic Surgical Adhesive Tapes (V2), File/Folder (V3), Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, Elastic Tape- as per IS: 9686, Cotton Towelling And Towels Conforming To IS 7056 (V4), Zinc Oxide Elastic Self - Adhesive Bandage (V2) **Searched String**: Elbow diameter 25mm Prosthetic Elbow Joints (Electric Elbow), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Prosthetic Elbow Joint, Pipe Clamps (V2), Heat Elbow Wrap, Biosafety Cabinet (V2), Elbow Pipe Fitting, Dry Erase Writing Boards (V3), Elbow and forearm CPM, Pin Up Notice Board (V2) **Searched String**: ELCB 240VOLT,25AMP,2POLE 30MA Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Multi function Calibrators, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Earth Leakage Circuit Breaker (ELCB), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Single switch IGBT Module, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, function generator

बिड विवरण/Bid Details	**Searched String**: ELCB FOR 1 PHASE 230V, 16A, 30mA V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Transformer Oil BDV Test Set, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Power Factor Meter - Digital, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Circuit Breakers for DC Operation **Searched String**: ELCB FOR 3 PHASE 440V, 16A, 30mA Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, File/Folder (V3), Shaping Machine, traffic signs - bilinker light, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Power Factor Meter - Digital **Searched String**: ELECTRIC PUSH START SWITH Motor Protection Circuit Breaker (MPCB), Fogging Machine (V2) as per IS 14855 (Part 1) **Searched String**: ELECTRIC PVC MODULAR 25A SWITCH & SOCKET BOARD modular electrical enclosure switch board boxes for modular type accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Electrical Extension Box (V4), Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1) **Searched String**: ELECTRICAL CONNECTOR Electrical Power Connector, Electrical Extension Box (V4), Hose connector, Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), SMA connector, Standalone Needle Free Connector, Substation Clamps / Connectors, Circular Socket or Connector, Electrical Workbench, Portable Suction Machine (V2) **Searched String**: Electrolitic Capacitor 1000 mfd 25 V Category not available on GeM for the text string uploaded by the buyer **Searched String**: ELECTROMAGNETIC RELAY 24VOLT DC

बिड विवरण/Bid Details	Plug In Relay, 24V DC (BHEL-SCR), Electromagnetic flowmeter, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Relay Testing Educational Kit, Solenoid Valve (V3), Electromagnetic Yoke Machine, Solid State Potentiometer, OVERVOLTAGE PROTECTOR **Searched String**: Electronic RESISTER 5.6, 100, 2800 OHM Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Digital Trainer Kit, Resistors (V2), Steel Tubes used for Water Wells (V2) as per IS 4270, RLC Load, Non Sparking Ring Slugging Spanners (V2) **Searched String**: Electronics Sequential controlcircuit 4-channel 4-channel Noise and Vibration Analyzer, Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Video Recorder for CCTV System (V2), Electrocardiography (ECG) Machine (V2), Power Quality Analyzer, Audio Digital Signal Processor, A4 and Legal Size Multifunction Printer (MFP) **Searched String**: EMBROIDARY RING WOODEN (9 NUMBER) Boxing Rings, Electronic Score Board, Gasket Cylinder Head, Wooden Packing Cases and Crates (as per BHEL drawings), Non Sparking Double Ended Ring Spanner (V2), Ring Wrenches (V2) as Per Is 2029 **Searched String**: EMERGENCY LIGHT LOOSE KIT Emergency Light Unit (V2), Portable Emergency LED Lighting Tower System with Battery Bank, Flameproof LED Emergency Light, Rescue Kit / Disaster Management Kit or Accessories, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Portable Emergency LED Lighting Tower System with AC Generator Set, First Aid Kit / First Responder Kit, LED Warning Light For Police - Shoulder/Body Worn (V2), Glow Sticks, Dental Curing light gun **Searched String**: EVENT COUNTER LOOSE KIT Counter Seat (Chair or Stool) (V2), Dental Elevators to Loosen the Teeth - RBSK **Searched String**: Expandable PU(Polyurethene) foam spray can 750 ml Category not available on GeM for the text string uploaded by the buyer **Searched String**: FABRIC GLUE(FEVICRYL) Wood Glue, Mouse Pad (V2), Glue Stick (V3), Glue Gun (V2), School Bags (V2), Velvet Fabric, Fabric Paint, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Fibrin Sealant, Mouse Trap (V2) **Searched String**: FABRIC PRINTED COTTON Organic Cotton Fabric, Cleaning Duster (V3), HDPE Dot Coated Printed Fusible Interlining Fabric, Absorbent Cotton Gauze Conforming to IS 758, Cotton Towelling And Towels

बिड विवरण/Bid Details	Conforming To IS 7056 (V4), Printed Circuit Board, Cotton Bandage Cloth Conforming to IS 863, Mangalagiri Sarees and Fabric from Guntur - ODOP, Velvet Fabric, Towel Hand Cotton Turkish (IAF) **Searched String**: FAN EXTENSION PIPE Extension Bar, Electrical Extension Box (V4), Fan Bearing, Pressure Extension Tubes for Medical Purpose, Crossfit Fan, Parallel Bar - Outdoor Gym Equipment, Flameproof Extension Board, Polyethylene Pipes for Water Supply conforming to IS 4984, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Back Extension (Version 2) **Searched String**: FASTNER PIN Dowel Pin, Pin Up Notice Board (V2), Steinmann Pin, Gold Purity Testing Meter/ Karat Meter (V2), Knowles Pin, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Piston Pin, Combination Board (V2), Lapel Pin, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 **Searched String**: FERROUS AMMONIUM SULPHATE LR Ammonium Ferrous Sulphate, Ammonium Sulphate, Ammonium Ferrous Sulphate hexahydrate, Ammonium Ferrous Sulphate Hexahydrate (V2), Ferric Ammonium Sulphate, Aluminium Ammonium Sulphate Dodecahydrate, Ammonium Sulphate, Technical Conforming to IS 12478, Ferrous Sulphate, Heptahydrate (V2) Conforming to IS 262, Ammonium Sulphate, Fertilizer Grade Conforming to IS 826, Ferrous Sulphate, Heptahydrate Conforming to IS 262 **Searched String**: FERROUS SULPHATE HEPTAHYDRATED Ammonium Ferrous Sulphate, Tower Bolts (Ferrous Metals) as per IS 204, Ammonium Ferrous Sulphate hexahydrate, Ammonium Ferrous Sulphate Hexahydrate (V2), Ammonium Sulphate, Ferrous Sulphate, Heptahydrate (V2) Conforming to IS 262, Ferrous Sulphate, Heptahydrate Conforming to IS 262, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Ferrous debris monitor, Non - Ferrous Metal Butt Hinges as per IS 205 **Searched String**: FERROUS SULPHATE LR Ammonium Ferrous Sulphate, Tower Bolts (Ferrous Metals) as per IS 204, Ammonium Ferrous Sulphate hexahydrate, Ammonium Ferrous Sulphate Hexahydrate (V2), Ammonium Sulphate, Ferrous Sulphate, Heptahydrate (V2) Conforming to IS 262, Ferrous Sulphate, Heptahydrate Conforming to IS 262, N Heptane, Ferrous debris monitor, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 **Searched String**: FET BF W 11 Prelaminated MDF Board Conforming to IS 14587, Dharapathy With Tiltable Steel Table (Ayurvedic Treatment Table) For Panchakarma, Flood Light Luminaire suitable for HPSV Lamps **Searched String**: Fevicryl Acrylic Colours Sunflower Kit | 10 Colours x 15 ml Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details	by the buyer
	Searched String: Fiber Optic Modem Fiber Optic Pigtails, Fiber Optic Patch Cord (V2), Fiber optic tool kit, Fiber Optics Trainer Kit For Educational Purpose, Flexible Fiber Optic Bronchoscope (V2), Flower Pots Or Planters (V3), Ruggedised and Armoured Fibre Optic Patch Cord, Flexible Fiber Scope / Fiber Optic Scope conforming to MHA QR, Inverted Research Microscope as per IS 5204, Optic Tweezers **Searched String**: Fiber wage Hollow Fiber Dialyzers, Fiber Optic Patch Cord (V2), Ceramic Fiber Tape, Fiber Optics Trainer Kit For Educational Purpose, Ceramic Fiber Rope, Flower Pots Or Planters (V3), Fiber Glass Sheet, scrubbing brush, Fiber Optic Pigtails, Automatic Fiber Analyzer **Searched String**: FILE HANDLE WOODWN Lifting Handle (BHEL), File/Folder (V3), Khurpi (V2) as per IS 10683, File Folders-Handicraft, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Upcycled File Folders, T-Handle-IS:7975, Modular Metal Drawer File Cabinet Pedestal, Long Handle Drainage Cleaner, Composite Office Tables conforming to IS 8126 (V2) **Searched String**: Fire wire card Network Interface Card (Wired/Wireless), Muffle Furnace, Tent Card, Fire Beaters Conforming to IS 8096, Mamata Card, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, FTA Card, Network Interface Card, Tapered Bearings as per IS 12102, PVC Card Printers **Searched String**: FLARE NUT (BRASS) 1/4" BRASS NUT (BHEL-SCR), Cotton Towelling And Towels Conforming To IS 7056 (V4), N-(1-Naphthyl)ethylenediamine, Pad Lock Various (As Per Defence Specification), Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Extendable Road Barricade (V2), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Meter Bridge, Synthetic Life Jacket MK 1 (Defence), Micro/Semi-Micro/Analytical weighing balance **Searched String**: FLEXIBLE WIRE (14X36) Flexible Cystoscope, Cleaning Duster (V3), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Flexible Jaw Coupling, File/Folder (V3), Flexible Heating Element, Cryogenic Flexible Hose, Dry Erase Writing Boards (V3), Molybdenum Wire **Searched String**: FORWARD REVERSE SWITCH 16 AMP FOR LATHE M/C Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) **Searched String**: FRENCH POLISH

बिड विवरण/Bid Details	
	French Bean (Vegetable) Seeds, Garden Bench, French Chalk - IS 380, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Shoe Polish, Paste (V2) conforming to IS 1746, Classroom Stools, Metal Polish, Paste (V2) Conforming to IS 5969, French Chalk Conforming to IS 380, Pressed Ceramic Tiles conforming to IS 15622, Shoe Polish Liquid (V2) conforming to IS 12010
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Resistors (V2) • Bottle for Chemical Laboratory • Hot Rolled Square Steel Bar (V2) as per IS 1732
बीओक्यू शीर्षक /BOQ Title	KUBERNAGAR RE BOQ 1
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	C.I. ROUND BAR
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

बिड विवरण/Bid Details	
अनुमानित बिड मूल्य / Estimated Bid Value	500000
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	50

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises

(MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 50% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	अनुमानित मूल्य / **Estimated Value**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	1450	Hand Shutoff Valve	8
Schedule 2	3800	Brass Union	40
Schedule 3	150	5 Pin Relay	2
Schedule 4	2850	Dc Adapter	3
Schedule 5	5400	Flaxible Wire	4
Schedule 6	56	Flexible Pipe	2
Schedule 7	310	18 Swg Binding Aluminum Bare Wire	1
Schedule 8	2340	Pvc Pipe 19mm Dia	36
Schedule 9	700	2 Pin Top 6a	20
Schedule 10	1050	Mfd Oiled Filled Capactior	110
Schedule 11	360	Armoured Cable 4 Core	2
Schedule 12	1275	Dc Waterproof Cob Light White	15
Schedule 13	4800	Pvc Solid Insulated Copper Wire	3
Schedule 14	384	Aluminum Conductor	8
Schedule 15	100	3v Cr2032 Coin Cell	4
Schedule 16	4400	4 Feet Long Charging Line With Valve	8
Schedule 17	1760	45 Mfd 5 Pin Capacitor	8

Schedule 18	90	6mm Nut Bolt And Washer Set	30
Schedule 19	2800	Pvc Solid Insulated Copper Wire	2
Schedule 20	720	7404 Not Gate Ic	40
Schedule 21	720	7408 And Gate Ic	40
Schedule 22	720	7432 Or Gate Ic	40
Schedule 23	1280	Aluminum Bare Wire	4
Schedule 24	9500	Ac Coil Cleaning Spray	25
Schedule 25	600	Acetic Acid Glecial Lr	500
Schedule 26	1500	Acetic Anhydride Lr	500
Schedule 27	1680	Acetone	7
Schedule 28	3880	Acralic Colour	21
Schedule 29	11000	Acrelic Sheet	5
Schedule 30	180	Activa Air Filter	1
Schedule 31	1750	Activa Battery	1
Schedule 32	650	Air Compressor Pipe With Screw Clamp	10
Schedule 33	1100	Air Compressor Pu Pipe 12mm	10
Schedule 34	200	Air Compressor Pu Pipe 12mm Connector	5
Schedule 35	1200	Alluminium Revat 5 Mm	300
Schedule 36	1680	Alluminium Sq. Heat Sink 100 X 100 Mm	6
Schedule 37	1380	Alluminium Sq. Heat Sink 75 X 75 X 45 Mm	6
Schedule 38	640	Aluminium Flat Head Rivet 6mm	800
Schedule 39	4500	Anchor Colour Thread	100
Schedule 40	1000	Aniline Lr	500
Schedule 41	190	Antiseptic Liquid	2
Schedule 42	600	Assorted Size Carbon Resistor	150
Schedule 43	650	Automatic Door Closer	1
Schedule 44	380	Automobile Switch Relay	2
Schedule 45	2100	Auxiliary Connect For Contactor 16a 415v	6
Schedule 46	480	Av Cable	6
Schedule 47	550	Bakelite Strip 3 Mm	10
Schedule 48	360	Banboo Strip	2
Schedule 49	5400	Bar Copper Wire	120
Schedule 50	340	Bar Magnet	4

Schedule 51	1900	Bare Copper Wire 8 Swg	2
Schedule 52	3200	Battery	2
Schedule 53	1520	Battery Cable Terminal 5mtr Long	4
Schedule 54	540	Battery Solution	6
Schedule 55	1400	Bi Metal Thermostate For Forst Free Refrigerator	4
Schedule 56	1250	Bismuth Nitrate Lr	250
Schedule 57	5000	Black Thread	200
Schedule 58	1000	Blue Paste Emery	500
Schedule 59	200	Boric Acid Lr	250
Schedule 60	425	Brass Cleaning Brush Soft	5
Schedule 61	3000	Brass Sheet 65 X 4 Mm	4
Schedule 62	3400	Brazing Torch With Reflector	4
Schedule 63	250	Brazzing Flux	100
Schedule 64	3500	Brazzing Rod	500
Schedule 65	1920	Bridge Rectifier Circuit Kit	8
Schedule 66	2000	Bromine Water Lr	500
Schedule 67	360	Buffer Tablet	2
Schedule 68	360	Buffer Tablet	2
Schedule 69	4550	Buffing Disc	70
Schedule 70	450	Bulb 100 W	10
Schedule 71	975	Bulb 15 Volt	15
Schedule 72	950	Bulb 200 W	10
Schedule 73	190	Burnol	2
Schedule 74	2640	Butane Gas Cartridge 220 Gm	22
Schedule 75	450	Butane Gas Torch	1
Schedule 76	342	Button Cell 1.5v Lr 44	19
Schedule 77	9200	C I Block 150x50x10 Mm	80
Schedule 78	10500	C.i. Block 50x50x50mm	70
Schedule 79	15600	C.i. Round Bar	60
Schedule 80	10000	C.i.roundbar	70
Schedule 81	480	C.i.roundbar	3
Schedule 82	10000	C.i.roundbar	35
Schedule 83	400	Calcium Carbonate	500
Schedule 84	380	Canvas	2
Schedule 85	520	Canvas	2

Schedule 86	12	Cap Diameter 25mm	1
Schedule 87	888	Cap Screw M6 X 12 Mm	222
Schedule 88	425	Capaciter 2.5uf,8uf Assorted	5
Schedule 89	2000	Capacitor	80
Schedule 90	640	Capacitor	80
Schedule 91	200	Capacitor	40
Schedule 92	200	Capacitor	40
Schedule 93	240	Capacitor	80
Schedule 94	120	Capacitor	40
Schedule 95	160	Capacitor	20
Schedule 96	320	Capacitor	80
Schedule 97	300	Capacitor	60
Schedule 98	100	Capacitor	20
Schedule 99	100	Capacitor	20
Schedule 100	2070	Capacitor	23
Schedule 101	1035	Capacitor 4 Mfd, 440v Or 250v Non Polar	9
Schedule 102	800	Capacitor	20
Schedule 103	450	Car Ac Filter	1
Schedule 104	10000	Carbide Tip V Tool Rh 10x10x100mm	80
Schedule 105	10000	Carbide Tip Tool	40
Schedule 106	996	Carbide Tip Tool Lh	30
Schedule 107	10000	Carbide Tip Tool Rh	110
Schedule 108	40	Carbon Registor	20
Schedule 109	40	Carbon Registor	20
Schedule 110	40	Carbon Registor	20
Schedule 111	60	Carbon Registor	20
Schedule 112	40	Carbon Registor	20
Schedule 113	40	Carbon Registor	20
Schedule 114	40	Carbon Registor	20
Schedule 115	40	Carbon Registor	20
Schedule 116	40	Carbon Registor	20
Schedule 117	40	Carbon Registor	20
Schedule 118	300	Carbon Registor	100
Schedule 119	40	Carbon Registor	20

Schedule 120	40	Carbon Registor	20
Schedule 121	40	Carbon Registor	20
Schedule 122	120	Carbon Resistor	60
Schedule 123	480	Carbon Resistor	240
Schedule 124	240	Carbon Resistor	120
Schedule 125	240	Carbon Resistor	120
Schedule 126	480	Carbon Resistor	240
Schedule 127	560	Carbon Resistor Box	2
Schedule 128	320	Carbon Resistor For Different Value	2
Schedule 129	4000	Carbon Tetra Chloride	500
Schedule 130	3750	Cardboard A1 Size	50
Schedule 131	1400	Cardboard Sheet	10
Schedule 132	9200	Cast Iron 50x50x6 Mm	160
Schedule 133	24	Cast Iron Electrode Dia. 3.15mm	6
Schedule 134	90	Cell Big Size	10
Schedule 135	550	Cement	10
Schedule 136	1680	Ceramic Marker Assorted	4
Schedule 137	16	Chain And Sprocket	2
Schedule 138	10000	Chart Paper	210
Schedule 139	80	Chart Hanging Hook	20
Schedule 140	50	Charts For Ppo Trade	10
Schedule 141	50	Cheese Head Screw M6	30
Schedule 142	400	China Screw	100
Schedule 143	220	Ci Block 50x50x50mm	55
Schedule 144	7700	Ci Block 60x60x60mm	70
Schedule 145	1680	Clap Switch Loose Kit	12
Schedule 146	10720	Cmos Lithium Cell	67
Schedule 147	10500	Coal	70
Schedule 148	7200	Color Drawing Sheet	40
Schedule 149	45	Oil Paint Color Gray	1
Schedule 150	10000	Colour Popline Fabric	160
Schedule 151	2200	Colour Pallet	20
Schedule 152	10000	Colour Thread	670
Schedule 153	2250	Combined Capacitor	15
Schedule 154	600	Combined Capacitor	10

Schedule 155	75	Commercial Hcl	5
Schedule 156	1080	Condyut Copling Internal Threading19 Mm	60
Schedule 157	840	Condyut Pipe 19 Mm	60
Schedule 158	180	Connectin Wire 0.5 Mm Hook Up Wire	15
Schedule 159	20000	Connecting Lead	50
Schedule 160	2850	Contactor 16a 415v	19
Schedule 161	10	Control Relay 12volt Dc	2
Schedule 162	20000	Copper Brazing Rod	1000
Schedule 163	1235	Copper Nrv	13
Schedule 164	760	Copper Sheet 65 X 4 Mm	4
Schedule 165	20000	Copper Sulphate	400
Schedule 166	4750	Copper Tube	50
Schedule 167	3200	Copper Welding Cable For 400amp	40
Schedule 168	240	Cordless Drill 12v With Different Drill Bit	2
Schedule 169	290	Cottom Wax Thread	2
Schedule 170	12800	Cotton Tape Thread	4
Schedule 171	270	Cotton Wool	3
Schedule 172	870	Count Down Timer Circuit Loose Kit	12
Schedule 173	14400	Counter Sunk Head Rivet Dia 3 Mm	120
Schedule 174	300	Countersunk Head Rivet Dia 6 X 10mm	100
Schedule 175	3	Coupling Diameter 25mm	1
Schedule 176	70	Cpu Cabinet	2
Schedule 177	50	Cpu Power Cable	10
Schedule 178	48	Crocodile Pin Set With Wire	4
Schedule 179	2	Cross 25 Mm	1
Schedule 180	375	Csk Head Rivet 4 Mm Dia	25
Schedule 181	550	Csk Head Screw M4 X 20 Mm	25
Schedule 182	180	Curtain Spring Wire	15
Schedule 183	192	Cylindrical Pin Dia.2 X 20 Mm	16
Schedule 184	20000	Cylindrical Pin Dia.4 X 20 Mm	50
Schedule 185	720	D P.test Kit	4
Schedule 186	3120	Dancing Led Loose Kit	12
Schedule 187	1760	Dc Adapter 6,12 V	8

Schedule 188	1620	Dc Cooling Fan 100 X 100 Mm, 12v	9
Schedule 189	2520	Dc Cooling Fan 75 X 75 Mm, 12v	9
Schedule 190	240	Defrost Heater For Forst Free Refrigerator	4
Schedule 191	32	Desolder Wick	16
Schedule 192	1800	Di Phynial Amine Lr	100
Schedule 193	12000	Diac Db3	50
Schedule 194	5760	Digital Clock Loose Kit	12
Schedule 195	60	Digital Multimeter Kit	20
Schedule 196	4500	Diode 1n4007	1500
Schedule 197	11250	Diode In 4002	25
Schedule 198	400	Display Board	1

HAND SHUTOFF VALVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	8	15

BRASS UNION

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

5 PIN RELAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

DC ADAPTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	3	15

FLAXIBLE WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

FLEXIBLE PIPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

18 SWG BINDING ALUMINUM BARE WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

PVC PIPE 19MM DIA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	36	15

2 PIN TOP 6A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

MFD OILED FILLED CAPACTIOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	110	15

ARMOURED CABLE 4 CORE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

DC WATERPROOF COB LIGHT WHITE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	15	15

PVC SOLID INSULATED COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	3	15

ALUMINUM CONDUCTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	8	15

3V CR2032 COIN CELL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

4 FEET LONG CHARGING LINE WITH VALVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	8	15

45 MFD 5 PIN CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	8	15

6mm NUT BOLT And WASHER SET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	30	15

PVC SOLID INSULATED COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

7404 NOT GATE IC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

7408 AND GATE IC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

7432 OR GATE IC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

ALUMINUM BARE WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

AC Coil Cleaning Spray

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	25	15

ACETIC ACID GLECIAL LR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	500	15

ACETIC ANHYDRIDE LR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	500	15

Acetone

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	7	15

ACRALIC COLOUR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	21	15

Acrelic Sheet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	5	15

ACTIVA AIR FILTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

ACTIVA BATTERY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

AIR COMPRESSOR PIPE WITH SCREW CLAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

AIR COMPRESSOR PU PIPE 12MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

AIR COMPRESSOR PU PIPE 12MM CONNECTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	5	15

ALLUMINIUM REVAT 5 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	300	15

ALLUMINIUM SQ. HEAT SINK 100 X 100 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	6	15

ALLUMINIUM SQ. HEAT SINK 75 X 75 X 45 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	6	15

ALUMINIUM FLAT HEAD RIVET 6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	800	15

ANCHOR COLOUR THREAD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	100	15

ANILINE LR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	500	15

ANTISEPTIC LIQUID

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

Assorted Size Carbon Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	150	15

AUTOMATIC DOOR CLOSER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

AUTOMOBILE SWITCH RELAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

AUXILIARY CONNECT FOR CONTACTOR 16A 415V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	6	15

AV CABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	6	15

Bakelite Strip 3 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

Banboo Strip

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

BAR COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	120	15

BAR MAGNET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

BARE COPPER WIRE 8 SWG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

BATTERY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

BATTERY CABLE TERMINAL 5MTR LONG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

BATTERY SOLUTION

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	6	15

BI METAL THERMOSTATE FOR FORST FREE REFRIGERATOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

BISMUTH NITRATE LR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	250	15

BLACK THREAD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	200	15

BLUE PASTE EMERY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	500	15

BORIC ACID LR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	250	15

Brass Cleaning Brush Soft

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	5	15

BRASS SHEET 65 X 4 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

BRAZING TORCH WITH REFLECTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

BRAZZING FLUX

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	100	15

BRAZZING ROD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	500	15

Bridge Rectifier Circuit Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	8	15

BROMINE WATER LR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	500	15

BUFFER TABLET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

BUFFER TABLET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

BUFFING DISC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	70	15

Bulb 100 W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

Bulb 15 Volt

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	15	15

Bulb 200 W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

BURNOL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

BUTANE GAS CARTRIDGE 220 GM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	22	15

BUTANE GAS TORCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

BUTTON CELL 1.5V LR 44

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	19	15

C I BLOCK 150X50X10 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	80	15

C.I. BLOCK 50X50X50mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	70	15

C.I. ROUND BAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	60	15

C.I.ROUNDBAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	70	15

C.I.ROUNDBAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	3	15

C.I.ROUNDBAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	35	15

CALCIUM CARBONATE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	500	15

Canvas

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

Canvas

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

Cap Diameter 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

CAP SCREW M6 X 12 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	222	15

Capaciter 2.5uf,8uf Assorted

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	5	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	80	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	80	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	80	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	80	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	60	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	23	15

CAPACITOR 4 MFD, 440V OR 250V NON POLAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	9	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CAR AC FILTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

CARBIDE TIP V TOOL RH 10X10X100mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	80	15

CARBIDE TIP TOOL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

CARBIDE TIP TOOL LH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	30	15

CARBIDE TIP TOOL RH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	110	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	100	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON REGISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	60	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	240	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	120	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	120	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	240	15

CARBON RESISTOR BOX

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

CARBON RESISTOR FOR DIFFERENT VALUE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

CARBON TETRA CHLORIDE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	500	15

Cardboard A1 Size

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	50	15

Cardboard Sheet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

CAST IRON 50X50X6 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	160	15

CAST IRON ELECTRODE DIA. 3.15MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	6	15

CELL BIG SIZE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

CEMENT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

Ceramic Marker Assorted

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

CHAIN AND SPROCKET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

CHART PAPER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	210	15

Chart Hanging Hook

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

Charts For PPO Trade

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

Cheese Head Screw M6

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	30	15

China Screw

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	100	15

CI BLOCK 50X50X50MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	55	15

CI BLOCK 60X60X60MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	70	15

CLAP SWITCH LOOSE KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	12	15

CMOS Lithium Cell

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	67	15

COAL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	70	15

COLOR DRAWING SHEET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

OIL PAINT COLOR GRAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

COLOUR POPLINE FABRIC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	160	15

COLOUR PALLET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

COLOUR THREAD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	670	15

Combined Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	15	15

Combined Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

Commercial HCL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	5	15

CONDYUT COPLING INTERNAL THREADING19 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	60	15

CONDYUT PIPE 19 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	60	15

CONNECTIN WIRE 0.5 MM HOOK UP WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	15	15

Connecting Lead

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	50	15

CONTACTOR 16A 415V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	19	15

CONTROL RELAY 12VOLT DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

COPPER BRAZING ROD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1000	15

Copper NRV

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	13	15

COPPER SHEET 65 X 4 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

COPPER SULPHATE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	400	15

COPPER TUBE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	50	15

Copper Welding Cable For 400Amp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	40	15

CORDLESS DRILL 12V WITH DIFFERENT DRILL BIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

COTTOM WAX THREAD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

Cotton Tape Thread

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

COTTON WOOL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	3	15

COUNT DOWN TIMER CIRCUIT LOOSE KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	12	15

COUNTER SUNK HEAD RIVET DIA 3 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	120	15

COUNTERSUNK HEAD RIVET DIA 6 X 10MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	100	15

Coupling Diameter 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

CPU Cabinet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	2	15

CPU Power Cable

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	10	15

CROCODILE PIN SET WITH WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

Cross 25 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

CSK Head RIVET 4 MM Dia

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	25	15

CSK HEAD Screw M4 X 20 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	25	15

CURTAIN SPRING WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	15	15

CYLINDRICAL Pin Dia.2 X 20 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	16	15

CYLINDRICAL Pin Dia.4 X 20 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	50	15

D P.Test Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

DANCING LED LOOSE KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	12	15

DC ADAPTER 6,12 V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	8	15

DC COOLING FAN 100 X 100 MM, 12V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	9	15

DC COOLING FAN 75 X 75 MM, 12V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	9	15

DEFROST HEATER FOR FORST FREE REFRIGERATOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	4	15

DESOLDER WICK

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	16	15

DI PHYNIAL AMINE LR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	100	15

Diac DB3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	50	15

DIGITAL CLOCK LOOSE KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	12	15

DIGITAL MULTIMETER KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	20	15

DIODE 1N4007

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1500	15

Diode IN 4002

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	25	15

Display Board

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajanikant Ramjibhai Parmar	382340,GOVT. INDUSTRIAL TRAINING INSTITUTE, KUBERNAGAR, PO-KUBERNAGAR, NEAR -RAILWAY CROSSING, OPP. GALAXY CINEMA, TA- AHMEDABAD CITY, DI - AHMEDABAD	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   PRINCIPAL ITI KUBERNAGAR
   payable at
   AHMEDABAD
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   1) BIDDER SUBMIT THE EMD IN FAVOUR OF "PRINCIPAL ITI KUBERNAGAR" PAYBLE AT "AHMEDABAD" OF A

   MOUNT RS.15000.00 (FIFTEEN THOUSAND ONLY).

   2) MINIMUM AVERAGE ANNUAL FINANCIAL TURNOVER OF LAST THREE YEARS OF THE BIDDER MUST BE TW

   ICE THE BID ESTIMATED VALUE (AVERAGE TURNOVER LAST THREE YEARS AS PER PROCURMENT POLICY R S.1000000.00)

   .

4. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---