बिड संख्या/Bid Number: GEM/2026/B/8237651

दिनांक /Dated: 05-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	25-11-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	26-11-2026 12:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	25 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-mandvi@gujarat.gov.in
कुल मात्रा/Total Quantity	44
वस्तु श्रेणी /Item Category	LED lights , Solar charge controller with manual switch , Field regulator , ETHERNET SWITCH , PATCH PANEL , NETWORK RACK , DRILL S.S. TWIST BLOCK , Hand Drill Machine , Laboratory Type Induction Coil , Resistance type starter, For A.C Motors , A.C. Series type Motor , Copper bit soldering iron , Electric Soldering Iron , Soldering Copper , Thermostat , Soldering Iron, Copper, Bit, Fire heated,Hatched, Straight , Wire stripper adjustable length Adjustable stripping length , Multi Meter analog , Thermometer Digital , Cut models of photo voltaic cell assembly , Solar cell kit , DC table fan , DC LED Lamp
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	LED lights , LED lights , Solar charge controller with manual switch (Day lighting)X, Field regulator, ETHERNET SWITCH , PATCH PANEL , NETWORK RACK , DRILL S.S. TWIST BLOCK, Hand Drill Machine , Laboratory Type Induction Coil , Resistance type starter, For A.C Motors, A.C. Series type Motor, Copper bit soldering iron , Electric Soldering Iron , Soldering Copper , Thermostat, Soldering Iron, Copper, Bit, Fire heated,Hatched, Straight , Wire stripper adjustable length Adjustable stripping length, Multi Meter (analog) , Thermometer Digital , Cut models of photo voltaic cell assembly, Solar cell kit, DC table fan , DC LED Lamp
	Searched String: LED lights LED Batten, Laboratory Incubators, LED Light Bar (Strobe or warning lights), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), Aviation Lights, LED Luminaire For Road And Street Lights Conforming To IS

बिड विवरण/Bid Details	10322 (Part 5/Section 3) (V3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Muffle Furnace, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Portable OT Light (V2) **Searched String**: LED lights LED Batten, Laboratory Incubators, LED Light Bar (Strobe or warning lights), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), Aviation Lights, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Muffle Furnace, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Portable OT Light (V2) **Searched String**: Solar charge controller with manual switch (Day lighting)X Portable OT Light, M.S Stopper for Traffic Control (Portable Barrier) **Searched String**: Field regulator Acetylene Pressure Regulator as per IS 6901, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Filter Regulator Lubricator, Fabric (Jacket Field Dress, Trousers Field Dress and CAP) (V2) (IAF), Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Field Hockey Sticks as per IS 829, Natural Gas Pressure Regulator, Pressure Regulator For Gases, Cap (Field Dress) (IAF), Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2) **Searched String**: ETHERNET SWITCH Industrial Ethernet Switch (V2), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Unmanaged L2 Ethernet Switch (PoE), Unmanaged L2 Ethernet Switch (Non-PoE), modular electrical enclosure switch board boxes for modular type accessories, Ethernet Extender, Ethernet Cables, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, KVM Switch over IP, Computer Monitor (V2) **Searched String**: PATCH PANEL Fibre Patch Panel, Interactive Panels with CPU, Copper (Ethernet) Patch Panel, Copper Patch Cord, Wooden Podium, Cardiovascular Patch (V2), Rivastigmine Patch (V2), Diesel Power Generator (up to 900 KVA), PUF Panel, Newspaper Reading Stand (V2) **Searched String**: NETWORK RACK Server or Network Rack (V2), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Bathroom Rack, Squats Rack (Version 2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Test Tube Rack, Laboratory Reagent rack, Servers (V2), Smart Rack (V2), Optical Fibre Cable for Networking **Searched String**: DRILL S.S. TWIST BLOCK S type load Cell, Books (V2), S-Curve Urethral Dilator Set, CAP (F/S BDU) as per IAF Specifications (V2), Modular Table / Meeting Table / Centre Table (V2), 2,4,6-Tris(2-pyridyl)-s-

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	triazine, Wooden Podium, Twist Drill Bit, Parallel Shank, Jobber Series as per IS 5101 (V2), Vertical Autoclave, Twist Drill Bit, Parallel Shank, Long Series as per IS 5102 (V2) **Searched String**: Hand Drill Machine Magnetic Drill Machine, Nitrile Coated/Nitrile Hand Gloves (V2), Portable Drill Machine, Seed Drill, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Hand Operated Shearing Machine, Hand Rower (V2), Sanitary Napkins Vending Machines, Seed cum Fertilizer Drill, Touchless Sanitizer Dispenser **Searched String**: Laboratory Type Induction Coil Laboratory Condenser, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory condenser (V2), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Star Delta Motor Starter for Three Phase Induction Motors (V2), Laboratory Desiccator (V2), Electric Winch (V2), Coil Tubular heater, Laboratory Filter Papers (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374 **Searched String**: Resistance type starter, For A.C Motors Starter Motors for IC Engines, E-cart for Goods, Star Delta Motor Starter for Three Phase Induction Motors (V2), Trichloroethylene, Technical as per IS 245, Black Japan, Type A, Type B, Type C as per IS 341, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Water Tender Type A for Fire Brigade Use conforming to IS 948, Customised Ambulance with Equipment, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML) **Searched String**: A.C. Series type Motor Black Japan, Type A, Type B, Type C as per IS 341, Biosafety Cabinet (V2), Fluid Automotive Transmission Type 'A' Suffix 'A'- Defence (V2), Combination Wrench (V2) as per IS 6389, Hydrants (Landing Valve Type A) (PNG), Muffle Furnace, Electric Winch (V2), Trichloroethylene, Technical as per IS 245, Gypsum Building Plaster - Premixed Lightweight Plasters as per IS 2547, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 **Searched String**: Copper bit soldering iron Electric Soldering Iron, Adsorbent for Sulphur removal from Hydrocarbon Gas, Biochemistry Reagent Kit for Human Samples **Searched String**: Electric Soldering Iron Electric Soldering Iron, Garden Bench, Domestic Clothing Irons (Electric Iron) as per IS 366, Soldering Clamp Holder, Scrubber Dryer Floor Cleaning Machine (V2), SMD Rework Station, Electrical Extension Box (V4), Domestic Clothing Irons (Electric Iron) Conforming to IS 366 (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Temperature controlled soldering station **Searched String**: Soldering Copper Electric Soldering Iron, Copper alloy Taps/Stop Valves (V2)

बिड विवरण/Bid Details	Conforming to IS 8931, Soldering Clamp Holder, Soldering and Desoldering Station with digital display, SMD Rework Station, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Temperature controlled soldering station, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Copper Jumper, Fume extraction unit for filteration of soldering fumes **Searched String**: Thermostat Thermostat, Laboratory Incubators, Thermostat(BHEL), Thermostate(BHEL), Thermostatic expansion valve **Searched String**: Soldering Iron, Copper, Bit, Fire heated,Hatched, Straight Category not available on GeM for the text string uploaded by the buyer **Searched String**: Wire stripper adjustable length Adjustable stripping length Wire rope slings and sling legs (V3) conforming to IS 2762, Insulated Wire Stripper (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Automatic Twist Tester (Textile), Rolled Copper and Copper Alloy Sheet, Strip and Foil, Tree Lopper, Test Leads, Steel Countersunk Head Wire Nails Conforming To IS 723, Telephone Cable As Per TEC Specification (V2) **Searched String**: Multi Meter (analog) Frequency meter - Analog (Panel Meter), Lyophilizer, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Multi Function Meter (BHEL), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Voltmeter - Analog (Panel Meter) as per IS 1248, Ammeter - Analog (Panel Meter) as per IS 1248, Digital pH Meter, Analog Oscilloscope, true rms clamp meter **Searched String**: Thermometer Digital Digital Medical Thermometer, Digital Multimeter, Digital Medical Thermometer (V2), Infrared Medical Thermometer For Measuring Body Temperature, Handheld Digital Infrared Thermometer, Digital pH Meter, Candy Thermometer / Food Thermometer, Room Thermometer, Rotary Shaker, Clinical Thermometer - Solid Stem Type **Searched String**: Cut models of photo voltaic cell assembly Category not available on GeM for the text string uploaded by the buyer **Searched String**: Solar cell kit Sickle Cell Solubility Test Kit (V2), Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Cell Scraper, Lithium ion solar battery, Cell cleaner, Biochemistry Reagent Kit for Human Samples, Automated Cell Counter, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Cell Scraper (V2), Jameson Flotation Cell

बिड विवरण/Bid Details	**Searched String**: DC table fan Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Modular Table / Meeting Table / Centre Table (V2), Oscillating DC Fans used in Automotive Vehicles, Electric Ceiling Fan (V4) ISI Marked to IS 374, Computer Table (V3), Fan Bearing, Executive Table (V4), Crossfit Fan, Composite Office Tables conforming to IS 8126 (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2) **Searched String**: DC LED Lamp Hand Lamp, Laboratory Incubators, LED Machine Work Lamp, LED Portable Miner's Cordless Cap Lamp (V2), LED PL-L (Plug-in Long) Lamp (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), White LED Based Solar Study Lamp as per MNRE Specifications, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Muffle Furnace, Rechargeable LED Head Torch (Head Lamp)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Electric Soldering Iron • Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615 • Portable Drill Machine
बीओक्यू शीर्षक /**BOQ Title**	4250 ELECTRICAL TOOLS
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/**MSE Relaxation for Years of Experience and Turnover**	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	5

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	2
विगत प्रदर्शन /**Past Performance**	50 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	A.C. Series type Motor
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	15 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**	No
अनुमानित बिड मूल्य / **Estimated Bid Value**	84000
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/**Evaluation Method**	Total value wise evaluation
मध्यस्थता खंड/**Arbitration Clause**	No
सुलह खंड/**Mediation Clause**	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	**प्री-बिड स्थान/Pre-Bid Venue**
05-11-2026 11:00:00	INDUSTRIAL TRAINING INSTITUTE MANDVI MASKA ROAD NEAR ANKARWALA HOSPITAL MANDVI KUTCH 370465

LED Lights

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	2	15

LED Lights

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	2	15

Solar Charge Controller With Manual Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

Field Regulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

ETHERNET SWITCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

PATCH PANEL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	4	15

NETWORK RACK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	2	15

DRILL S.S. TWIST BLOCK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	4	15

Hand Drill Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

Laboratory Type Induction Coil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

Resistance Type Starter, For A.C Motors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

A.C. Series Type Motor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

Copper Bit Soldering Iron

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	3	15

Electric Soldering Iron

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	2	15

Soldering Copper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

Thermostat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	2	15

Soldering Iron, Copper, Bit, Fire Heated,Hatched, Straight

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	4	15

Wire Stripper Adjustable Length Adjustable Stripping Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	2	15

Multi Meter Analog

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

Thermometer Digital

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

Cut Models Of Photo Voltaic Cell Assembly

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	2	15

Solar Cell Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

DC Table Fan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	1	15

DC LED Lamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gopal Govind Zaru	370465,GOVT. INDUSTRIAL TRAINING INSTITUTE, MANDVI KACHCHH, MASKA ROAD, NEAR - T.B. HOSPITAL, TA - MANDVI, DI - KACHCHH	3	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Inspection**

   Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.
   When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

3. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   PRINCIPAL INDUSTRIAL TRAINING INSTITUTE BHUJ
   payable at
   MANDVI
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

   PRINCIPAL INDUSTRIAL TRAINING INSTITUTE BHUJ
   payable at
   MANDVI
   . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

5. **Generic**

   Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

6. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. **Generic**

   Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

8. **Generic**

   Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

9. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

10. **Warranty**

    Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

11. **Generic**

    Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
    i) The Seller fails to comply with any material term of the Contract.
    ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
    iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
    iv) The Seller becomes bankrupt or goes into liquidation.
    v) The Seller makes a general assignment for the benefit of creditors.
    vi) A receiver is appointed for any substantial property owned by the Seller.
    vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

12. **Buyer Added Bid Specific ATC**

    Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.

4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---