बिड संख्या/Bid Number: GEM/2026/B/8239325
दिनांक /Dated: 05-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	24-11-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	25-11-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-jafrabad@gujarat.gov.in
कुल मात्रा/Total Quantity	53
वस्तु श्रेणी /Item Category	Scissors blade , Drill SS Twist block , Gauge wire imperial stainlees steel marked in SWG and mm , Pin type insulators , Shackle type insulators , Egg type insulators , Suspension type insulators , GI pipe bending machine , PVC pipe bending spring , Brake Test arrangement with two spring balance rating , Knife Switch DPDT fitted with fuse terminals , Knife Switch TPDT fitted with fuse terminals , Earth Electrode , Capacitors , Halogen Incandescent Lamp , HP mercury vapor Lamp , High pressure sodium Lamp , Low pressure sodium Lamp , LED , TWISTED PAIR, NONMETALLIC SHEATHED, UNDERGROUND FEEDER, RIBBON, METALLIC SHEATHED, MULTI CONDUCTOR, COAXIAL, DIRECT BURIED CABLE , Bus bar with brackets , Digital Wattmeter , Magnetic Flux Meter , Inverter with Battery , MPPT based charge controller , Digital Timer , Impulse relay , Dusk and dawn switch , Thyristor IGBT controlled DC motor drive with tacho generator feedback arrangement , Motorised Bench Grinder , Manual Motor coil Winding Machine , Shaded Pole Motor , Working Bench

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Scissors blade, SS, Drill S.S. Twist block, Gauge, wire imperial stainlees steel marked in SWG & mm, Pin type insulators, Shackle type insulators, Egg type insulators, Suspension type insulators, GI pipe bending machine, PVC pipe bending spring, Brake Test arrangement with two spring balance rating, Knife Switch DPDT fitted with fuse terminals, Knife Switch TPDT fitted with fuse terminals, Earth Electrode, Electrolytic type Capacitors, Ceramic type Capacitors, Polyester film type Capacitors, Variable type Capacitors, Dual run type Capacitors, Halogen Incandescent Lamp, HP mercury vapor Lamp, High-pressure sodium Lamp, Low-pressure sodium Lamp, LED Lamp, Twisted Pair cable, Non-Metallic Sheathed cable, Underground Feeder cable, Ribbon cable, Metallic Sheathes cable, Multi-Conductor cable, Co-axial cable, Direct-Buried cable, Optical fibre cable, Bus bar with brackets, Digital Wattmeter, Magnetic Flux Meter, Inverter with Battery, MPPT based charge controller, Digital Timer, Impulse relay, Dusk and dawn switch, IGBT controlled D.C. drive with tacho-generator feedback, Motorised Bench Grinder, Manual Motor coil Winding Machine, Shaded Pole Motor, Working Bench
	Searched String: Scissors blade, SS Laparoscopic Scissors, Surgical Scissors (V2), Metzenbaum Scissors, Mayo Scissors, Thermos SS (Defence), JigSaw Blade, JAR TEST APPARATUS, pona ss (cqa specification), ETO Sterilizer, SHEARING MACHINE BLADE **Searched String**: Drill S.S. Twist block S type load Cell, Modular Table / Meeting Table / Centre Table (V2), Twist Drill (Parallel Shank) as per IS 5102 (V2), Wooden Podium, S-Curve Urethral Dilator Set, Books (V2), CAP (F/S BDU) as per IAF Specifications (V2), Seed cum Fertilizer Drill, 2,4,6-Tris(2-pyridyl)-s-triazine, Vertical Autoclave **Searched String**: Gauge, wire imperial stainlees steel marked in SWG & mm High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Mild Steel Wire for General Engineering Purpose (V2) ISI marked IS 280, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2 **Searched String**: Pin type insulators pin cushions, Steinmann Pin, Composite Long Rod Insulators As per Powergrid Specifications, Knowles Pin, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Dowel Pin, Muffle Furnace, Piston Pin, Biosafety Cabinet (V2), Lapel Pin **Searched String**: Shackle type insulators Forged Shackles for General Lifting Purpose (V2) Conforming to IS/ISO 2415, Porcelain Guy Strain Insulators Conforming To IS 5300, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Solid Core Porcelain Insulators For Overhead Traction Lines Conforming To IS 4318 (V2), Steel Filing Cabinets for General Office Purpose conforming to IS

बिड विवरण/Bid Details	3313 (V2), Composite Long Rod Insulators As per Powergrid Specifications, Muffle Furnace, Solid Core Porcelain insulators for overhead Traction Lines, Biosafety Cabinet (V2), Black Japan, Type A, Type B, Type C as per IS 341 **Searched String**: Egg type insulators Egg Boiler, Egg Incubator, Composite Long Rod Insulators As per Powergrid Specifications, Domestic egg beater, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Albumin Egg Flakes, Muffle Furnace, Egg Hatcher Machine, Biosafety Cabinet (V2), Egg Setter Machine **Searched String**: Suspension type insulators ALBENDAZOLE SUSPENSION, COTRIMOXAZOLE SUSPENSION, Composite Long Rod Insulators As per Powergrid Specifications, DOMPERIDONE SUSPENSION, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Porcelain Guy Strain Insulators Conforming To IS 5300, Muffle Furnace, Oseltamivir Oral Suspension, Biosafety Cabinet (V2), Solid Core Porcelain Insulators For Overhead Traction Lines Conforming To IS 4318 (V2) **Searched String**: GI pipe bending machine CNC/NC Pipe and Tube Bending Machine, Parallel Bar - Outdoor Gym Equipment, Rigid GI Pipe (BHEL), Steel Pipes for Water and Sewage as per IS 3589, Portable Pipe Threading Machine, Miniature Gillbox, Pipeline Integrity Management Software **Searched String**: PVC pipe bending spring CNC/NC Pipe and Tube Bending Machine, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe for Gardening Purpose, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Pipe Cutter, Elbow Pipe Fitting, Connector Pipes for Washbasins/ Sinks/ Geyser, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818 **Searched String**: Brake Test arrangement with two spring balance rating Category not available on GeM for the text string uploaded by the buyer **Searched String**: Knife Switch DPDT fitted with fuse terminals Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) **Searched String**: Knife Switch TPDT fitted with fuse terminals Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) **Searched String**: Earth Electrode Earthing Electrode, Digital Earth Resistance Meter, Reusable

बिड विवरण/Bid Details	Patient Return Electrode (V2), Chemical Earth Pit Complete Set, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), pH Electrode, Earthing Rod, Magnetic Earth Clamp, ECG Electrodes (V2), ECG Bulb Electrode **Searched String**: Electrolytic type Capacitors Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Common Salt For Chemical Industries (V2) Conforming to IS 797, Black Japan, Type A, Type B, Type C as per IS 341, Muffle Furnace, Aneroid Type Sphygmomanometer, Wire Rope For Wire Rope Barrier **Searched String**: Ceramic type Capacitors Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2), Muffle Furnace, Brushable Ceramic, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), Ceramic Fiber Tape, Ceramic Products from Bulandshahr - ODOP, Ceramic Fiber Rope, Biosafety Cabinet (V2) **Searched String**: Polyester film type Capacitors Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Antimicrobial Dressing (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), Low Fouling Composite (LFC) RO Membrane, Fiber Rope (Polypropylene) ISI marked to IS 5175, POLYETHYLENE FILMS AND SHEETS (V3) Conforming to IS 2508, Decorative Flag (V2) **Searched String**: Variable type Capacitors Variable Voltage Variable Frequency Drive, Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), Manual Single Channel Air Displacement Pipetters Or Micropipette (V3), Muffle Furnace, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Biosafety Cabinet (V2), LVDT Sensor **Searched String**: Dual run type Capacitors Capacitors for Electric Fan Motors as per IS 1709 (V2), Flushing Cistern, Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Acoustic Binaural Stethoscope (V3), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), transilluminators uv, Handset Charging Adapter, Electric Ceiling Fan (V4) ISI Marked to IS 374, Basic/Feature Mobile Phone, Aluminium Paint for General Purposes in Dual Container as per IS 2339

बिड विवरण/Bid Details	
	Searched String: Halogen Incandescent Lamp Tungsten Halogen Lamps (Non-Vehicle) Conforming To IS 12948, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Hand Lamp, Hand Held Slit Lamp - RBSK, Inspection Lamp, LED Based Indicating Lamp for Panel Cut Outs, Slit Lamp, Halogen Free Flame Retardant (HFFR) Cables For Working Voltages upto and including 1100 Volts Marked To IS 17048, LED Machine Work Lamp, Infrared Heat Lamp **Searched String**: HP mercury vapor Lamp High Pressure Mercury Vapour Lamps Conforming To IS 9900, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Flood Light Luminaire suitable for HPSV Lamps **Searched String**: High-pressure sodium Lamp High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, High Pressure Washer, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Mercury Vapour Lamps Conforming To IS 9900, HPLC Columns (High pressure liquid chromatography), High Pressure Fire Fighting Hose with Delivery Couplings as per IS 14933, High-Pressure High-Temperature Reactor, High Pressure Breathing Air Compressor Motor Driven as per IS 15879, High pressure Grinding Roll (IBM), Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703 **Searched String**: Low-pressure sodium Lamp High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Ballasts For Discharge Lamps Conforming To IS 15882, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Low Pressure Steam Condensate Pump (IOCL), Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), High Pressure Mercury Vapour Lamps Conforming To IS 9900, Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2), Watermist and Caf Fire Extinguisher Low Pressure Motorcycle Mounted Type (V2) **Searched String**: LED Lamp Hand Lamp, Laboratory Incubators, LED Machine Work Lamp, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED PL-L (Plug-in Long) Lamp (V2), Muffle Furnace, White LED Based Solar Study Lamp as per MNRE Specifications, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Portable Miner's Cordless Cap Lamp (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) **Searched String**: Twisted Pair cable Badminton Net Poles, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Field Telephone Cable (Telecommunication Cable), Computer Monitor (V2), Antenna Cable, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Control
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	

बिड विवरण/Bid Details	Cable, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Speaker cable, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: Non-Metallic Sheathed cable Non Metallic Bellow, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, non metallic nameplates, Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Mine Prodder, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, NMA based Non - Metallic Octane Booster (V2) (NRL), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694 **Searched String**: Underground Feeder cable Apron Feeder / Plough Feeder, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Weigh Belt Feeder, Bends for HDPE Pipes, Metal Free Optical Fibre Cable with Double HDPE Sheath for Underground Duct Application, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Spares for Tripper and Apron Feeder, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, High Density Polyethene (HDPE) Telecom Ducts For Optical Fibre Cable as per TEC Specification **Searched String**: Ribbon cable Ribbon Blender Mixer, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Magnesium anode Ribbon, Satin Ribbon (V3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Ink Ribbons for Dot Matrix Printer, Thermal Ribbons for Label/Barcode Printer, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Consumables for PVC Card Printer, Splice Closure for Non-Ribbon Optical Fibre Cables **Searched String**: Metallic Sheathes cable Metallic cubes, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Non Metallic Bellow, non metallic nameplates, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Mine Prodder, Spiral Wound Metallic Gasket, Modular Table / Meeting Table / Centre Table (V2), Field Telephone Cable (Telecommunication Cable), Snacks & Beverage Vending Machine **Searched String**: Multi-Conductor cable PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Aluminium Cable Single Core

बिड विवरण/Bid Details	and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Lyophilizer, Multi cable transit system, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Steel Drum for Conductor **Searched String**: Co-axial cable Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Radio Frequency Coaxial Cable, CO - Trimoxazole, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Axial Piston Pumps, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Axial Shoulder Excerciser, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Electric Axial Flow Fans (V2) Conforming To IS 3588 **Searched String**: Direct-Buried cable Direct Dye, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Hand Operated Direct Shear Apparatus, Dial type indicating Pressure Gauges, Motorized Direct Shear Test Apparatus, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Antenna Cable, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Optical fibre cable FTTH Drop Optical Fibre Cable, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Optical Fibre Cable for Networking, All Dielectric Self-Supporting (ADSS) Optical Fibre Cable As per TEC Specification (V2), Metal Free Optical Fibre Cable, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Splice Closure for Non-Ribbon Optical Fibre Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, ADSS Optical Fibre Cable For laying along Power line alignments, High Density Polyethene (HDPE) Telecom Ducts For Optical Fibre Cable as per TEC Specification **Searched String**: Bus bar with brackets Laminated Bus Bar(BHEL), Cloth Dryer Stand, Copper Bus Bar (Bhel)-IS:1897, IS:8130, Octagonal Pole (V2), Parallel Bar - Outdoor Gym Equipment, Deep Water Barricading with Net and Anchor 8 km Long - UP PAC, Buses (V2), Towel Rail / Ring / Rack / Hooks for Bathroom, Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636, Spray Headers without nozzles

बिड विवरण/Bid Details	
	Searched String: Digital Wattmeter Digital Timer, Digital Multimeter, Digital Burette, Digital UHF Repeater Sets as per MHA QR (V2), Digital Barometer, true rms clamp meter, Digital Hand-held VHF Transceiver as per MHA QR, Digital Tachometer, Rotary Shaker, Digital Forensic Workstation **Searched String**: Magnetic Flux Meter Brazing flux, Dry Erase Writing Boards (V3), WELDING FLUX, Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Toroidal Gravito Complex Magnetic Field Incorporated Scientific Water Treatment Device, magnetic stirrers, Magnetic Stand, Lithium Base Grease For Automotive Purposes(V2) Conforming to IS 12203, true rms clamp meter, Magnetic Compass **Searched String**: Inverter with Battery Inverter Battery Trolley, Revolving Chair (V5), Solid State Inverters Run from Storage Battery (V2) Conforming to IS 13314, Inverter (V2), Entry and Mid Level Desktop Computer, Rechargeable LED Bulb (V2), High End Desktop Computer, LED Batten with Battery / Invertor, Modular Table / Meeting Table / Centre Table (V2), On Grid Solar Inverter **Searched String**: MPPT based charge controller Hybrid Charge Controller, Battery Charger As per MHA Specifications (V2), Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Heavy Duty Battery Charger, Access Control System, Access Controlled Handle Door Lock, Electrostatic Discharge Chairs (V2), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Token Display System **Searched String**: Digital Timer Digital Timer, Digital Multimeter, Stopwatch (V2), Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence), Rotary Shaker, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Reciprocal Shakers - Mechanical Shaker Machine with Timer, true rms clamp meter, Digital Burette, Digital Storage Oscilloscope **Searched String**: Impulse relay Overload Relay, Relay Testing Educational Kit, Relay Module, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, CONTACTOR RELAY, LED Flasher Relay, Video Recorder for CCTV System (V2), Time delay relay, Voltage Monitor Relay, Power Cable Fault Locator **Searched String**: Dusk and dawn switch Dusk-to-Dawn Light Sensor Switch (Automatic Photocell Controller), Computer Monitor (V2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Argon Plasma Coagulator with ESU, modular electrical enclosure switch board boxes for modular type accessories, Megaphone-Loud Hailer, HDMI Switcher

बिड विवरण/Bid Details	**Searched String**: IGBT controlled D.C. drive with tacho-generator feedback Category not available on GeM for the text string uploaded by the buyer **Searched String**: Motorised Bench Grinder Bench / Pedestal Grinder (V2), Desk and Bench Set for Classroom/Training Area, Wet Grinder, Angle Grinder, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Pneumatic Grinder, Rotary Shaker, Liquid Limit Device (Motorised)(Nclil), Garden Bench, Pencil Grinder (V2) **Searched String**: Manual Motor coil Winding Machine Coil Pressing Machine, Sanitary Napkins Vending Machines, Motor Grader, Manual Winches, Shredding Machine/Paper Shredder, Manual Metal Arc Welding (MMA) Machine (V3), DENTAL ENDOMOTOR, Cattle Lifting Machine, Drilling Machine Bench Type / Pillar Type as per IS 2425, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1) **Searched String**: Shaded Pole Motor Metal Pole, Pole Mounted Stainless Steel Dustbin (V2), Harvesting Pole, High mast pole for national flags (V2), Kho Kho Pole (V2), Pole-Mounted Outdoor Dustbin, Motor Grader, Pole Umbrella (V2), Octagonal Pole (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) **Searched String**: Working Bench FRP Bench, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Garden Bench, Work Benches, Multi Adjustable Bench (V2), Desk and Bench Set for Classroom/Training Area, Cast Iron Bench, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Cross over bench, Muffle/Box Furnace (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Copper Bus Bar (Bhel)-IS:1897, IS:8130 • Earthing Electrode • Epoxy Insulator- BHEL
बीओक्यू शीर्षक /**BOQ Title**	ELECTRICAL ITEAMS
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	1 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/**OEM Average Turnover (Last 3 Years)**	8 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	1 Year (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/**MSE Relaxation for Years of Experience and Turnover**	No

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	3
विगत प्रदर्शन /**Past Performance**	10 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	Bus bar with brackets
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**	No
अनुमानित बिड मूल्य / **Estimated Bid Value**	201115
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/**Evaluation Method**	Total value wise evaluation
मध्यस्थता खंड/**Arbitration Clause**	No

बिड विवरण/Bid Details	
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
INSTITUTE MANAGEMENT COMMITTEE OF ITI JAFRABAD
GOVERMENT ITI JAFRABAD VAPALIYA PLOT AREA JAFRABAD UNA ROAD JAFRABAD AMRELI 365540
(Institute Management Committee Of Iti Jafrabad)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	50

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service.

Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 50% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	**प्री-बिड स्थान/Pre-Bid Venue**
16-11-2026 14:00:00	ITI JAFRABAD

Scissors Blade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	**परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer**	**पता/Address**	**मात्रा /Quantity**	**डिलीवरी के दिन/Delivery Days**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	4	15

Drill SS Twist Block

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	4	15

Gauge Wire Imperial Stainlees Steel Marked In SWG And Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Pin Type Insulators

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Shackle Type Insulators

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Egg Type Insulators

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Suspension Type Insulators

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

GI Pipe Bending Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

PVC Pipe Bending Spring

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Brake Test Arrangement With Two Spring Balance Rating

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Knife Switch DPDT Fitted With Fuse Terminals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Knife Switch TPDT Fitted With Fuse Terminals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Earth Electrode

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Capacitors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Halogen Incandescent Lamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

HP Mercury Vapor Lamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

High Pressure Sodium Lamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Low Pressure Sodium Lamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

LED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

TWISTED PAIR, NONMETALLIC SHEATHED, UNDERGROUND FEEDER, RIBBON, METALLIC SHEATHED, MULTI CONDUCTOR, COAXIAL, DIRECT BURIED CABLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Bus Bar With Brackets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	3	15

Digital Wattmeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Magnetic Flux Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Inverter With Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

MPPT Based Charge Controller

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Digital Timer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

Impulse Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Dusk And Dawn Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Thyristor IGBT Controlled DC Motor Drive With Tacho Generator Feedback Arrangement

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Motorised Bench Grinder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Manual Motor Coil Winding Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Shaded Pole Motor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	1	15

Working Bench

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Anilkumar Jagdishbhai	365540,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAFRABAD, VAPALIYA ROAD, JAFRABAD, DI -AMRELI	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Generic**

   Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

4. **Generic**

   Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. **Generic**

   Without prejudice to Buyer’s right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

i) The Seller fails to comply with any material term of the Contract.
ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
iv) The Seller becomes bankrupt or goes into liquidation.
v) The Seller makes a general assignment for the benefit of creditors.
vi) A receiver is appointed for any substantial property owned by the Seller.
vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

6. **Generic**

   While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

7. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   INSTITUTE MANAGEMENT COMMITTEE OF ITI JAFRABAD
   payable at
   JAFRABAD
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

8. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

   INSTITUTE MANAGEMENT COMMITTEE OF ITI JAFRABAD
   payable at
   JAFRABAD
   . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

9. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. **Warranty**

    Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

11. **Buyer Added Bid Specific ATC**

    Buyer Added text based ATC clauses

    Buyer Added Bid Specific ATC

    Buyer Added text based ATC clauses

- Although the GeM Portal does not mandate EMD for this bid due to the estimated bid value being below the prescribed GeM threshold, bidders shall submit an Earnest Money Deposit (EMD) of ₹.6,033/-, being 3% of the estimated bid value of ₹.2,01,115/-, as per the prevailing Government of Gujarat Purchase Policy-2024.

- The EMD shall be submitted in the form of Demand Draft (DD) drawn in favour of "INSTITUTE MANAGEMENT COMMITTEE OF ITI JAFRABAD", payable at JAFRABAD.

- Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hard copy to the Buyer within 5 days of Bid End date / Bid Opening date.

- The Bidder has to upload Annexure 1 duly signed and stamp (sample given in Buyer uploaded ATC document) with necessary details.

- This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industries and Mines Department, Gujarat.

- Bidders are advised to check clauses of Gujarat State Procurement Policy 2024 (like EMD Exemption, Start-up related, Purchase Preference etc...) before participation.

- In case of any conflict in the terms and conditions given in this bid in ATC, the Gujarat State Procurement Policy 2024 provisions shall prevail. However, if there is such an ATC which has no counterpart in the said policy, then the ATC shall prevail.

- The supplier/manufacturer shall be responsible for carrying out repairs free of cost if any fault arises in the machine or spare parts specified in the bid during the guarantee/warranty period.

- Only quality material conforming to the specified specifications shall be supplied. Payment of the bill will be made only thereafter. If the material/equipment is found to be of inadequate or non-conforming quality, the supplier shall be required to take back the material/equipment from the institution at their own expense.

- **After receipt of a work order from this Institute, it is mandatory to supply all items in the exact quantities specified in the work order. If all items specified in the work order are n**

ot supplied by your party, the entire work order will be canc elled. Furthermore, an incident will be raised against your p arty on the GeM portal.The Bidder has to upload Undertakin g duly signed and stamp (sample given in Buyer uploaded A TC document)

- **All items supplied as per the Work Order must be of good q uality and in accordance with the prescribed specifications. All the items to be supplied by the firm shall either comply with BIS/ISI Standards. For any items do not comply BIS/ISI Standards, the Quality shall be determind by the Institute, Whose decision in the Quality matter of such items shall be final and binding.**

- **Turnover of the bidder**

The minimum average annual financial turnover or actual production of the bidder/ during the last three years, ending on 31st March of the previous financi al year, should be at least twice Rs. 4,02,230/- the bid value of Rs. 2,01,115/-. (Bid Estimated value mentioned in bid document)

Documentary evidence in the form of certified Audited Balance Sheets of releva nt periods or a certificate from the Chartered Accountant/ Cost Accountant indic ating the financial turnover or actual production detail s for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average financial turnover or actual produ ction in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

- The warranty provided by the bidder must be on site at consignee place.
- The warranty period of all items must be at least 01 Year from the date of receipt, or the standard warranty provided by OEM whichev er is Longer.
- Consider All Item Warranty as Warranty Mention in Specification D ocument

- For any dispute decision of head of the Institute, PRINCIPAL OF ITI J AFRABAD will be final.

The area of jurisdiction shall be JAFRABAD

.

12. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document Click here to view the file.

13. **Forms of EMD and PBG**

    Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

    INSTITUTE MANAGEMENT COMMITTEE OF ITI JAFRABAD
    A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in

the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---