बिड संख्या/Bid Number: GEM/2026/B/8239630
दिनांक /Dated: 04-11-2026

## बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 07-11-2026 15:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 08-11-2026 15:00:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 30 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Housing & Urban Affairs (mohua) |
| विभाग का नाम/Department Name | Central Public Works Department |
| संगठन का नाम/Organisation Name | Cpwd |
| कार्यालय का नाम/Office Name | Ee Manesar Division Cpwd Nsg Camp Manesar Gurgaon |
| शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal | HOD Email id :ee-manesar.cpwd@gov.in<br>Buyer Email id: eemanesarcpwd@gmail.com |
| कुल मात्रा/Total Quantity | 75 |
| वस्तु श्रेणी /Item Category | Free standing PARTITION PANEL (Q3) |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover | No |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 1 |

| बिड विवरण/Bid Details | |
|---|---|
| **दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended** | 3 |
| **ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count** | 1 |
| **बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled** | No |
| **बिड का प्रकार/Type of Bid** | Two Packet Bid |
| **तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation** | 2 Days |
| **निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)** | No |
| **मूल्यांकन पद्धति/Evaluation Method** | Total value wise evaluation |
| **मध्यस्थता खंड/Arbitration Clause** | No |
| **सुलह खंड/Mediation Clause** | No |

**ईएमडी विवरण/EMD Detail**

| | |
|---|---|
| आवश्यकता/Required | No |

**ईपीबीजी विवरण /ePBG Detail**

| | |
|---|---|
| आवश्यकता/Required | No |

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

| | |
|---|---|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |

**एमएसई खरीद वरीयता/MSE Purchase Preference**

| | |
|---|---|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X% | 15 |

| | |
|---|---|
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference | 25 |

1. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
3. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

## Free Standing PARTITION PANEL ( 75 square foot )

**तकनीकी विशिष्टियाँ /Technical Specifications**

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| GENERIC | **Panel thickness** | 52.4 mm (having cable management facility), 22.8 mm (no cable management ability) |
| | **Panel structure Hint : Panels are supported on legs with levellers at various locations (depending on the layout requirements)** | For 52.4 mm – 2 nos. Vertical trim + Horizontal trims (at every division of blocks/tiles) + Blocks (for intermediate panels) + 1 no. of fabricated bottom frame (welded structure) + bottom tiles + top tiles + 1 no. of top trim, For 22.8 mm – 2 nos. Vertical trim + Horizontal trims (at every division of blocks/tiles) + Blocks (Intermediate/Top/Bottom) + 1 no. of top trim + 1 no. of end trim + 1 no. of end trim’s cap |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| MATERIAL | **Blocks made out of** | Composite construction of MDF and paper honeycomb, Particle board with laminate – (Laminate Block- 38 mm Honeycomb+ 3 mm MDF both side + 0.6 Laminate), Particle board with fabric (Fabric Block- 38 mm Honeycomb+ 3 mm MDF both side + 0.6 Fabric) |
| | **Brackets made of** | Full gable end bracket made from 1.2 mm thick MS CRCA grade D conforming to IS 513, Work surface bracket and Holder bracket made from 2 mm thick CRCA grade D steel conforming to IS 513 - 19 |
| | **Bracket sizes/width** | 450 mm, 600 mm, 750 mm |
| | **Panel legs (single side) size for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : select 'NA' if single side panel legs (for 52[dot]4 mm panel thickness) not required** | 490 mm |
| | **Panel legs (double side) size for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : select 'NA' if double side panel legs (for 52[dot]4 mm panel thickness) not required** | 805 mm |
| | **Panel legs (double side) size for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : select 'NA' if double side panel legs (for 22[dot]8 mm panel thickness) not required** | 800 mm |
| PANEL COMPONENTS | **Blocks for 52[dot]4 mm panel thickness Hint : these blocks are located in mid segment of the panels and can be provided with cut outs for mounting switch boxes (above or below the work tops)** | Comprises of 38 mm thick paper honeycomb + 3 mm MDF on each sides + 0.6 mm decorative laminate on both sides – Particle board framing used on outer boundary of these blocks as well as intermediately at certain locations forming conduit for passing cables, Comprises of 38 mm thick paper honeycomb + 3 mm MDF on each sides + 0.6 mm fabric on both sides – Particle board framing used on outer boundary of these blocks as well as intermediately at certain locations forming conduit for passing cables, N.A |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Top tiles finish for 52[dot]4 mm panel thickness Hint : These tiles are slide in to the panels from top before fixing the top horizontal and supported from top and bottom side with clips fitted in horizontal extrusion** | Fabric magnetic tiles (fabric upholstered metal tiles in 0.6 mm thick G.I Grade O conforming to IS 277), Fabric tack tiles (fabric upholstered metal tiles in 0.6 mm thick G.I Grade O conforming to IS 277 with P.E foam in the tile), Plain metal tiles (0.6 mm thick MS CRCA Grade D Conforming to IS 513 powder coated with Epoxy – polyester finish), Laminated tiles (9 mm to 9.5 mm thick pre-laminated particle board conforming to IS 12823 having all its edges with minimum 0.5 mm thick PVC edging), Post laminated tiles (8 mm thick pre-laminated particle board conforming to IS 12823 laminated with 0.6 mm thick high pressure laminate on outer side and 0.6 mm backing laminate on inner surface and having all its edges with minimum 0.5 mm thick PVC edging), White board tiles (8 mm thick pre-laminated particle board conforming to IS 12823 laminated with 0.6 mm thick white glossy high pressure laminate on outer side and 0.6 mm backing laminate on inner surface and having all its edges with minimum 0.5 mm thick PVC edging), Glass tiles (4 mm thick toughened clear glass fitted on both sides of panel using vertical and horizontal stiffners of 6 mm powder coated CRCA steel grade D conforming to IS 513), N.A |
| | **Height of Top tiles for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable** | 260 mm (for panel height of 3 feet, 4 feet and 5 feet), 375 mm (for panel height of 3.5 feet), 415 mm (for panel height of 4.5 feet), N.A |
| | **Width of Top tiles for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable** | 285 mm, 435 mm, 585 mm, 735 mm, 885 mm, 1035 mm, 1185 mm, 1335 mm, 1485 mm, 1635 mm, 1785 mm, N.A |
| | **Split Top tiles for 52[dot]4 mm and 22[dot]8 mm panel thickness Hint : For two different finishes in single panels** | Available, Not available |
| | **Height of Split top tiles for 52[dot]4 mm and 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes (according to panel height) are including the fabric or edge banding thickness if applicable** | 260 mm (for panel height of 3 feet, 4 feet and 5 feet), 375 mm (for panel height of 3.5 feet), 415 mm (for panel height of 4.5 feet), N.A |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Width of Split top tiles for 52[dot]4 mm and 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable** | 290 mm, 440 mm, 590 mm, 740 mm, 890 mm, 1040 mm, 1190 mm, 1340 mm, 1490 mm, N.A |
| | **Bottom tiles finish for 52[dot]4 mm panel thickness Hint : Bottom tiles are press fitted on to the assembly frame of the panel with the help of snap on clips – Switches can be mounted on these bottom tiles as per buyer's requirement** | Fabric magnetic tiles, Plain metal tiles, Laminated tiles, Post-laminated tiles, N.A |
| | **Width of Bottom tiles for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable** | 280 mm, 430 mm, 580 mm, 730 mm, 880 mm, 1030 mm, 1180 mm, 1330 mm, 1480 mm, 1630 mm, 1780 mm, N.A |
| | **Bottom Blocks for 22[dot]8 mm panel thickness** | Fabric finish (made from 18 mm thick PPB/PLB upholstered with fabric using adhesives), Metal finish (made from two components of 0.8 mm thick M.S. CRCA Grade D conforming to IS 513 powder coated with epoxy polyester finish), Laminate finish (made from 18 mm thick particle board), N.A |
| | **Width of Bottom Blocks for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable** | 285 mm, 435 mm, 585 mm, 735 mm, 885 mm, 1035 mm, 1185 mm, 1335 mm, 1485 mm, 1635 mm, 1785 mm, N.A |
| | **Width of Intermediate Blocks for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable** | 285 mm, 435 mm, 585 mm, 735 mm, 885 mm, 1035 mm, 1185 mm, 1335 mm, 1485 mm, 1635 mm, 1785 mm, N.A |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Top Blocks for 22[dot]8 mm panel thickness** | Fabric finish (made from 18 mm thick PPB/PLB upholstered with fabric using adhesives), Laminate finish (made from 18 mm thick particle board), White board finish (made of 16 mm thick particle board laminated with 0.6 mm thick white glossy high pressure laminate on both sides and having all its edges with minimum 0.5 mm thick PVC edging), Fabric metal finish (made of two metal tiles of 0.6 mm G.I grade O conforming to IS 277 and fabric is upholsterd using synthetic thermoplastics pressure sensitive hot melt adhesive), Tackable finish (made from 18 mm thick PLB battens which hold 3 mm MDF in between and 6 mm thick PE foam pasted on 3 mm thick MDF and upholstered with fabric on both sides using adhesive), Glass finish (made of 4 mm thick toughened plain glass having diamond polish edge finish), N.A |
| | **Height of Top Blocks for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable** | 260 mm, 375 mm, 415 mm, N.A |
| | **Width of Top Blocks for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable** | 285 mm, 435 mm, 585 mm, 735 mm, 885 mm, 1035 mm, 1185 mm, 1335 mm, 1485 mm, 1635 mm, 1785 mm, N.A |
| | **Height of End panel 22[dot]8 mm (tolerances : +/- 10 mm) Hint : This can be used in aisle conditions only** | 935 mm, 965 mm, 1050 mm, 1080 mm, 1200 mm, 1235 mm, 1355 mm, 1390 mm, 1470 mm, 1500 mm, N.A |
| | **Width of End panel 22[dot]8 mm (tolerances : +/- 10 mm) Hint : This can be used in aisle conditions only** | 1060 mm (suitable for 450 mm depth worktop), 1360 mm (suitable for 600 mm depth worktop), 1660 mm (suitable for 750 mm depth worktop), N.A |
| | **Bottom screen of end panel 22[dot]8 mm (off module fixing)** | PLB – fabric finish blocks (made from 18 mm thick PPB/PLB upholstered with fabric using adhesive), Laminate finish blocks (made from 18 mm thick particle board), Metal finish blocks (made from two components – both components are 0.8 mm thick M.S. CRCA Grade D conforming to IS 513 powder coated with epoxy polyester finish and fastened together using M6 nutserts), N.A |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Top screen of end panel 22[decimal]8 mm (off module fixing)** | PLB – fabric finish blocks (made from 18 mm thick PPB/PLB upholstered with fabric using adhesive), Laminate finish blocks (made from 18 mm thick particle board), White board blocks (made from 16 mm thick particle board laminated with 0.6 mm white glossy high pressure laminate on both sides and having all its edges with minimum 0.5 mm thick PVC edging), N.A |
| | **Panel joinery / Posts (22[decimal]8 mm panels cannot be interconnected – these are joined as fin panels to 52[decimal]4 mm panels only using fin posts) Hint : panel can be joined to each other directly with 180 degree joinery or with help of post to** | 2 way 180 degree, 2 way 90 degree, 3 way 90 degree, 4 way 90 degree, 2 way 120 degree, 3 way 120 degree, Single side (2 way ) End Fin LH/RH – for connecting 22.8 mm panels as fins with 52.4 mm on spine, Single side middle fin - for connecting 22.8 mm panels as fins with 52.4 mm on spine, Both side End Fin (3 way fin) - for connecting 22.8 mm panels as fins with 52.4 mm on spine, Both side shared fin (4 way) - for connecting 22.8 mm panels as fins with 52.4 mm on spine, N.A |
| | **Stability post – according to unit height - to avoid movement of free standing panels (tolerances : +/- 10 mm) Hint : End trim fixing is not required alongwith stability post** | 930 mm (for 3 feet unit height) ), 1045 mm (for 3.5 feet unit height), 1200 mm (for 4 feet unit height, 1350 mm (for 4.5 feet unit height), 1464.5 mm (for 5 feet unit height) |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Shivam Singh | 122051,CPWD NSG Camp Manesar Gurgaon | 75 | 45 |

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original

delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code**

**on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**