बिड संख्या/Bid Number: GEM/2026/B/8248371

दिनांक /Dated: 06-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-11-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-11-2026 12:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-bhuj@gujarat.gov.in
कुल मात्रा/Total Quantity	37
वस्तु श्रेणी /Item Category	Rheostat , RHEOSTAT , Ohm Meter Series Type portable box type , Milli Voltmeter centre zero analog portable box type housed in Bakelite case , Ammeter MC analog, portable box type housed in Bakelite case , KILO WATT METER ANALOG PORTABLE TYPE HOUSED IN BAKELITE CASE , Digital Wattmeter , A.C. Energy Meter 3 phase , Growler , Manual Motor coil Winding Machine , SHADED POLE MOTOR FRACTIONAL HP, 240 V 50 HZ , SINGLE PHASE SMART ENERGY METER , Allen keys SET OF 5 TO 11 , Rechargeable battery , Immersion Heater , IMMERSION HEATER , Multi meter , RUBBER MAT , HOT WIRE AMMETER , KILO WATT METER
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Rheostat (Sliding type) 0 to 25 ohm, RHEOSTAT 0-1 OHMS 10 AMP, Ohm Meter: Series Type portable box type, Ohm Meter; Series Type portable box type, Milli Voltmeter centre zero analog, portable box type housed in Bakelite case, Ammeter MC analog, portable box type housed in Bakelite case 0 to 500 mA, KILO WATT METER ANALOG 0-1.5-3KW, 240V/440V,5A/10A , Digital Wattmeter, A.C. Energy Meter 3 phase, Growler, Manual Motor coil Winding Machine, SHADED POLE MOTOR FRACTIONAL HP, 240 V, 50 HZ, SINGLE PHASE SMART ENERGY METER, Allen keys SET OF 5 TO 11, Rechargeable battery6 V, 7 Ah, Immersion Heater 1500 Watt, 240V, IMMERSION HEATER 1500 W -230 V, Multi meter 0-5, 100, 200, 500 milli-amperes, RUBBER MAT 2 METERS X 1 METER X 9 MM, HOT WIRE AMMETER 0-15 AMPS., KILO WATT (KW) METER 15 A 440 V 3 PHASE
	Searched String: Rheostat (Sliding type) 0 to 25 ohm

बिड विवरण/Bid Details	Deep Freezer (V3) ISI Marked to IS 7872, Electronic Weighing Scales, Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), COD (Chemical Oxygen Demand) Analyzer (Closed Reflux), USB Type External Solid State Drive Capacity Up To And Including 256 GB (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Signal Isolator, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Heavy Duty Battery Charger, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: RHEOSTAT 0-1 OHMS 10 AMP Line Interactive UPS with AVR (V2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Resistors (V2), Stereo Microscope (V1), Signal Isolator, Online UPS (V2), UV - Visible Spectrophotometer (FSSAI), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Potato Peeler **Searched String**: Ohm Meter: Series Type portable box type Pilling Tester - Box Type (Textile), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, PLUNGER TYPE METERING PUMP, Carbon Monoxide Meter, Box type PP Bag for Postal Deptt, Water Quality Meters / Analyzers, Wick Type Kerosene Oil Heater, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Bullet Recovery Box, E-cart for Goods **Searched String**: Ohm Meter; Series Type portable box type Pilling Tester - Box Type (Textile), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, PLUNGER TYPE METERING PUMP, Carbon Monoxide Meter, Box type PP Bag for Postal Deptt, Water Quality Meters / Analyzers, Wick Type Kerosene Oil Heater, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Bullet Recovery Box, E-cart for Goods **Searched String**: Milli Voltmeter centre zero analog, portable box type housed in Bakelite case Category not available on GeM for the text string uploaded by the buyer **Searched String**: Ammeter MC analog, portable box type housed in Bakelite case 0 to 500 mA Category not available on GeM for the text string uploaded by the buyer **Searched String**: KILO WATT METER ANALOG 0-1.5-3KW, 240V/440V,5A/10A Analog-Digital Circuits Development Platform, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Hydrochloric Acid (V3) Conforming to IS 265, Line Interactive UPS with AVR (V2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: Digital Wattmeter Digital Timer, Digital Multimeter, Digital Burette, Digital UHF Repeater Sets as per MHA QR (V2), Digital Barometer, Rotary Shaker, Digital Hand-held VHF Transceiver as per MHA QR, Digital Tachometer, true rms clamp meter, Digital Forensic Workstation **Searched String**: A.C. Energy Meter 3 phase AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Power Factor Meter - Digital, Ammeter - Analog (Panel Meter) as per IS 1248, Digital Earth Resistance Meter, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Cables, Converters and Adapters **Searched String**: Growler Category not available on GeM for the text string uploaded by the buyer **Searched String**: Manual Motor coil Winding Machine Coil Pressing Machine, Sanitary Napkins Vending Machines, Motor Grader, Manual Winches, Shredding Machine/Paper Shredder, Manual Metal Arc Welding (MMA) Machine (V3), DENTAL ENDOMOTOR, Cattle Lifting Machine, Drilling Machine Bench Type / Pillar Type as per IS 2425, Paper Punch Machine(V2) **Searched String**: SHADED POLE MOTOR FRACTIONAL HP, 240 V, 50 HZ Reciprocating Saw **Searched String**: SINGLE PHASE SMART ENERGY METER Prepaid energy meter, Wet Grinder, Energy Meter Test Bench, Ammeter - Analog (Panel Meter) as per IS 1248, Single phasing preventer Relay (SPPR), Industrial Siren / Electrical Siren, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Power Quality Analyzer, Solar Power Plant (Roof Top) for ONGRID System, Single Phase **Searched String**: Allen keys SET OF 5 TO 11 Gravity Feed Transfusion Set Conforming to IS/ISO 1135 (Part 4), Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Engine Monoset Pumps for Clear, Cold, Water (Dewatering Pump) Conforming To IS 11501, Fibre Optic Installation and Maintenance Tool Kit, Diesel Power Generator (up to 900 KVA), Role and Pretend Play Toys (V3), Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), Muffle/Box Furnace (V2), Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Agricultural Trailer Complying to AIS 112 **Searched String**: Rechargeable battery6 V, 7 Ah Stationary Valve Regulated Lead Acid Batteries (V3)

बिड विवरण/Bid Details	Conforming To IS 15549, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, 48V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, 72V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, General Purpose Hand Gloves (V2), Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, shoes school pvc boys girls **Searched String**: Immersion Heater 1500 Watt, 240V Convection Heaters - Room Heater, Blower, Roti Making Machine, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Heater Elements, Watt Meter - Analog (Panel Meter) as per IS 1248:2003 **Searched String**: IMMERSION HEATER 1500 W -230 V Convection Heaters - Room Heater, Blower **Searched String**: Multi meter 0-5, 100, 200, 500 milli-amperes Water Quality Meters / Analyzers, Metal Pole **Searched String**: RUBBER MAT 2 METERS X 1 METER X 9 MM Elastic Surgical Adhesive Tapes (V2), Judo Mat (V2), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Sports Mats (V2), Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, rubber bands, compressed asbestos fibre jointing sheet, Portable Toilet, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: HOT WIRE AMMETER 0-15 AMPS. Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wire Cloth for General Purposes conforming to IS 1568, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: KILO WATT (KW) METER 15 A 440 V 3 PHASE Power Factor Meter - Digital, Watt Meter - Analog (Panel Meter) as per IS 1248:2003
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Rheostat Kit For Educational Purpose • Indicating Instruments - Ammeter & Voltmeter (BHEL) • Voltmeter - Analog (Panel Meter) as per IS 1248
बीओक्यू शीर्षक /**BOQ Title**	ELECTRICAL TOOLS
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/**OEM Average Turnover (Last 3 Years)**	2 Lakh (s)

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Ohm Meter Series Type portable box type
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	86550

बिड विवरण/Bid Details	
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	13

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
PRINCIPAL
B/H LEUVA PATEL HOSPITAL MUNDRA ROAD BHUJ-KUTCH
(Industrial Training Institute Bhuj)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined

in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
07-11-2026 11:00:00	ITI BHUJ

Rheostat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	2	15

RHEOSTAT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	2	15

Ohm Meter Series Type Portable Box Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

Ohm Meter Series Type Portable Box Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

Milli Voltmeter Centre Zero Analog Portable Box Type Housed In Bakelite Case

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

Ammeter MC Analog, Portable Box Type Housed In Bakelite Case

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

KILO WATT METER ANALOG PORTABLE TYPE HOUSED IN BAKELITE CASE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	2	15

Digital Wattmeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

A.C. Energy Meter 3 Phase

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	2	15

Growler

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	2	15

Manual Motor Coil Winding Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

SHADED POLE MOTOR FRACTIONAL HP, 240 V 50 HZ

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

SINGLE PHASE SMART ENERGY METER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

Allen Keys SET OF 5 TO 11

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	3	15

Rechargeable Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	3	15

Immersion Heater

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	3	15

IMMERSION HEATER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	3	15

Multi Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	2	15

RUBBER MAT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	2	15

HOT WIRE AMMETER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	1	15

KILO WATT METER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sagar Patel	370001,GOVT. INDUSTRIAL TRAINING INSTITUTE, BHUJ, B/H. LEUVA PATEL HOSPITAL, MUNDRA ROAD, TA - BHUJ, DI - KACHCHH	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. **Generic**

   Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

3. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

4. **Generic**

   Without prejudice to Buyer’s right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
   i) The Seller fails to comply with any material term of the Contract.
   ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
   iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
   iv) The Seller becomes bankrupt or goes into liquidation.
   v) The Seller makes a general assignment for the benefit of creditors.
   vi) A receiver is appointed for any substantial property owned by the Seller.
   vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

5. **Generic**

   While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the

screenshot of GST portal confirming payment of GST.

6. **Generic**

   Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

7. **Inspection**

   Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.
   When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

8. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   PRINCIPAL ITI BHUJ
   payable at
   BHUJ
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

9. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

   PRINCIPAL ITI BHUJ
   payable at
   BHUJ
   . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

10. **Certificates**

    Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

11. **Scope of Supply**

    Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

12. **Warranty**

    Successful bidder will have to ensure that adequate number of dedicated technical service personals /

engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

13. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

14. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

* This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industries and Mi nes Department, Gujarat.

* Bidders are advised to check clauses of Gujarat State Procurement Policy 2024(like EMD Exempt ion, Sta rt-up related, Purchase Preference etc...) before participation.

* In case of any conflict in the terms and conditions given in this bid in ATC, the Gujarat State Proc uremen t Policy 2024 provisions shall prevail. However, if there is such an ATC which has no count erpart in the sai d policy, then the ATC shall prevail.

* Warranty period of the supplied products shall be years (mentioned in specification) from the dat e of fin al acceptance of goods or after completion of installation, commissioning & testing of good s (if included in the scope of supply), at consignee location. OEM Warranty certificates must be sub mitted by Successful B idder at the time of delivery of Goods. The seller should guarantee the rectif ication of goods in case of any break down during the guarantee period. Seller should have well es tablished Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. De tails of Service centre near consignee destinations a re to be uploaded along with the bid.

* Turnover of the bidder The minimum average annual financial turnover or actual production of th e bidde r/ during the last three years, ending on 31st March of the previous financial year, should b e at least twice the bid value. (Bid Estimated value mentioned in bid document) Documentary evi dence in the form of cert ified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant/ Cost Acco untant indicating the financial turnover or actual production detai ls for the relevant period shall be upload ed with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the ave rage financial turnover or actual production in respect of the completed financial years after the date of co nstitution shall be taken 37 / 40into account for this criteria.

* The warranty provided by the bidder must be on site at consignee place.

* Please Refer Complete “Gujarat State Procurement Policy 2024, Clause No. 4 For Eligibility For E xemptio n From E.M.D (Earnest Money Deposit).

* As Per “Gujarat State Procurement Policy 2024 ” Clause No. 4 For Eligibility For Exemption From E.M.D(E arnest Money Deposit), Bidders Who Are Micro & Small-Scale Enterprises (Directly Particip ating In Tenderi ng Process) Have Udyam Registration For Services(Relevant) Under Procurement A nd Having Registration With CSPO Or Nation al Small Industries Corporation (NSIC) Is Eligible For E xemption From E.M.D.dyam Re gistration For Exemption From E.M.D (Earnest Money Deposit).

* As Per Industries And Mines Departments GR No. Kharad/ 102018/ Uor.1/Ch, Dated 30/04/2018 P oint N O. 4 Only Gujarat State Startup Having MSE Certificate Are Exempted From Turnover And E xperience Crite ria.

* The bidder shall be required to supply all the items for which rates have been quoted.

* For any dispute decision of head of the Institute, PRINCIPAL ITI BHUJ will be final.

* The area of jurisdiction shall be BHUJ (KUTCH)

.

15. **Buyer Added Bid Specific ATC**

    Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---