बिड संख्या/Bid Number: GEM/2026/B/8251979

दिनांक /Dated: 06-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-11-2026 09:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-11-2026 09:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	140 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	**********
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :vslegha.387m@gov.in Buyer Email id: greenindia@nic.in
कुल मात्रा/Total Quantity	76

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	0 point 012 inches NiTi wire upper , 0 point 012 inches NiTi wire lower , 0 point 014 inches NiTi wire upper , 0 point 016 inches NiTi wire upper , 0 point 016 inches NiTi wire lower , Arch wire SS preformed ideal arch form upper and lower 0 point 016 inches round pkt of 10 , Crimpable hooks pkt of 10 , 0 point 016 inchesx0 point 022 inches NiTi wire upper , 0 point 016 inchesx0 point 022 inches NiTi wire lower , 0 point 016 inchesx0 point 022 inches SS wire upper , 0 point 016 inchesx0 point 022 inches SS wire lower , 0 point 017 inchesx0 point 025 inches SS wire upper , 0 point 017 inchesx0 point 025 inches SS wire lower , 0 point 017 inchesx0 point 025 inches NiTi wire upper , 0 point 017 inchesx0 point 025 inches NiTi wire lower , Orthodontic temporary anchorage implant kit of 10 implant screw TAD , Orthodontic Bonding system light cure with adhesive kit complete , Preformed band kit size 36 to 42 plus kit of 400 bands , Lingual button pkt of 50 , Stainless steel wire 0 point 09 inches 21 G pkt of 200-300 gm , Elastic Modules ligature pkt of 1000 , E chain heavy , E chain light , Orthodontic silver solder spool of 8 to 10 gms , Flux for orthodontic solder bott of 25 gm , Face bow complete 0 point 045 SS medium outer bow , Headgear high and medium pull complete orthopaedic force modules 500 gm each , Orthodontic boxes plastics dimensions approx point 8 inchesx4 inchesx6 inches , Niti open coil spring 0 point 012x0 point 030 inches thickness wire spool 15 inches , Niti closed coil springe with eyelet pkt of 10 for 150-200 gm 6 mm , Orthodontic rubber base formers set of upper and lower , Wire light Australian size 0 point 016 inches coil of 25 ft , Wire light Australian size 0 point 018 inches coil of 25 ft , Forsus fixed functional appliance for class II correction , Chin Cup , Preformed loop arch wire for retraction TMA 24-42 inter incisal distance pkt of 10 upper and lower , Bite raising colour composite
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	0.012 NiTi wire upper, 0.012 NiTi wire lower, 0.014 NiTi wire upper, 0.016 NiTi wire upper, 0.016 NiTi wire lower, Arch wire SS preformed ideal arch form upper and lower 0.016 round pkt of 10, Crimpable hooks pkt of 10, 0.016x0.022 NiTi wire upper, 0.016x0.022 NiTi wire lower, 0.016x0.022 SS wire upper, 0.016x0.022 SS wire lower, 0.017x0.025 SS wire upper, 0.017x0.025 SS wire lower, 0.017x0.025 NiTi wire upper, 0.017x0.025 NiTi wire lower, Orthodontic temporary anchorage implant kit of 10 implant screw (TAD), Orthodontic Bonding system light cure with adhesive kit complete, Preformed band kit size (36 to 42+) kit of 400 bands, Lingual button pkt of 50, Stainless steel wire 0.09 inches/ 21 G pkt of 200-300 gm, Elastic Modules ligature pkt of 1000, E-chain heavy, E-chain light, Orthodontic silver solder spool of 8-10 gms, Flux for orthodontic solder bott of 25 gm, Face bow complete 0.045 SS medium outer bow , Headgear high and medium pull complete orthopedic force modules (500 gm each), Orthodontic boxes plastics dimensions approx. 8x4x6, Niti open coil spring 0.012x0.030 thickness wire spool 15 inches , Niti closed coil springs with eyelet pkt of 10 for (150-200 gm) 6 mm, Orthodontic rubber base formers set of upper and lower, Wire light (Australian) size 0.016 coil of 25 ft, Wire light (Australian) size 0.018 coil of 25 ft, Forsus fixed functional appliance for class II correction, Chin Cup, Preformed loop arch wire for retraction TMA/SS upper and lower, Bite raising colour composite

बिड विवरण/Bid Details	
	Searched String: 0.012 NiTi wire upper Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Guidewires (V2), Enamelled Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), Wire Cup Brush, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flux Cored Solder Wire as per IS 1921, Wire Cloth for General Purposes conforming to IS 1568, Telephone Cable As Per TEC Specification (V2) **Searched String**: 0.012 NiTi wire lower Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Guidewires (V2), Enamelled Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), Antimicrobial Uniform for Sanitary Workers - Male Lower, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Glassware - Burettes (V2) as per IS 1997, Wire Cup Brush, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flux Cored Solder Wire as per IS 1921 **Searched String**: 0.014 NiTi wire upper Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Guidewires (V2), Enamelled Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), Wire Cup Brush, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flux Cored Solder Wire as per IS 1921, Wire Cloth for General Purposes conforming to IS 1568, Telephone Cable As Per TEC Specification (V2) **Searched String**: 0.016 NiTi wire upper Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Guidewires (V2), Enamelled Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), Wire Cup Brush, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flux Cored Solder Wire as per IS 1921, Wire Cloth for General Purposes conforming to IS 1568, Telephone Cable As Per TEC Specification (V2) **Searched String**: 0.016 NiTi wire lower Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Guidewires (V2), Enamelled Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), Antimicrobial Uniform for Sanitary Workers - Male Lower, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Glassware - Burettes (V2) as per IS 1997, Wire Cup Brush, Mechanically Woven,

बिड विवरण/Bid Details	Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flux Cored Solder Wire as per IS 1921 **Searched String**: Arch wire SS preformed ideal arch form upper and lower 0.016 round pkt of 10 Category not available on GeM for the text string uploaded by the buyer **Searched String**: Crimpable hooks pkt of 10 Aerobic Drum Compost Plant of 10 TPD capacity with Sieving Trommel, Endotracheal Tube - Sterile (Single Use), Stable Bleaching Powder for Treatment of Water Intended for Drinking (V3) conforming to IS 1065 (Part 2), Wax Candle as per IS 11359, Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Nitrile Coated/Nitrile Hand Gloves (V2), Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Copper Tube 104.9mm-OFB, Line Interactive UPS with AVR (V2) **Searched String**: 0.016x0.022 NiTi wire upper Guidewires (V2), Wire Cup Brush, Syringe Filter, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flux Cored Solder Wire as per IS 1921, Wire Cloth for General Purposes conforming to IS 1568, Telephone Cable As Per TEC Specification (V2) **Searched String**: 0.016x0.022 NiTi wire lower Guidewires (V2), Antimicrobial Uniform for Sanitary Workers - Male Lower, Syringe Filter, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Glassware - Burettes (V2) as per IS 1997, Wire Cup Brush, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flux Cored Solder Wire as per IS 1921, Wire Cloth for General Purposes conforming to IS 1568, Telephone Cable As Per TEC Specification (V2) **Searched String**: 0.016x0.022 SS wire upper Guidewires (V2), Baby Tray, Syringe Filter, Foot pull, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Microwave extraction system, Wire Cup Brush, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flux Cored Solder Wire as per IS 1921, Wire Cloth for General Purposes conforming to IS 1568 **Searched String**: 0.016x0.022 SS wire lower Guidewires (V2), Baby Tray, Syringe Filter, Foot pull, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Microwave extraction system, Laboratory Glassware - Burettes (V2) as per IS 1997, Wire Cup Brush, Antimicrobial Uniform for Sanitary Workers - Male Lower, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: 0.017x0.025 SS wire upper Electronic Weighing Scales, Baby Tray, Guidewires (V2), Foot pull, Microscopes Slide Coverslips as per IS 3099, Microwave extraction system, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Sieve Shaker, Wire Cup Brush, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: 0.017x0.025 SS wire lower Electronic Weighing Scales, Baby Tray, Guidewires (V2), Foot pull, Microscopes Slide Coverslips as per IS 3099, Microwave extraction system, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Glassware - Burettes (V2) as per IS 1997, Sieve Shaker, Wire Cup Brush **Searched String**: 0.017x0.025 NiTi wire upper Electronic Weighing Scales, Guidewires (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Microscopes Slide Coverslips as per IS 3099, Wire Cup Brush, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Sieve Shaker, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Four Probe, Needle Valve **Searched String**: 0.017x0.025 NiTi wire lower Electronic Weighing Scales, Antimicrobial Uniform for Sanitary Workers - Male Lower, Guidewires (V2), Microscopes Slide Coverslips as per IS 3099, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Glassware - Burettes (V2) as per IS 1997, Sieve Shaker, Wire Cup Brush, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Four Probe **Searched String**: Orthodontic temporary anchorage implant kit of 10 implant screw (TAD) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Orthodontic Bonding system light cure with adhesive kit complete Dental Composite Kit with Etchant and Bonding Agent **Searched String**: Preformed band kit size (36 to 42+) kit of 400 bands Tool kit for Shajar Stone Craft – Banda - under ODOP Scheme of Govt. of Uttar Pradesh **Searched String**: Lingual button pkt of 50 Emergency Push Button Switch, Nitrile Coated/Nitrile Hand Gloves (V2), Air Compressor of Capacity 5000 Nm3/Hr (IOCL), Wild - Life Cages, Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Speed Breaker (V3), Cast Iron Bench

बिड विवरण/Bid Details	**Searched String**: Stainless steel wire 0.09 inches/ 21 G pkt of 200-300 gm
	Category not available on GeM for the text string uploaded by the buyer **Searched String**: Elastic Modules ligature pkt of 1000 Category not available on GeM for the text string uploaded by the buyer **Searched String**: E-chain heavy Plastic Chain, Cleaning Duster (V3), Key Chain, Welding apron, Simplex Roller Chain, Styling Chair / Salon Chair / Swiveling Barber Chair, Chain Electric Hoist, E - Cart for Garbage (V2), Chain Saw (V2), E-cart for Goods **Searched String**: E-chain light Plastic Chain, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Key Chain, Non Skid Chain (Defence), Simplex Roller Chain, Cleaning Duster (V3), Chain Electric Hoist, Portable OT Light (V2), Chain Saw (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) **Searched String**: Orthodontic silver solder spool of 8-10 gms Category not available on GeM for the text string uploaded by the buyer **Searched String**: Flux for orthodontic solder bott of 25 gm Category not available on GeM for the text string uploaded by the buyer **Searched String**: Face bow complete 0.045 SS medium outer bow Category not available on GeM for the text string uploaded by the buyer **Searched String**: Headgear high and medium pull complete orthopedic force modules (500 gm each) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Orthodontic boxes plastics dimensions approx. 8x4x6 File/Folder (V3), Water proof HDPE/PP Woven Sack (for packing) - OFB, Plastic Crates for Fruits and Vegetable (V2) conforming to IS 15532 **Searched String**: Niti open coil spring 0.012x0.030 thickness wire spool 15 inches Category not available on GeM for the text string uploaded by the buyer **Searched String**: Niti closed coil springs with eyelet pkt of 10 for (150-200 gm) 6 mm Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details	
	by the buyer **Searched String**: Orthodontic rubber base formers set of upper and lower Tracksuit, Dental Impression Trays - RBSK **Searched String**: Wire light (Australian) size 0.016 coil of 25 ft Category not available on GeM for the text string uploaded by the buyer **Searched String**: Wire light (Australian) size 0.018 coil of 25 ft Category not available on GeM for the text string uploaded by the buyer **Searched String**: Forsus fixed functional appliance for class II correction Category not available on GeM for the text string uploaded by the buyer **Searched String**: Chin Cup Dip / Chin Assist Machine, Sample Cup, Disposable Cup (V2), Tea Set (V2), Reusable Menstrual Cup, Surgical Retractors, Measuring Mug / Cup, Sample Cup (V2), Wire Cup Brush, mugs stainless steel single double walled with double wall moulded handle **Searched String**: Preformed loop arch wire for retraction TMA/SS upper and lower Category not available on GeM for the text string uploaded by the buyer **Searched String**: Bite raising colour composite Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Dental Composite Kit with Etchant and Bonding Agent • Orthodontic Pliers
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	20 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	0 point 012 inches NiTi wire upper
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	67575
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
6. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a

certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
7. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

0 Point 012 Inches NiTi Wire Upper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

0 Point 012 Inches NiTi Wire Lower

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

0 Point 014 Inches NiTi Wire Upper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	2	20

0 Point 016 Inches NiTi Wire Upper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

0 Point 016 Inches NiTi Wire Lower

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

Arch Wire SS Preformed Ideal Arch Form Upper And Lower 0 Point 016 Inches Round Pkt Of 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	2	20

Crimpable Hooks Pkt Of 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

0 Point 016 Inchesx0 Point 022 Inches NiTi Wire Upper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

0 Point 016 Inchesx0 Point 022 Inches NiTi Wire Lower

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

0 Point 016 Inchesx0 Point 022 Inches SS Wire Upper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

0 Point 016 Inchesx0 Point 022 Inches SS Wire Lower

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	2	20

0 Point 017 Inchesx0 Point 025 Inches SS Wire Upper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

0 Point 017 Inchesx0 Point 025 Inches SS Wire Lower

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

0 Point 017 Inchesx0 Point 025 Inches NiTi Wire Upper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

0 Point 017 Inchesx0 Point 025 Inches NiTi Wire Lower

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Orthodontic Temporary Anchorage Implant Kit Of 10 Implant Screw TAD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Orthodontic Bonding System Light Cure With Adhesive Kit Complete

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Preformed Band Kit Size 36 To 42 Plus Kit Of 400 Bands

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Lingual Button Pkt Of 50

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Stainless Steel Wire 0 Point 09 Inches 21 G Pkt Of 200-300 Gm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	2	20

Elastic Modules Ligature Pkt Of 1000

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

E Chain Heavy

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

E Chain Light

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Orthodontic Silver Solder Spool Of 8 To 10 Gms

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	3	20

Flux For Orthodontic Solder Bott Of 25 Gm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Face Bow Complete 0 Point 045 SS Medium Outer Bow

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Headgear High And Medium Pull Complete Orthopaedic Force Modules 500 Gm Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Orthodontic Boxes Plastics Dimensions Approx Point 8 Inchesx4 Inchesx6 Inches

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	15	20

Niti Open Coil Spring 0 Point 012x0 Point 030 Inches Thickness Wire Spool 15 Inches

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Niti Closed Coil Springe With Eyelet Pkt Of 10 For 150-200 Gm 6 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	2	20

Orthodontic Rubber Base Formers Set Of Upper And Lower

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Wire Light Australian Size 0 Point 016 Inches Coil Of 25 Ft

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Wire Light Australian Size 0 Point 018 Inches Coil Of 25 Ft

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Forsus Fixed Functional Appliance For Class II Correction

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	2	20

Chin Cup

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

Preformed Loop Arch Wire For Retraction TMA 24-42 Inter Incisal Distance Pkt Of 10 Upper And Lower

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	2	20

Bite Raising Colour Composite

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Pune	1	20

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Bidder shall submit the following documents along with their bid for Vendor Code Creation:

   a. Copy of PAN Card.

   b. Copy of GSTIN.

   c. Copy of Cancelled Cheque.

   d. Copy of EFT Mandate duly certified by Bank.

3. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

4. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   ATC OF BID

   1. ITEMS SHOULD BE AS PER SPECIFICATION MENTIONED IN BBQR

   2. ITEMS SHOULD BE DELIVERED TOGETHER AND WITH IN THE DELIVERY PERIOD.

   3. ITEMS SHOULD BE SUPPLIED AS PER QUOTED AND TECHNICALLY ACCEPTED ITEMS BY THE SELLER.

   4. VENDOR WILL GIVE PRODUCTS IMAGE AND CATALOUGE IN SPECIFICATION DOCUMENT.

   5. EXPIRY DATE OF PRODUCT SHOULD BE MORE THAN 1.5-2 YEAR.

   6. PAYMENT WILL BE MADE ON AFTER SUCCESSFUL DELIVERY AND ACCEPTANCE OF THE PRODUCT.

   7. IMAGES OF THE PRODUCT MUST BE COMPILED IN BOQ SPECIFICATION DOCUMENT.

   8. PAMENT WILL MADE BY PCDA (SC) PUNE.

   .

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The

Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---